National University of Technology (NUTECH)
IJP Road, Sector I-12
Islamabad
Telephone: 051-5476805
106/SCM/NUTECH

Aug 2025

To:

Subject: Request for Quotation: - Purchase of Eqpt for Wired Based EV Charger

Please provide quotation for following items. Quotes will be submitted in closed envelop and must reach to SCM Office latest by 18 Aug 2025 before 1100 hrs.

Ser	Item Name/Size	Specification	A/U	Country of Origin	Qty	Est Unit Price (PKR)	Total Est Price (PKR)
	UR100030-IP65 (EU) 30kW IP65 DC Charging Module	 Input voltage 260VAC~530VAC Input frequency 55±10Hz THD ≤5% Power factor Rated output load PF ≥ 0.99 Max. input current <60A Input under voltage protection 255±5V, backlash≥15V Input over voltage protection 530±5V, backlash≥15V Input Power Derating 260±5V DC Output Rated output 1000V/30A Constant power voltage range 30kW (300V~1000V) Output voltage range 150V~1000V Output current range 0~100A Output over voltage protection 1010±5V Output under voltage alarm constant 	Nos	China	01		

	 7
 140±2V Short circuit protection Short circuit retraction constant current output is adopted in case of short circuit, which can be recovered automatically Voltage stabilized accuracy ≤±0.5% Load sharing ≤±3% Max. startup overshoot ≤±1% Current stabilized accuracy ≤±1% Startup time 1s Efficiency Highest efficiency>96%, rated efficiency>95% Communication & Alarm Communication & Alarm Communication & Opcs Alarm and status CAN bus communication, LED display 	
Operating Environment Operating temperature -30°C~75°C,derates from 55°C Over temperature protection On temperature >75°C±4°C or <- 30°C±4°C, module will shut down automatically Storage temperature - 40°C~85°C Humidity ≤95% RH, without condensation Atmospheric pressure/ Altitude 79kPa~106kPa Physical Characteristics	

2

4

5

6 7

8.

9. 1(

1

The de	×						
		 Acoustic Noise 65dB Cooling Fan cooling Dimension 400mm (W) *148mm (H) *525mm (D) Weight ≤33kg 					
2.	Laptop	 Processor: Intel Core i7 (13th Gen or Higher), 10 to 12 cores / up to 16 threads, Turbo Boost up to ~4.9 GHz Memory: 24 GB DDR5 RAM Storage: 1 TB NVMe SSD, PCIe Gen 4 interface Display: 15.6-inch, Full HD (1920×1080) or higher, Anti-glare, 300+nits brightness Operating System: Windows 11 Home or Pro Integrated Graphics: Intel Iris Xe Graphics or higher Ports: 2× USB-A 3.2, 1–2× USB-C (with Power Delivery and/or DisplayPort), HDMI 2.0 or higher, 3.5mm audio combo jack, Optional SD or microSD card reader Connectivity: Wi-Fi 6E, Bluetooth 5.3, Camera & Audio: 1080p FHD webcam, Dualarray microphones, Stereo speakers with Dolby Audio (or similar enhancement) 	Nos	American/ European	01		

	Ÿ	
	A	
-6	1	
THE		4

		 Keyboard: Backlit keyboard, Full-size with numeric keypad (on 15.6"+ models) 				
3	EV Bike Charger Kit	E-Bike Charger kit 73V 10A	Nos	American/ European	01	
		Gross Total inclusive of a	II taxes			

- 1. Provide unit price of each item, Total price per item, Total price of all items without all applicable taxes and total price with all taxes.
- Quote for above mentioned items should be on company's letterhead with sign and stamp.
- Also mention date of quote, NTN and STRN number in your quotation.
- Quality must be ensured.
- Quotes must reach in SCM Office 2nd Floor Admin Block NUTECH Islamabad latest by 10 Aug 2025 not later than 1100 hrs.
- 6. Quotes will be opened on 10 Aug 2025.
- 7. Delivery period will be 07 days after placing Purchase Order.
- 8. Please ensure delivery within stipulated time.
- Rates shall be quoted on free delivery basis at NUTECH Islamabad.
- 10. Warranty/ Guarantee required 12 Months.
- 11. Business will be awarded on package deal.

Deputy Director Supply Chain Management Office