

TENDER DOCUMENTS

PROCUREMENTOF INDOOR SPORTS EQPT-NUTECH

Nutech/Scm/Indoor Sports Eqpt-2019/TD-027

NATIONAL UNIVERSITY OF TECHNOLOGY

TENDER NOTICE

National University of Technology (NUTECH) NUTECH/SCM/INDOOR SPORTS EQPT/2019/TD-027

Sealed bids are invited from Government / FBR Registered Firms for the procurement of Indoor sports Facilities for NUTECH.

- 1. Tender documents containing terms & conditions and detailed specifications of items can be downloaded from NUTECH website "<u>https://nutech.edu.pk/d-p.php</u>" w.e f **27 Feb 2019.**
- 2. Quotations shall be submitted as per requirement of the tender documents.

3. Bidders will be required to submit bank draft/PO equal to 2% of quoted value as Bid Bond in favor of National University of Technology (NUTECH).

- 4. Sealed bids with detailed specification should reach on the following address latest by **1100 hours** on
- 21 March 2019. Late submission will not be entertained.
- 5. Bids will be opened at **1130 hours** on **21 March 2019 at** SCM Office.
- 6. Project is to be completed in 15 days from the date of award of contract.
- Submit Rs 1500/- as Tender fee in favour of NUTECH HBL account: <u>NUTECH Tendering and</u> <u>contracts, 5037-000210755.</u> Please attach bank receipt with technical offer. Offers will not be <u>entertained without payment of processing fee.</u>

Deputy Director (Supply Chain Management Office) NATIONAL UNIVERSITY OF TECHNOLOGY (NUTECH) JPROAD, SECI-12, ISLAMABAD Tel: 0092-51-5476768, Ext: 178



NATIONAL UNIVERSITY OF TECHNOLOGY SUPPLY CHAIN MANAGEMENT OFFICE

INVITATION TO TENDER

Submission Date/Time 21 Mar 2019 at 1100 hours

1. NUTECH desires to procure the list of item(s)/Store(s) as per **Annexure-A**, through two envelope method. Interested bidders are requested to send their bids through courier or deliver at NUTECH under two separate sealed envelopes (placed together in third envelope), marked clearly, <u>"Technical Offer"</u> and <u>"Commercial Offer</u>", respectively to the undersigned, latest by or before above mentioned due date. If due to any unforeseen circumstances, NUTECH establishment remains closed, then the last date of submission will be extended to next working day.

2. Please also note that Technical Offer should contain only Annexes-A & B duly filled in (supported with relevant technical literature /details/ catalogues etc) and receipt of tender processing fee. Commercial Offer will contain Annexure-C and bid bond (Dully mentioned and placed in separate envelope). Please ensure no space is left blank in the annexes.

3. Following must be noted for this IT (Invitation to Tender):-

- a. 2 x copies of technical offer are to be provided. Ambiguous/multiple/wrong quotes will be rejected
- b. Annexes A, B and C must be signed and stamped. Attach only relevant literature.
- Please complete all document as per given format. Do not use your format or letter head.
 Offer may be rejected if given format is not followed.
- d. Validity of offer will be 90 days.
- e. Delivery period will be 15 days from the date of award of contract.
- f. The firm should provide point to point acceptance of each clause of IT and special instructions attached with IT.
- g. Firm will render a certificate with technical offer that firm is neither defaulter nor blacklisted by any Government / Semi Government organization directly or indirectly.
- h. Tender(s) must be accompanied with a Bid Bond in agreement of faithful compliance of the conditions of Contract/Purchase Order. This amount will be equivalent to 2 % of the total

quoted value. In case of non-acceptance of any offer, the Bid Bond will be returned to the bidder by fastest possible means. The Bid Bond amount submitted by the successful bidder will however be refunded on effective termination of Contract/ Purchase Order. (The Bid Bond will be forfeited in case of default by the bidder from his commitments made through his offer). Submission of Bid Bond is mandatory; otherwise your offer will be rejected.

- i. 3 years warranty against 2% bank guarantee will be required from the successful bidders from the date of commissioning.
- j. Rates should be quoted on Free Delivery basis at NUTECH Islamabad.

4. We reserve the rights to accept or reject any or all tenders as a whole or in part without assigning any reason whatsoever. The decision in this regard will be firm, final and binding on all bidders.

DD (Supply Chain Management)



NATIONAL UNIVERSITY OF TECHNOLOGY

SUPPLY CHAIN MANAGEMENT OFFICE

TECHNICAL OFFER

Annex A

User Reference No ADM-009 Date: 04-02-2019

Technical Specification

Ser	Items	Description	Country of	A/U	Qty Re		dder pliance	Tech Scrutiny to be done by user	
			Origin		q	Yes	No	Accepted	Rejected
								Reason of	Rejection
1.	Tennis Table	 Table Size: 2740x1525x760MM Top Thickness: 18 MM Top Colour: Blue Frame Size: 25x50MM Leg Size:50 x 50 MM Packing Size: 1600 x 1480 x 110 MM N.W. 93 Kgs G.W: 98 Kgs 	China	Nos	03				
2.	Snooker Table	 Product Size: 6 Feet x12 Ft (Standard Size) Cloth: England Ball: Belgium Sticks: Taiwan Wooden: Pak Made (Partal & Kikkar) Marble: 2 Inch 	Local	Nos	01				

		 Stick Stand: Pak Wood Light Stand: China Fitting Score Board: Plastic Chocks: Tips & other All Complete Accessories with Installation. 1 x long butt cue with one long rest 1 x Plastic Snooker triangle 12 x Chalk and tips 						
3.	Treadmill. (Brand Matrix , Nautilus or equivalent)	Console Display: Multi LCD 6.5" Window for Distance, Calories, Speed, Pulse, Incline Program Computer Program: Manual, 9 Programs (P1-P9), 2User, 2HRC, Muscleman, Heart Rate Bar, 5 Quick Keys for Speed & 5 for incline. Motor: AC 3.0 Hp Speed Range: 1-18 km Incline Level: 0-15 Built- in Book Rack: Yes Hand Pulse: Yes Option: Backlit, Receiver, Wireless Chest Strap, Cooling Fan, Speaker Function Folding Design: No Running Surface: 560 X 1525 mm Running Belt: 1.6 mm Product Size: 1960 X 895 X 1365 mm Product Weight N.W: 98 Kgs Product Weight G.W: 108.2 Kgs Max. User Weight: 150 Kgs	USA or equivalent		02			
4.	Elliptical Trainer.	Console Large Blue-LED Matrix, 20-Character LED Message Center, LED Heart	USA or equivalent	Nos	01			

	(Brand Matrix , Nautilus or equivalent)	Rate Bar, Tablet Friendly Reading Rack, Turbo Cooling Fan Console Feedback Time, Resistance Level, Distance, Calories, RPM, Program Name, Watts, METs, Laps, Speed, and Heart Rate Heart Rate: Contact & Telemetric, (Heart Rate Strap Not Included) Resistance: 40 Levels Drive Train: Integrated Generator w/13.5 kg Flywheel Power: Generator Fly wheel System: 30 lbs. Stride Length: 20" Frame: Heavy-Gauge High-Strength Steel w/ Durable Powder-Coat Paint Dimensions: 78 X 28 X 67 inch Product Weight:240 lbs. Maximum User Weight:450 lbs.					
5.	Cable Cross Over. (Brand Matrix , Nautilus or equivalent)	 Dimensions : 3600 x 850 x 2250 mm Gross Weight of Product 318 Kg 14 Gauge tubular Structure Frame Electro statically applied power coated. Two Weight Stacks Steel. 	USA or equivalent	Nos	01		
6.	Multi Gym (Brand Matrix , Nautilus or equivalent)	 N.W:306kg G.W:344kg Balance Weight Steel Four Sided 14 Gauge tubular Structure Frame Electro statically applied power coated. Product Dimensions:347*206*228cm 	USA or equivalent	Nos	01		

7.	Flat Bench (Brand Matrix , Nautilus or equivalent)	 Dimension 137x134x122 cm 14 Gauge tubular Structure Frame Electro statically applied power coated. Gross Weight 48 Kg 	USA or equivalent	Nos	01		
8.	Smith Machine (Brand Matrix , Nautilus or equivalent)	 Dimensions 1920 x 1650 x 2200mm Gross weight of Product 122 Kg. 14 Gauge tubular Structure Frame Electro statically applied power coated. 	USA or equivalent	Nos	01		
9.	Dumbbell Rack (Brand Matrix)	 Dimensions: 143 x 66 x 83cm Accommodates 10 Pair of Dumbbell 14 Gauge tubular Structure Frame Gross Weight 58 Kg. 	USA or equivalent	Nos	01		
10.	Rubber Dumbbells	Dumbells Racks:- a. 2-1/2 Kg Pair 01 b. 5 Kg " 01 c. 7-1/2 Kg " 02 d. 10 Kg " 02 e. 12-1/2 Kg " 01 f. 15 Kg " 01	USA or equivalent	Kg	115		
11.	Plate Stand. (Brand Matrix)	 Dimension 96x83x131 cm Integrated Labeling System for Dumbbell Placement. 14 Gauge tubular Structure Frame Electro statically applied power coated. Grand Weight 38 Kg 	USA or equivalent	Nos	01		
12.	Weight Plates	Weight Plates(Rubber Plates):-a.20 KgNos02	USA or equivalent	Kgs	200		

13.	Stool. (Brand Matrix , Nautilus or equivalent)	b. 15 Kg " 02 c. 10 Kg " 06 d. 05 Kg " 08 e. 2-1/2 Kg " 08 f. 1-1/4 Kg " 04 • Dimensions: 1460 x 700 x 460mm • 14 Gauge tubular Structure Frame • Electro statically applied power coated. • Gross Weight 22 Kg.	USA or equivalent	Nos	01			
14.	Adjustable bench. (Brand Matrix , Nautilus or equivalent)	 Heavy Duty Mainframe Construction. 14 Gauge tubular Structure Frame Electro statically applied power coated. Dimensions 1400x1200x800mm Gross Weight 35 Kg. 	USA or equivalent	Nos	01			
15.	Adjustable Sit up bench. (Brand Matrix , Nautilus or equivalent)	 Heavy Duty Mainframe Construction. 14 Gauge tubular Structure Frame Electro statically applied power coated. Dimensions 1400x1200x800mm Gross Weight 35 Kg. 	USA or equivalent	Nos	01			
16.	Exercise Mat (Live Up Brand)	 TPE Yoga Mat Size 24 Inch x 68 Inch 	USA or equivalent	Nos	02			
17.	Skipping Rope	Ball Bearing Jump rope with 7mm walnut PVC, Wooden, Rubber, Plastic Length: 9 Feet (Standard)	USA or equivalent	Nos	01			
18.	Gym Floor Mat	20 x 25 feet	USA or equivalent	She	150			

				et				
19.	Medicine Ball	4 Kg	USA or equivalent	Nos	01			
20.	Medicine Ball	5 Kg	USA or equivalent	Nos	01			
21.	Weighing Machine	Manual with height measurement 7 feet	USA or equivalent	Nos	01			
22.	LED	Samsung, 48" Smart,	Korea	Nos	01			
23.	Wall Clock	Quartz, Citizen, Medium	Pakistan	Nos	02			
24.	Mirrors	20 x 12 feet ,5 mm	Pakistan	Nos	02			
25.	Water Dispenser. Dowlance /LG/Orient or equilavent	(hot/cold both taps)	Belgium	Nos	01			



Ser No 1. Table Tennis (China)




Ser No 2 - Snooker Table (Local)



Ser No 3. Treadmill






Ser No 4. Elliptical Trainer

Ser No 5. Cable Cross Over



Ser No 6. Multi Gym




Ser No 7. Flat Bench



Page **15** of **30**



Ser No 9. Dumbbell Rack





Ser No 11. Plate Stand



Page **18** of **30**

Ser No 14. Adjustable Bench





Ser No 17. Skipping Rop



Ser No 19. Medicine Ball 4Kg



Ser No 20. Medicine Ball 5Kg



Special Instructions

- a. Bid(s) shall be rejected if required detail (where applicable) of specifications, brand, origin, make, model, warranty etc. are not clearly quoted / mentioned. No margin shall be given on this account.
- b. Bid(s) shall be rejected if the rate(s) are unclear, incomplete, ambiguous or conditional. Multiple quotes are not allowed.
- c. All payments shall be made in local currency after delivery, inspection and acceptance.
- d. Contract will be awarded on package deal basis
- e. Pictures of required items are attached. Bidders will provide pictures of quoted items with their technical quotes.
- f. NUTECH will visit premises during technical evaluation to inspect quality of the items/stores.
- g. Successful bidder will be responsible for carrying out free repair & maintenance of the supplied equipment during warranty period
- h. 3 years warranty is required.
- i. Successful bidder will provide impart training about handling/operating the equipment.
- j. If required, selected firm may be asked for advance samples for approval
- k. Penalty for delay will be mentioned in contract agreement.
- I. Right to purchase at Risk-and-Expense of Supplier, if the selected supplier: (i) fails to complete the order, or (ii) delays to supply within the delivery time quoted or extended time given by Purchaser, or (iii) supplies sub-standard items, or (iv) supplies low quality items, then NUTECH reserves the right to (i) purchase single, all or un-supplied quantity of item(s), as the case may be, at supplier's Risk-and-Expense (ii) forfeit Earnest Money and resort to administrative actions, etc.
- m. NUTECH reserves the right to (i) change the required quantity while placing purchase order. Reject any bid or procurement process, (iii) make clarifications, etc.; any time, as per rules.
- n. Representatives' of bidders are allowed to witness opening of tenders, without conferring any privilege.
- o. Contract Agreement shall be signed with successful bidder(s) as per NUTECH policy. The provision of stamp paper shall be the responsibility of firm which shall be delivered within 3 days of issuance of PO.
- p. Late submission of tender documents will not be entertained.

- q. In case of dispute, case shall be reviewed by 'NUTECH redressal of grievance committee and decision of NUTECH shall be final and binding on both parties, without recourse to legal action.
- r. The Vendor will be responsible for installation of various items / Equipment.

Firm Name
Signature
Name
Designation
-



NATIONAL UNIVERSITY OF TECHNOLOGY SUPPLY CHAIN MANAGEMENT OFFICE

TECHNICAL OFFER

User Reference No ADM-009Date: 04-02-2019

Please fill in the following essential parameters:

1.	Validity of Offer:	Days

- 2. Delivery Period:_____ Days
- 3. Country of Origin:_____
- 4. Warranty/Guarantee:______ Months from the date of final acceptance of the stores.

<u>General</u>

GST No:______(Please enclose copy)

NTN/CNIC: _______ (if exempted, please provide valid exemption certificate)

Payment Terms:

- 1. 50 % advance payment (Against valid bank Guarantee)
- 2. 50% Payment after delivery, installation /commissioning, user satisfaction certificate

Details of Payment Recipient

- (1) Name/Title:
- (2) Address:_____

Signature: _____

Official Seal:

(Should not be less than 90 days)

(After Placement of order)

Name:

Designation:

Annex B



NATIONAL UNIVERSITY OF TECHNOLOGY SUPPLY CHAIN MANAGEMENT OFFICE

FINANCIAL OFFER

Annex C

User Reference No ADM-009 Date: 04-02-2019

Ser	Items	Description	A/U	Qty Req	Unit Price (Rs) (excluding GST)	GST (If applicable)	Gross Price per unit (Rs)	Gross Total Price of total qty
1.	Tennis Table	 Table Size: 2740x1525x760MM Top Thickness: 18 MM Top Colour: Blue Frame Size: 25x50MM Leg Size:50 x 50 MM Packing Size: 1600 x 1480 x 110 MM N.W. 93 Kgs G.W: 98 Kgs 	Nos	03				
2.	Snooker Table	 Product Size: 6 Feet x12 Ft (Standard Size) Cloth: England Ball: Belgium Sticks: Taiwan Wooden: Pak Made (Partal & Kikkar) Marble: 2 Inch Stick Stand: Pak Wood Light Stand: China Fitting Score Board: Plastic Chocks: Tips & other All Complete Accessories with 	Nos	01				

		Installation.]
		• 1 x long butt cue with one long				
		rest				
		1 x Plastic Snooker triangle				
		12 x Chalk and tips				
3.	Treadmill.	Console Display: Multi LCD 6.5"	Nos	02		
		Window for Distance, Calories,				
	(Brand Matrix	Speed, Pulse, Incline Program				
	, Nautilus or	Computer Program:				
	equivalent)	Manual, 9 Programs (P1-P9),				
		2User, 2HRC, Muscleman, Heart				
		Rate Bar, 5 Quick Keys for Speed				
		& 5 for incline.				
		Motor: AC 3.0 Hp				
		Speed Range: 1-18 km				
		Incline Level: 0-15				
		Built- in Book Rack: Yes				
		Hand Pulse: Yes				
		Option: Backlit, Receiver, Wireless				
		Chest Strap, Cooling Fan, Speaker				
		Function				
		Folding Design: No				
		Running Surface: 560 X 1525 mm				
		Running Belt: 1.6 mm				
		Product Size: 1960 X 895 X 1365				
		mm				
		Product Weight N.W: 98 Kgs				
		Product Weight G.W: 108.2 Kgs				
		Max. User Weight: 150 Kgs				
4.	Elliptical	Console	Nos	01		
	Trainer	Large Blue-LED Matrix, 20-				
		Character LED Message Center,				
	(Brand Matrix	LED Heart Rate Bar, Tablet				
	, Nautilus or	Friendly Reading Rack, Turbo				
	equivalent)	Cooling Fan				
		Console Feedback				
		CUIISULE FEEUDALK	l	1		

		Time, Resistance Level, Distance, Calories, RPM, Program Name, Watts, METs, Laps, Speed, and Heart Rate Heart Rate: Contact & Telemetric, (Heart Rate Strap Not Included) Resistance: 40 Levels Drive Train: Integrated Generator w/13.5 kg Flywheel Power: Generator Fly wheel System: 30 lbs. Stride Length: 20" Frame: Heavy-Gauge High- Strength Steel w/ Durable Powder- Coat Paint Dimensions: 78 X 28 X 67 inch Product Weight:240 lbs. Maximum User Weight:450 lbs.				
5.	Cable Cross Over. (Brand Matrix , Nautilus or equivalent)	 Dimensions : 3600 x 850 x 2250 mm Gross Weight of Product 318 Kg 14 Gauge tubular Structure Frame Electro statically applied power coated. Two Weight Stacks Steel. 	Nos	01		
6.	Multi Gym. (Brand Matrix , Nautilus or equivalent)	 N.W:306kg G.W:344kg Balance Weight Steel Four Sided 14 Gauge tubular Structure Frame Electro statically applied power coated. Product Dimensions:347*206*228cm 	Nos	01		

7.	Flat Bench . (Brand Matrix , Nautilus or equivalent)	 Dimension 137x134x122 cm 14 Gauge tubular Structure Frame Electro statically applied power coated. Gross Weight 48 Kg 	Nos	01		
8.	Smith Machine. (Brand Matrix , Nautilus or equivalent)	 Dimensions 1920 x 1650 x 2200mm Gross weight of Product 122 Kg. 14 Gauge tubular Structure Frame Electro statically applied power coated. 	Nos	01		
9.	Dumbbell Rack. (Brand Matrix)	 Dimensions: 143 x 66 x 83cm Accommodates 10 Pair of Dumbbell 14 Gauge tubular Structure Frame Gross Weight 58 Kg. 	Nos	01		
10.	Rubber Dumbbells	2-1/2 Kg Pair 01 5 Kg " 01 7-1/2 Kg " 02 10 Kg " 02 12-1/2 Kg " 01 15 Kg " 01	Kg	115		
11.	Plate Stand. (Brand Matrix)	 Dimension 96x83x131 cm Integrated Labeling System for Dumbbell Placement. 14 Gauge tubular Structure Frame Electro statically applied power 	Nos	01		

		coated.				
		Grand Weight 38 Kg				
12.	Weight Plates	Weight Plates(Rubber Plates):-	Kgs	200		
		20 Kg Nos 02				
		15 Kg " 02				
		10 Kg " 06				
		05 Kg " 08				
		2-1/2 Kg " 08				
		1-1/4 Kg " 04				
13.	Stool (Brand Matrix	 Dimensions: 1460 x 700 x 460mm 	Nos	01		
	, Nautilus or	 14 Gauge tubular Structure 				
	equivalent)	Frame				
		Electro statically applied power				
		coated.				
		Gross Weight 22 Kg.				
4.4	Adiustable		Niss	01		
14.	Adjustable bench.	Heavy Duty Mainframe	Nos	01		
	Dench.	Construction.				
	(Brand Matrix	14 Gauge tubular Structure Frame				
	, Nautilus or					
	equivalent)					
	oquivalonty	 Dimensions 1400x1200x800mm 				
		Gross Weight 35 Kg.				
15.	Adjustable Sit	Heavy Duty Mainframe	Nos	01		
	up bench.	Construction.				
	(Brand Matrix	14 Gauge tubular Structure				
	, Nautilus or	Frame				
	equivalent)	Electro statically applied power				
		coated.				
		Dimensions 1400x1200x800mm				
		Gross Weight 35 Kg.				

16.	Exercise Mat (Live Up Brand)	TPE Yoga MatSize 24 Inch x 68 Inch	Nos	02		
17.	Skipping Rope	Ball Bearing Jump rope with 7mm walnut PVC, Wooden, Rubber, Plastic Length: 9 Feet (Standard)	Nos	01		
18.	Gym Floor Mat	20 x 25 feet	Shee t	150		
19.	Medicine Ball	4 Kg	Nos	01		
20.	Medicine Ball	5 Kg	Nos	01		
21.	Weighing Machine	Manual with height measurement 7 feet	Nos	01		
22.	LED	Samsung, 48" Smart,	Nos	01		
23.	Wall Clock	Quartz, Citizen, Medium	Nos	02		
24.	Mirrors	20 x 12 feet, 5 mm	Nos	02		
25.	Water Dispenser Dawlance /LG or equivalent	Hot/Cold Tap	Nos	01		
			1	OTAL		

Bid Bond Ref_____

Total Gross Value_____

**Bid Bond to be attached with Annex C. Copy of Bid Bond be attached with

Technical offer without showing its value).Exposure of Bid Bond value may lead

To rejection.	•
---------------	---

Firm Name	
Signature	
Name	
Designation	