

TENDER DOCUMENTS IT Equipment for Recruitments NUTECH / SCM / IT Eqpt for Recruits 2021/TD-194

NATIONAL UNIVERSITY OF TECHNOLOGY

TENDER NOTICE

National University of Technology (NUTECH)

NUTECH / SCM / Cameras & Wireless Mics 2021/TD-192, NUTECH / SCM / Exchange & Communication 2021/TD-193 & NUTECH / SCM / IT Eqpt for Recruits 2021/TD-194,

- 1. Sealed bids are invited from Government / FBR Registered Firms for the procurement of IT Equipment for NUTECH on **FOR Basis**.
- 2. Tender documents containing terms, conditions and detailed specifications of items (including draft contract) can be downloaded from NUTECH website "https://nutech.edu.pk/downloads/procurement/scm-tenders/ w.e.f **5 January 2021.**
- 3. Quotations shall be submitted as per requirement of the tender documents.
- 4. Bidders will be required to submit **Bank Draft / CDR** equal to **5%** of quoted value as Bid Bond in favor of National University of Technology (NUTECH).
- 5. Submit Rs 1500/- as Tender fee in favor of NUTECH HBL Account (NUTECH Tendering and Contracts, 5037-7000210755). Please attach bank receipt with technical offer. Offers will not be entertained without payment of processing fee..
- 6. Details for Submission & Opening of bids for tender are as under:-

Ser	Description	Submission	Tender Opening	Completion Days
a.	NUTECH / SCM / Cameras & Wireless Mics 2021/TD-192	1030 hrs on 26 Jan 2021	1100 hrs on 26 Jan 2021	15 Days
b.	NUTECH / SCM / Exchange & Communication 2021/TD-193	1100 hrs on 26 Jan 2021	1130 hrs on 26 Jan 2021	15 Days
C.	NUTECH / SCM / IT Eqpt for Recruits 2021/TD-194	1030 hrs on 27 Jan 2021	1100 hrs on 27 Jan 2021	60 Days

Deputy Director (Supply Chain Management)

NATIONAL UNIVERSITY OF TECHNOLOGY, JPROAD, I-12, ISLAMABAD

Tel: 0092-51-5476768, Ext: 278

NATIONAL UNIVERSITY OF TECHNOLOGY SUPPLY CHAIN MANAGEMENT

INVITATION TO TENDER

Tender submission time: 1030 hours, 27 January 2021

- 1. NUTECH desires to procure the list of item(s) / Store(s) on **FOR Basis** as per **Annexure-A**. Interested bidders are requested to send their bids through courier or deliver at NUTECH under "Single Stage Two Envelopes" (two envelopes placed together in third envelope), marked clearly as "Technical Offer" and "Commercial Offer" respectively to the undersigned, latest by or before above mentioned due date.
- 2 <u>Conditions Governing Contracts.</u> The contract made as result of this IT will be in accordance with the draft contract published on NUTECH University website and other special conditions (Mentioned in this document) that may be added to given contract for the supply of Lab Equipment.
- 3. **Delivery of Tender.** The offer is to be submitted as under:
 - a. <u>Technical Offer.</u> Technical Offer should contain only Annexure-A, Annexure-A-1 & Annexure B duly filled in (supported with relevant technical literature / details / catalogues etc) and receipt of tender processing fee. Copy of bid bond WITHOUT MENTIONING PRICE should be attached with technical offer. Only relevant technical details

i.e literature/brochures) without mentioning the financial aspect of the offer should be enclosed in an envelope. In technical proposal, all items must have the brand names, model number, manufacturer's name, country of origin, manufacturer's warranty including parts with complete specs and brochures. Re-conditioned and re-furbished equipment shall not be acceptable. Following information will be clearly marked on the envelope:

- (1) Technical Offer
- (2) Original Performa Invoice (without price)
- (3) Tender number
- (4) Date/ time of opening
- b. <u>Commercial Offer.</u> Commercial Offer will contain Annexure-C and bid bond (Dully mentioned and placed in separate envelope. The offer indicating the quoted price FE/Local Currency (in Local Currency for FOR

cases & in FE for FOB cases) in figures as well as in words would be enclosed in an envelope. Following information will be clearly marked on the envelope;

- (1) Commercial Offer
- (2) Original Performa invoice with price
- (3) Tender number
- c. Both the envelopes i.e. commercial offer and technical offer would be enclosed in yet another properly sealed envelope that will be marked with address of this office only. There should be clear indication that this envelope contains tender documents.
- d. The tender duly sealed will be addressed to the following:-

Deputy Director (Supply Chain Management Office)

NATIONAL UNIVERSITY OF TECHNOLOGY (NUTECH) IJ P

ROAD, H12, ISLAMABAD

Tel: 0092-51-5476768, Ext: 278

- 4. **Date and Time for Receipt of Tender.** Sealed bids with detailed specifications should reach SCM office latest by **1030 hours on 27 January 2021.** Delay occurring in post shall not be accepted. Tenders received after the appointed / fixed time will NOT be entertained. The appointed time will, however, fall on next working day in case of closed / forced holiday.
- 5. <u>Tender opening.</u> The offers shall be opened **30 minutes** after submission time. Commercial offers will be opened at later stage if Technical Offer is found acceptable on examination by technical authorities. Date and time for opening of commercial offer shall intimate later. Only legitimate / registered representatives of firm will be allowed to attend tender opening.
- 6. **Validity of Offer.** The validity period of quotations must be indicated and should be **90 days** from the date of opening of financial offer.
- 7. <u>Withdrawal of offer</u> If the firm withdraws its offer within validity period the competent authority may place such firm under <u>embargo for a period</u>, <u>which may be</u> extended up to one year. Moreover, the Earnest Money of the firm will be confiscated.
- 8. **Documents.** Following information / copy of documents must be provided / attached with offer:-

- a. A copy of letter showing firm's financial capability.
- b. NTN/GST number be mentioned on the offer and copy of registration Certificate issued by Sales Tax Department, attached.
- c. Foreign supplier to provide its Registration Number issued by respective Department of Commerce authorizing export of subject stores (in FOB cases).
- d. Annexes A, A-1, B and C and special conditions must be signed and stamped. ATTACH ONLY RELEVANT DOCUMENTS.
- e. Complete all Annexes as per given format. Do not use your format or letter head. Offer may be rejected if given format is not followed.
- f. OEM/principal agency agreement must be provided.

9. <u>Disqualification.</u> Offers are liable to be rejected if:-

- a. Validity of offer is not quoted as required in IT documents.
- b. Any deviation from the General/ Special / Technical Instructions.
- c. Offers are found conditional or incomplete in any respect.
- d. Copy of EM/Bid Bond & Tender processing fee (with tech offer) and original EM/Bid Bond (with fin offer) are NOT attached.
- e. Manufacturer's relevant brochures and technical details on major equipment assemblies are not attached in support of specifications.
- f. Offer received later than appointed / fixed date and time.
- g. Subject to restriction of export license.
- h. Offers (Commercial / technical) containing non-initialed / unauthenticated amendments / corrections / overwriting. If the validity of the agency agreement has expired. The commercial offer against FOB / CIF / C&F tender quoted in local currency.
- i. If the offer is found to be based on cartel action in connivance with other sources/participants of the tender.
- 10. **Earnest Money / Bid Bond.** Commercial Offer must be accompanied with a Bid Bond (CDR/Pay Order/Bank Draft) in agreement of faithful compliance of the conditions of Contract. This amount will be equivalent to 5% of the total quoted value. The Bid Bond amount submitted by the successful bidder will however be refunded on effective termination of Contract. (The Bid Bond will be forfeited in case of default by the bidder from his commitments made through his offer). Submission of Bid Bond is mandatory; otherwise

your offer will be rejected. Bid Bond will be used as performance guarantee till the delivery of stores, otherwise separate performance guarantee valued at 5 % of contract will be submitted by successful firm till stores are delivered and inspected.

11. Return of Earnest Money/Bid Bond.

- a. Bid Bond to the unsuccessful bidders will be returned on finalization of the lowest evaluated bidder.
- b. Bid Bond of the successful bidder/bidders will be returned on submission of Bank Guarantee/Bid bond against warranty period OR Bid bond retained for the warranty period as the case may be.

12 <u>Terms of Payment/ LC Charges</u>

(In FOB cases)

a. All categories payment will be made through letter of credit (LC). LC opening charges in Pakistan are to be borne by NUTECH. Payment will be made through irrevocable LC in favour of Manufacturer.

In FOR cases

- b. 20% advance payment will be made to the Seller on provision of unconditional Bank Guarantee/ CDR/ DD/ Pay order. Advance BG/CDR/DD/Pay order will be submitted at the time of signing the contract.
- c. 80% payment will made to the Seller after receipt and confirming the correctness of ordered specifications, installation, commissioning OR as the case may be i.e through Inland LC.
- 13. <u>Warranty/ Bank Guarantee (BG)</u>. 2 Years against 5% Bank Guarantee/CDR/Pay Order/Bank Draft of the store value will be required from the successful bidders from the date of commissioning as performance bond. BG submitted shall remain valid for up to 60 days beyond completion of warranty period.
- 14. <u>Taxes/ Duties/ Custom clearance</u> All taxes /duties /import Licenses Fee as applicable under government laws in Pakistan as well as country of supplier shall be on Seller (in FOR Case). NUTECH will provide applicable exemption certificates and documents (In FOB Cases only).
- 15. <u>Insurance: -</u> Insurance will be NUTECH's responsibility through NICL (in FOB Cases).

- 16. <u>Freight charges /Misc charges:</u> All charges such as packing, forwarding, local freight, loading and unloading, installation and commissioning, custom clearance, orientations, on job training or any other will be part of quoted price. Delivery till NUTECH will be seller's responsibility and all associated costs will be part of quotation as well.
- 17. **Delivery Schedule.** Store will be delivered within **60 days** from contract signing date.
- 18. **Force Majeure.** If non-compliance with the period of delivery or services can be proved to be due to Force Majeure, such as but not limited to mobilization, war, riot, strike, lockout, pandemics/epidemics or the occurrence of unforeseen events, the period shall be reasonably extended.
- 19. **Subletting** Suppliers are not allowed to sublet wholly or part of the contract to any other firm /company without prior permission by NUTECH. Firm found in breach of the clause will be dealt with as per purchaser's right and discretion.

20. Arbitration. Will be as under:-

"All Claims ,disputes ,controversies, differences arising out of or in connection with this contract ,including any question regarding its existence, validity, interpretation performance, breach or termination ,shall be referred to and shall finally be solved by binding arbitration. An Arbitration Committee Shall be constituted comprising Rector NUTECH and two Arbitration to be nominated on mutual agreement by each party. The venue of the Arbitration shall be the place of issuance of this contract or as Rector NUTECH may determine. In case of any difference, the clauses of Arbitration Act 1940, Rules and Regulation made thereof for time being enforce shall prevail. The award shall be final and binding on both parties.

- a. Provided that written record of any such arbitration and its award shall be arranged properly. An award of such arbitration may be confirmed in a court of competent jurisdiction at Islamabad.
- b. Provided further that incase of any other question /dispute not covered under this clause, the decision of Rector NUTECH shall be final."
- 21. **Redress Of Grievance.** In case of dispute, case shall be reviewed by 'NUTECH Redress of grievance committee and decision of NUTECH shall be final and binding on both parties.
- 22 Export License/Permit /End User Cert. It shall be the responsibility of the

Supplier to obtain from the Government concerned all permits and export licenses, etc required to enable each consignment to be shipped immediately as per the delivery schedule. In case the supplier fails to arrange export license within 30 days of signing the contract the purchaser reserves the right to cancel the contract on the risk and expense of the supplier without prior notice. The purchaser will provide End User Certificate for acquisition of export license to the supplier (format to be provided by the supplier for respective country within 10 day of signing of the contract).

- 23. <u>Technical Specification:</u> The supplier will provide OEM certificate, quality certificate /inspection document to the purchaser confirming the quality of the product being supplied under this contract .Store must bear the manufacturer's identification marking /monogram.
- 24. <u>Inspection /Testing of Store</u>: Inspection testing will be carried out at NUTECH by the concerned inspection team as detailed by the respective department in accordance with the laid down Acceptance Criteria. (Acceptance Test Procedure (ATPs)/Drawing /Test standard and specification). The supplier will provide ATPs with technical offer. Mutually agreed/approved ATPs will form part of contract to govern the inspection of store subsequently.
- 25. <u>Change In Specification /Mfr /Model.</u> No alternation marked/brand and quality of store will be entertained after the tender have been opened.
- 26. Checking of Store at Consignee/User End. All stores will be checked at Consignee's end in the presence of the supplier's representative. If for some reason, the supplier decides not to nominate his representative for such checking, an advance written notice to this effect will be given by the supplier to the consignee prior to immediately on shipment of store. In such an event the supplier will clearly undertake that decision of consignee with regard to quantities and description of consignment will be taken as final and discrepancy found will be accordingly made up by supplier. In all other cases the consignee will inform the supplier about arrival of consignment immediately on receipt of store through registered email/letter and telephone. If no response from the supplier is received within 15 days from initiation letter the consignee will have the right to proceed with the checking without supplier's representative. User/Consignee's report on checking of the stores will be binding on the seller in such cases.
- 27. Packing /Marking. The supplier shall be responsible for proper packing of the

Store in standard export packing worthy of transportation by sea /air /road rail so as to ensure their content being free from lose or damages due to faulty packing on arrival at the ultimate destination. Packing of stores will be done at the expenses of the supplier. All packing cases, containers and other packing material shall become the property of the NUTECH on receipt. Any loss occurred /demurrage paid due to wrong marking will be made good by the supplier.

- 28. <u>Original Performa Invoice</u>: Original Performa invoice must have following components incorporated:
 - a. HS Code
 - b. Incoterm
 - c. Payment Terms
 - d. Origin of good
 - e. Port of shipment
 - f. Address of OEM
 - g. Seller acceptance (on Performa Invoice)
 - h. Invoice Date
 - i. Latest date of shipment
 - j. Seller complete bank detail

Note: Performa Invoice in the name of NUTECH in case of FOB cases & in the name of local partner in case of FOR cases.

29. **General Instructions:** Following must be noted:-

- a. The firm should provide point to point acceptance of each clause of IT and special instructions attached with IT.
- Firm will render a certificate with technical offer that firm is neither defaulter nor blacklisted by any Government / semi Government organization directly or indirectly. (On Judicial Paper)
- c. Rates should be quoted on Free Delivery basis at NUTECH Islamabad.
- d. The stipulated delivery period should be strictly adhered to. Any anticipated delay that is beyond the control of Seller will be informed (in writing) well in advance of the expiry of the due date of the activity along with reasons thereof, requesting for the grant of extension in delivery period. If the Seller fails to do so, or the Buyer is not convinced with the

rationale provided by the Seller, Liquidated Damages up to/at 2% per month or part thereof, will be imposed. However, the maximum limit of the Liquidated Damages will not exceed 10% of the delayed store value.

- e. If even after applicability of 10% LD, the Seller fails to deliver the required stores, the Buyer will be at liberty to Cancel the contract, and /or procure the stores from an alternate source, on the Seller's "Risk & Cost/Expense". In that case, the Seller will be bound to make payment to the new source through NUTECH. The purchaser's decision under this clause shall NOT be subjected to arbitration.
- f. NUTECH reserves the right to cancel the Contract without assigning any reason whatsoever during its currency / execution / after placement, if the firm is found to be involved in any dubious activity, litigation, lacking to meet contractual obligations with the purchaser or is blacklisted with any other Public procurement agency. No claims / loss /damage of whatsoever nature shall be entertained and NUTECH's decision in this regard will be final / binding on the Seller.
- g. An appropriate amount may be paid for mobilization against Bank Guarantee/CDR/Demand Draft/Pay Order.
- h. Firms with previous pending/outstanding projects/business and unsatisfactory performance with NUTECH may not be considered for award of any further business.

Deputy Director
Supply Chain Management Office

Annex-A

Technical Specifications

NUTECH / SCM / IT Eqpt for Recruits 2021/TD-194

Ser	Items	Description	A/U	Country of	Qty	Bidder Co	mpliance
				Origin		Yes	No
1.	Desktop PC core i7	Essential Features: Processor Type -Core i7 ≥ 9th Generation, Processor Speed ≥ 3.0GHz, Processor Bits -64Bits, No of Cores -8, L3 cache -12MB, RAM size ≥16 GB(Extendable up to 32GB), Type of memory -DDR4, SSD ≥ 256, Hard drive size ≥ 500 GB − 7200rpm, Type of graphics - Intel HD Graphics, Colors -Black, Bluetooth -Yes, Wireless network -Yes (Speed 300Mbps), USB -Yes, USB ports (total) ≥ 8, USB 3.0 or 3.1, Operating system (Primary)-DOS, 64-bit OS, minimum 1xHDMI, 1x HDMI DP, 1x VGA port along with respective data/ connection cables, 1 Gbps LAN port, USB port optical wired keyboard and Mouse, 24" Monitor/ LED, Two Years warranty. Desirable Features: Optical drive -Yes, Graphics Card with 2GB Memory	No	Europe/ USA/Asia	42		
2.	Desktop PC core i5	Essential Features: Processor Type -Core i5 ≥ 9th Generation, Processor Speed ≥ 3.0GHz, Processor Bits -64Bits, No of Cores -6, L3 cache -9MB, RAM size ≥8 GB(Extendable up to 32GB), Type of memory -DDR4, Hard drive size ≥ 1 TB (7200rpm), Type of graphics - Intel HD Graphics, Colors -Black, Bluetooth -Yes, Wireless network - Yes (Speed 300Mbps), USB -Yes, USB ports (total) ≥ 8, USB 3.0 or 3.1, Operating system (Primary)-DOS, 64-bit OS, minimum 1xHDMI, 1x HDMI DP, 1x VGA port along with respective data/ connection cables, 1 Gbps LAN port, USB port optical wired keyboard and Mouse, 24" Monitor/ LED, Two Years warranty.	No	Europe/ USA/Asia	94		

Page **12** of **33**

				1	1	гау	e 12 01 33
		Desirable Features:					
		Optical drive -Yes, Graphics Card with 2GB Memory					
3.	Laptop Ci7	Processor Type :Core i7 10th Generation, Processor Model i7, Processor Speed ≥ 2 GHz, Processor Bits 64 Bits, Processor Threads 8 Threads, L3 cache 8MB Cache, chipset Intel No of Cores 4 Cores, Number of memory slots 2, Installed RAM ≥ 16GB Extendable up to 32 GB, Type of memory DDR4, Hard drive size ≥ 1TB Extendable up to 2 TB, Keyboard Backlight /LED - Yes, Screen size 15.6, Colors Black, LAN port (1Gbps) Yes, Wireless/Wi-Fi - Yes, USB port Yes, USB ports ≥ 2 (3.0/3.1), HDMI port Yes, Battery life ≥ 3 Hours, No of cells ≥ 3-cell, OS 64-bit,Operating system (Primary) Dos, power adapter, Carrying case, Two years warranty.	No	Europe/ USA/Asia	42		
4.	Black & White Printer, two genuine toners/ cartridges with each printer	Print speed ≥ 38 ppm, First page out (ready) Black ≥ 5.7 sec, 600 dpi, Duty cycle (monthly, A4) ≥ 80,000 pages, Print technology: Laser, Processor speed 1200 mhz, Display 2-line backlit LCD graphic display, Replacement Cartridges: Yes, Connectivity: eprint capability-Yes, Mobile printing capability: Apple airprint™,Connectivity standard 1 Hi-Speed USB 2.0/3.0, 1, Gigabit Ethernet 10/100/1000T network, Network ready: Standard (built-in Gigabit Ethernet), Memory≥ 256 MB, Paper handling input: standard 100-sheet multipurpose Tray, 250-sheet input Tray 2, Optional third 550-sheet tray, standard ≥ 150-sheet output bin, Duplex printing Automatic (standard), Input trays support various media (A4: A5: A6 and all market available sizes), Power: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), Auto-On/Auto-Off via USB connectivity, Operating temperature range:15 to 32.5°C, CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord, Minimum 2 x additional data cables, Two Years complete warranty.	No	Europe/ USA	19		

Page **13** of **33**

5.	Heavy Duty Printer B&W with ADF, two genuine toners/ cartridges with each printer	Print speed ≥ 80 ppm, first page out (ready) black: as fast as 5.4 sec, print quality black (best) up to 1200 x 1200 dpi, duty cycle (monthly, a4) ≥ 300,000, processor speed ≥ 2 ghz, apple airprint™, display led/lcd size ≥ 2.7-in rotating (adjustable angle), replacement cartridges: YES, Connectivity: ePrint capability-Yes, Mobile printing capability: Apple AirPrint™, Connectivity, Standard: 1 Hi-Speed USB 2.0/3.0; 1 Gigabit Ethernet 10/100/1000T network, compatible operating systems (Windows with all 32/64-bit editions, Paper handling input: standard ≥ 100-sheets multipurpose Tray ≥ 250-sheet input Tray, Optional trays (if available), standard ≥ 150-sheet output bin, Duplex printing Automatic (standard), Input trays support various media (A4: A5: A6 and all market available sizes), Automatic/ Multipurpose document/sheet feeder, optional high-capacity paper feeder and stand with ≥ 500 document/sheet, Optional 5 bin stapler stacker, Duplex Printing: Automatic (standard), Operating Temperature Range: 15 to 32.5°C, operating humidity range: 10 to 90% RH, with black Original LaserJet Toner Cartridge, CD with software drivers and documentation; documentation (Hardware Install Guide); Power cord, Minimum 2 x	No	Europe/ USA	4	
		additional data cables, Two Years complete warranty.			-	
6.	Scanner	Resolution ≥ 600 x 600 dpi, supported operating systems Microsoft® Windows® (10, 8.1, 7, XP: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019), Install Guide Control Panel Scan button, Power button with a LED and a LED for Error indication, Maximum document scan size ≥ 8.5 x 122 for various media (A4: A5: A6 and all market available sizes), Input type: Sheetfed, Auto document feeder, Standard, 50 sheets, Connectivity USB 3.0/3.1, Warranty two years bench limited warranty whole unit replacement.		Europe/ USA	7	
7.	Photocopier with 5x additional (genuine) toners/ cartridges/	Continuous output speed ≥ 30 pages per minute, Memory Standard ≥ 1GB Extendable up to 2GB, Power Source 220V-240V, Paper Input Capacity		Europe/ USA	4	

Page **14** of **33**

						ı ag	e 14 01 33
	ink bottles	Standard: 2 x ≥ 250 sheet paper trays ≥ 100-sheet multi-bypass tray, Input trays support various media (A4: A5: A6 and all market available sizes), Paper Output Capacity ≥ 350 sheets, Copying Process: Laser beam scanning and electro photographic printing, Resolution 600 dpi, Memory Capacity ≥ 4MB, Scanning Speed ≥ 50 per minute, B/W ≥ 50 per minute, Connectivity USB 3.0/3.1, Ethernet Network, compatible operating systems (Windows with all 32/64-bit editions, Ready mode ≥ 120 W, Two Years warranty					
8.	ADF for Copier	1 x ADF for (Existing) Ricoh MP 2501SP photocopier required	No	Europe/ USA	1		
9.	Book Scanner	Sensor ≥ 16 MP; Resolution ≥ 4600 x3400dpi; Scan Speed ≥ 1.5 sec/dual page; Support various media (A4: A5: A6 and all market available sizes); Export Format: PDF, Word, Excel, searchable PDF; Video Streaming: MJPG Format; Special Features: Curve Flatting, auto crop, auto fingermark removal, auto scan. Embedded Camera ≥ 14 MP; scanning speed ≥ 1.2 S/P; Capable of scanning multiple items: Books & Binder Documents, Business Cards and Vouchers etc.		Europe/ USA	1		
10.	A3 Printer with 5x additional (genuine) toners/ cartridges/ ink bottles	Print speed ISO \geq 20 ppm (black) & \geq 15 ppm (color) Print,scan and copy in sizes \geq 11x17"; Fax \geq 8.5 x 11"; ADF \geq 35-sheet; Auto duplex printing; Resolution (black) \geq 1200 x 1200 rendered dpi; Resolution (color) \geq 4800 by 1200 optimized dpi; monthly page volume \geq 300; Processor speed \geq 1.2 GHz Monthly duty cycle \geq 30,000 pages; Connectivity USB 3.0/3.1, Ethernet Network, compatible operating systems (Windows with all 32/64-bit editions; support various media (A4: A5: A6 and all market available sizes); Minimum 2 x additional data cables, Two Years complete warranty.	No	Europe/ USA	1		
11.	Shredder	Shred Capacity ≥ 22 Sheets/75gsm, Auto Restart: Yes, Shred Size ≥ 4 x 40mm, Paper Sensor Optical		Europe/ USA/Taiwan	6		

Page **15** of **33**

					ı ay	e 15 01 33
		Particles per A4 Sheet > 400, Manual Reverse: Yes, Paper Entry Width ≥ 250 (mm), Waste Bin Capacity ≥ 30 (Liters), Overheat Protection: Yes, Pull Out Waste Bin: Yes, Standby LED Indicator: Yes, Overload LED Indicator: Yes, Average Speed ≥ 2 (meters/min), Overheat LED Indicator: Yes, Shreds Staples: Yes, Door Open/Misalign LED Indicator: Yes, Shreds Small Paperclips: Yes, Bin Full LED Indicator: Yes, Shreds Credit Cards: Yes, Duty Cycle ≥ 60 mins, Destroys CDs: Yes, Two Years warranty.				
12.	UPS	Output ≥ 400W/650VA, Input ≥ 200V, 3x Battery Backup, Expected Battery Life ≥4 years, 1x Surge, 4x IEC, 2x IEC Jumpers, Two Years warranty.	Europe/ USA	118		
13.	Presenter	Laser Class: Class 2 Laser; Max Output ≤ 1mW; Wave Length≥ 640nm (red light); Battery life (Laser pointer)≥ 20-hour maximum Battery life (Presenter) ≥ 1050-hour; Wireless operating distance: ≥ 10m 2; Wireless technology: 2.4 GHz wireless technology; Interface USB 3.1/3.2, Compatibility: Latest windows operating systems; Wireless mini-receiver; Two Years warranty.	Europe/ USA	10		
14.	Sound System	WHARFADALE PORTABLE SPEAKERS MODEL ISOLINE410; V4 Mid / High, S10 Sub; Mid / High Column≥ 4 x 3" Drivers; Subwoofer≥ 9"; Frequency Response ≥ 50Hz - 20kHz Power (RMS / Peak) ≥ 380W / 650W 380W / 650W; Bluetooth=yes; Inputs≥ 2 x XLR / Jack, RCA Phono; Outputs= XLR, Speaker; Protection= Limit, Power, Thermal, DC & Short; XLR Cable with Connector 20 meter with wireless mic and cable; Two Years warranty.	Europe/ USA	2		
15.	HDMI Cable	Good Quality HDMI 2.0 Cables; 4K@50/60, (2160P); 32 audio channels for multi-dimensional audio experience; Length ≥ 20 meters; Compatible with all HDMI devices; color: Black/White; Two Years warranty.	Europe/ USA	50		

Page **16** of **33**

						гау	e 16 01 33
16.	HDMI Cable	Good Quality HDMI 2.0 Cables; 4K@50/60, (2160P); Upto 32 audio channels for multi-dimensional audio experience; Length ≥ 3 meters; Compatible with all HDMI devices; color: Black/White; Two Years warranty.	No	Europe/ USA	50		
17.	VFL Cable Continuity Tester	Fiber compatibility: Multimode and Singlemode, Wavelength: 650 nm (visible wavelength), Output power: < 1.3 mW,Output modes: Continuous (steady) and flashing (2-3Hz pulsed),Range: 3 km multimode, 4 km singlemode.	No	Europe/ USA/ Asian	1		
18.	Wi-Fi Card	MIMO technology with stronger signal penetration strength, Speed 300Mbps, Stable Wireless Connectivity, Backward compatible with 802.11 b/g/n		Europe/ USA/ Asian	50		
19.	Power Supplies	Standard 260W PSU, Required for Dell Optiplex Tower PCs 3060, 7060 and Dell Vostro 3670, (10x Power Supplies for each category).	No	Europe/ USA/ Asian	30		
20.	Hard Drive	SATA Hard Disk Drive, ITB, 7200 rpm, compatible with Dell optiplex Tower PCs 3060, 7060 and 3670	No	Europe/ USA/ Asian	20		
21.	Dport to HDMI Converter	DP To HDMI Converter 4K 1080p; Input Signal: Display Port; Output Video: HDMI1.3; Vertical Frequency Range: 50/60Hz; Video Amplifier Bandwidth: 2.25Gbps/225MHz; HDMI: 480i/480p, 576p,720p,1080i / 1080p;	No	Europe/ USA/ Asian	50		
22.	VGA to HDMI Converter	Good Quality,VGA to HDMI Converter; Support video input: VGA analogue; HDMI output: Support up to 1280x1024 same formats as input; Supports output up to 20metres	No	Europe/ USA/ Asian	50		
23.	USB to RJ45 LAN Converter	USB TO RJ45 LAN Network Ethernet Adaptor Card Converter, Type: USB 3.0; Connect to a 10/100/1000Mbps network from a USB enabled desktop or notebook; Supports Windows 2000/XP/Vista/7/8/8.1, Linux and Mac OS X 10.x		Europe/ USA/ Asian	10		
24.	PCI-E LAN Card	Speed: 10/100/1000 Mbps; Support for MDI/MDI-X; Support Flow Control, Jumbo framework, Full/Half Duplex, Auto Negotiation; Status indication is 2x LED diode (1000/100/10M Link/Act) Support OS: DOS,		Europe/ USA/ Asian	50		

Page **17** of **33**

						<u> </u>
		Windows 98se/Me/2000/XP/XP64/, Vista32/64, Win 7/8/8.1/10 32/64, Windows Server 2003/2008/2008 R2 32/64, Linux, Unix, Novell, Mac OS	1			
25.	Optical Fiber Patch Cords SC-LC SMF	SC-LC single mode 5 meter long fiber patch cords, duplex, 1 to 10G supported	No	European / USA	20	
26.	Optical Fiber Patch Cords LC-LC MMF	LC-LC multimode 5 meter long fiber patch cords, duplex, 1 to 10G supported	No	European / USA	10	
27.	Rechargeable Cell (AA)	Classification: Rechargeable; Chemical System: Nickel-Metal hydride (NiMh); Designation: ANSI- 1.2H2; Nominal Voltage: 1.2 Volts; Rated Capacity: 2500 mAh; Size AA	No	Europe/ USA/ Asian	20	
28.	Charger for Rechargeable Cells (AA)	Good Quality Duo USB Charger for rechargeable cells (AA)	No	Europe/ USA/ Asian	2	
29.	Rechargeable Cell (AAA)	Classification: Rechargeable; Durable; High Quality; Power: 1100 mAh; Size AAA	No	Europe/ USA/ Asian	20	
30.	Charger for Rechargeable Cells (AAA)	Good Quality Duo USB Charger for rechargeable cells (AAA)	No	Europe/ USA/ Asian	2	
31.	HDMI to LAN Converter (HDMI Extender)	Complete Set (Transmitter & Receiver), supports 100 meter length of UTP Cable Ports: 1x HDMI, 1x Ethernet RJ45	No	Europe/ USA/ Asian	2	
32.	UPS Battery	9A-12V UPS Battery; Required for APC 2KVA and 10KVA UPS Battery Bank	No	Europe/ USA/ Asian	40	
33.	UPS Battery	7A-12V UPS Battery; Required for APC 1KVA and 650VA UPS	No	Europe/ USA/ Asian	30	

Firm Name:		
Signature:		
Name:		
Designation:		

Special Instructions

			Bidd	er	Tech Scru	tiny to be d	one by User
		Description	Yes	No	Accepted	Rejected	
1	Installation/ Commissioning	a. Commissioning of the equipment (Software & Hardware) will be carried out by OEM rep at his own cost and risk at designated place at NUTECH. b. Any Special requirement must be specified in the offer by the supplier.					
2	Standard & Compliance	Bidder must submit specification compliance in their bids, non-compliance (if any) against the product specification and general terms & conditions of the tender will lead to the disqualification of the bidder.					
3	Support Services	a. 24x7x365 Support Services including public holidays.b. Suppliers to have in-country spares/Technical support and ensure spares and technical support/Assistance for next 2 years.					
4	Warranty Period	 a. 2 Years Comprehensive warranty for all items. b. A Warranty sticker is to be pasted on each item by the supplier/ OEM highlighting name of Firm, Contract No and Date, Description of Store and warranty validity. 					
5	Physical Inspection Criteria	100% Physical inspection of store will be carried out before commissioning of the equipment for following details a. For physical damage, scratches and deformity. b. Accessories/ Components as per contractual Specifications c. Technical manuals (Operation manual, user guide). d. OEM certificate and verifiable documents by the supplier that store has been procured from the certified source and is factory new and from latest production. e. Brand name and country origin.					
6	Liability of Supplier	 a. Supplier is to provide original OEM certificate of subject equipment bought directly from the manufacturer and being an authorized dealer. b. In Case the equipment supplied is not compatible with specifications, the supplier will be obliged to call his representatives at his own cost for consultation and corrective action 					
7	Special Notes	a. Additional requirements for the maintenance of equipment (if any) must be intimated by the supplier. b. Equipment must be a standard product of OEM available at web address of OEM.					

Page **19** of **33**

		 c. NUTECH required equipment specifications should be highlighted in technical bidding documents. d. In case of premature failure of the equipment, OEM has to replace / rectify the item free of cost. Required transportation charges would be borne by the supplier. 			
8	Publications	Operational manuals with all equipment having following details: a. Description/Operation b. Servicing c. Maintenance Operations d. Removal / Installation procedure e. Trouble shooting guide			

Firm Name:		
Signature:	 _	
Name:	 _	
Designation:		

NUTECH / SCM / IT Eqpt for Recruits 2021/TD-194

<u>Fill</u>	in following essential Para	<u>meters</u> :-							
1.	Validity of Offer:	Days (Should not be less than 90 days)							
2.	Delivery period:	Days (After placement of order)	Days (After placement of order)						
3.	Country of Origin:								
4.	Warranty Period:								
Ger	<u>neral</u>								
1.	GST Number:	(Enclose Copy)							
2.	NTN / CNIC:	(if exempted, provide valid exemp	tion certificate)						
<u>Pay</u>	ment Terms (In continuation	n of IT Document clause 12)							
In	FOR Cases								
20)% advance payment against	BG/CDR/Pay Order/DD							
80	% payment after delivery, ins	stallation / commissioning /user satisfaction	n certificate						
<u>Det</u>	ails of Foreign Principal Inf	ormation with account details)							
1.	Name / Title:								
2.	Address:								
OEM	/I Name:	Firm Name:	Signature:						
OEM	1 Focal Person:	Firm Focal Person:	Official Seal:						
OEM Phone Number:		Firm Phone Number:	Name & CNIC:						
OEM	∄ Email Id:	Firm Email Id:	Designation:						

Annex C

FINANCIAL OFFER NUTECH / SCM / IT Egpt for Recruits 2021/TD-194

Ser	Items	Description	A/U	Country of Origin	Qty	Unit Price PKR (Including Tax)	Total Price PKR (Including Tax)
1.	Desktop PC core i7	Essential Features: Processor Type -Core i7 ≥ 9th Generation, Processor Speed ≥ 3.0GHz, Processor Bits -64Bits, No of Cores -8, L3 cache -12MB, RAM size ≥16 GB(Extendable up to 32GB), Type of memory -DDR4, SSD ≥ 256, Hard drive size ≥ 500 GB – 7200rpm, Type of graphics - Intel HD Graphics, Colors -Black, Bluetooth -Yes, Wireless network -Yes (Speed 300Mbps), USB -Yes, USB ports (total) ≥ 8, USB 3.0 or 3.1, Operating system (Primary)-DOS, 64-bit OS, minimum 1xHDMI, 1x HDMI DP, 1x VGA port along with respective data/ connection cables, 1 Gbps LAN port, USB port optical wired keyboard and Mouse, 24" Monitor/ LED, Two Years warranty. Desirable Features: Optical drive -Yes, Graphics Card with 2GB Memory	No	Europe/ USA/Asia	42		
2.	Desktop PC core i5	Essential Features: Processor Type -Core i5 ≥ 9th Generation, Processor Speed ≥ 3.0GHz, Processor Bits -64Bits, No of Cores -6, L3 cache -9MB, RAM size ≥8 GB(Extendable up to 32GB), Type of memory -DDR4, Hard drive size ≥ 1 TB (7200rpm), Type of graphics - Intel HD Graphics, Colors -Black, Bluetooth -Yes, Wireless network -Yes (Speed 300Mbps), USB -Yes, USB ports (total) ≥ 8, USB 3.0 or 3.1, Operating system (Primary)-DOS, 64-bit OS, minimum 1xHDMI, 1x HDMI DP, 1x VGA port along with respective data/ connection cables, 1 Gbps LAN port, USB port optical wired keyboard and Mouse, 24" Monitor/ LED, Two Years warranty. Desirable Features:	No	Europe/ USA/Asia	94		

Page **22** of **33**

		Optical drive -Yes, Graphics Card with 2GB Memory				1 490 22 01 00
3.	Laptop Ci7	Processor Type :Core i7 10th Generation, Processor Model i7, Processor Speed ≥ 2 GHz, Processor Bits 64 Bits, Processor Threads 8 Threads, L3 cache 8MB Cache, chipset Intel No of Cores 4 Cores, Number of memory slots 2, Installed RAM ≥ 16GB Extendable up to 32 GB, Type of memory DDR4, Hard drive size ≥ 1TB Extendable up to 2 TB, Keyboard Backlight /LED - Yes, Screen size 15.6, Colors Black, LAN port (1Gbps) Yes, Wireless/Wi-Fi - Yes, USB port Yes, USB ports ≥ 2 (3.0/3.1), HDMI port Yes, Battery life ≥ 3 Hours, No of cells ≥ 3-cell, OS 64-bit,Operating system (Primary) Dos, power adapter, Carrying case, Two years warranty.	No	Europe/ USA/Asia	42	
4.	Black & White Printer, two genuine toners/ cartridges with each printer	Print speed ≥ 38 ppm, First page out (ready) Black ≥ 5.7 sec, 600 dpi, Duty cycle (monthly, A4) ≥ 80,000 pages, Print technology: Laser, Processor speed 1200 mhz, Display 2-line backlit LCD graphic display, Replacement Cartridges: Yes, Connectivity: eprint capability-Yes, Mobile printing capability: Apple airprint™,Connectivity standard 1 Hi-Speed USB 2.0/3.0, 1, Gigabit Ethernet 10/100/1000T network, Network ready: Standard (builtin Gigabit Ethernet), Memory≥ 256 MB, Paper handling input: standard 100-sheet multipurpose Tray, 250-sheet input Tray 2, Optional third 550-sheet tray, standard ≥ 150-sheet output bin, Duplex printing Automatic (standard), Input trays support various media (A4: A5: A6 and all market available sizes), Power: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz), Auto-On/Auto-Off via USB connectivity, Operating temperature range:15 to 32.5°C, CD with software drivers and documentation; Documentation (Hardware Install Guide); Power cord, Minimum 2 x additional data cables, Two Years complete warranty.	No	Europe/ USA	19	
5.	Heavy Duty Printer B&W with	Print speed ≥ 80 ppm, first page out (ready) black: as fast as 5.4 sec, print quality black (best) up to 1200 x	No	Europe/ USA	4	

Page **23** of **33**

						 JO 20 01 00
	ADF, two genuine toners/ cartridges with each printer	1200 dpi, duty cycle (monthly, a4) ≥ 300,000, processor speed ≥ 2 ghz, apple airprint™, display led/lcd size ≥ 2.7-in rotating (adjustable angle), replacement cartridges: YES, Connectivity: ePrint capability-Yes, Mobile printing capability: Apple AirPrint™, Connectivity, Standard: 1 Hi-Speed USB 2.0/3.0; 1 Gigabit Ethernet 10/100/1000T network, compatible operating systems (Windows with all 32/64-bit editions, Paper handling input: standard ≥ 100-sheets multipurpose Tray ≥ 250-sheet input Tray, Optional trays (if available), standard ≥ 150-sheet output bin, Duplex printing Automatic (standard), Input trays support various media (A4: A5: A6 and all market available sizes), Automatic/Multipurpose document/sheet feeder, optional high-capacity paper feeder and stand with ≥ 500 document/sheet, Optional 5 bin stapler stacker, Duplex Printing: Automatic (standard), Operating Temperature Range: 15 to 32.5°C, operating humidity range: 10 to 90% RH, with black Original LaserJet Toner Cartridge, CD with software drivers and documentation; documentation (Hardware Install Guide); Power cord, Minimum 2 x additional data cables, Two Years complete warranty.				
6.	Scanner	Resolution ≥ 600 x 600 dpi, supported operating systems Microsoft® Windows® (10, 8.1, 7, XP: 32-bit and 64-bit, 2008 R2, 2012 R2, 2016, 2019), Install Guide Control Panel Scan button, Power button with a LED and a LED for Error indication, Maximum document scan size ≥ 8.5 x 122 for various media (A4: A5: A6 and all market available sizes), Input type: Sheetfed, Auto document feeder, Standard, 50 sheets, Connectivity USB 3.0/3.1, Warranty two years bench limited warranty whole unit replacement.	No	Europe/ USA	7	
7.	Photocopier with 5x additional (genuine) toners/ cartridges/ ink bottles	Continuous output speed ≥ 30 pages per minute, Memory Standard ≥ 1GB Extendable up to 2GB, Power Source 220V-240V, Paper Input Capacity Standard: 2 x ≥ 250 sheet paper trays ≥ 100-sheet multi-bypass tray, Input trays support various media (A4: A5: A6 and all	No	Europe/ USA	4	

Page **24** of **33**

						ı aş	ge 24 01 33
		market available sizes), Paper Output Capacity ≥ 350 sheets, Copying Process: Laser beam scanning and electro photographic printing, Resolution 600 dpi, Memory Capacity ≥ 4MB, Scanning Speed ≥ 50 per minute, B/W ≥ 50 per minute, Connectivity USB 3.0/3.1, Ethernet Network, compatible operating systems (Windows with all 32/64-bit editions, Ready mode ≥ 120 W, Two Years warranty					
8.	ADF for Copier	1 x ADF for (Existing) Ricoh MP 2501SP photocopier required	No	Europe/ USA	1		
9.	Book Scanner	Sensor ≥ 16 MP; Resolution ≥ 4600 x3400dpi; Scan Speed ≥ 1.5 sec/dual page; Support various media (A4: A5: A6 and all market available sizes); Export Format: PDF, Word, Excel, searchable PDF; Video Streaming: MJPG Format; Special Features: Curve Flatting, auto crop, auto fingermark removal, auto scan. Embedded Camera ≥ 14 MP; scanning speed ≥ 1.2 S/P; Capable of scanning multiple items: Books & Binder Documents, Business Cards and Vouchers etc.	No	Europe/ USA	1		
10.	A3 Printer with 5x additional (genuine) toners/ cartridges/ ink bottles	Print speed ISO ≥ 20 ppm (black) & ≥ 15 ppm (color) Print,scan and copy in sizes ≥ 11x17"; Fax ≥ 8.5 x 11"; ADF ≥ 35-sheet; Auto duplex printing; Resolution (black) ≥ 1200 x 1200 rendered dpi; Resolution (color) ≥ 4800 by 1200 optimized dpi; monthly page volume ≥ 300; Processor speed ≥ 1.2 GHz Monthly duty cycle ≥ 30,000 pages; Connectivity USB 3.0/3.1, Ethernet Network, compatible operating systems (Windows with all 32/64-bit editions; support various media (A4: A5: A6 and all market available sizes); Minimum 2 x additional data cables, Two Years complete warranty.	No	Europe/ USA	1		
11.	Shredder	Shred Capacity ≥ 22 Sheets/75gsm, Auto Restart: Yes, Shred Size ≥ 4 x 40mm, Paper Sensor Optical Particles per A4 Sheet > 400, Manual Reverse: Yes, Paper Entry Width ≥ 250 (mm), Waste Bin Capacity ≥ 30 (Liters), Overheat Protection: Yes, Pull Out Waste Bin: Yes, Standby LED Indicator: Yes, Overload LED Indicator: Yes, Average Speed ≥ 2 (meters/min), Overheat LED	No	Europe/ USA/Taiwan	6		

Page **25** of **33**

						rage 25 01 3 .	
		Indicator: Yes, Shreds Staples: Yes, Door Open/Misalign LED Indicator: Yes, Shreds Small Paperclips: Yes, Bin Full LED Indicator: Yes, Shreds Credit Cards: Yes, Duty Cycle ≥ 60 mins, Destroys CDs: Yes, Two Years warranty.					
12.	UPS	Output ≥ 400W/650VA, Input ≥ 200V, 3x Battery Backup, Expected Battery Life ≥4 years, 1x Surge, 4x IEC, 2x IEC Jumpers, Two Years warranty.	No	Europe/ USA	118		
13.	Presenter	Laser Class: Class 2 Laser; Max Output ≤ 1mW; Wave Length≥ 640nm (red light); Battery life (Laser pointer)≥ 20-hour maximum Battery life (Presenter) ≥ 1050-hour; Wireless operating distance: ≥ 10m ² ; Wireless technology: 2.4 GHz wireless technology; Interface USB 3.1/3.2, Compatibility: Latest windows operating systems; Wireless mini-receiver; Two Years warranty.	No	Europe/ USA	10		
14.	Sound System	WHARFADALE PORTABLE SPEAKERS MODEL ISOLINE410; V4 Mid / High, S10 Sub; Mid / High Column≥ 4 x 3" Drivers; Subwoofer≥ 9"; Frequency Response ≥ 50Hz - 20kHz Power (RMS / Peak) ≥ 380W / 650W 380W / 650W; Bluetooth=yes; Inputs≥ 2 x XLR / Jack, RCA Phono; Outputs= XLR, Speaker; Protection= Limit, Power, Thermal, DC & Short; XLR Cable with Connector 20 meter with wireless mic and cable; Two Years warranty.	No	Europe/ USA	2		
15.	HDMI Cable	Good Quality HDMI 2.0 Cables; 4K@50/60, (2160P); 32 audio channels for multi-dimensional audio experience; Length ≥ 20 meters; Compatible with all HDMI devices; color: Black/White; Two Years warranty.		Europe/ USA	50		
16.	HDMI Cable	Good Quality HDMI 2.0 Cables; 4K@50/60, (2160P); Upto 32 audio channels for multi-dimensional audio experience; Length ≥ 3 meters; Compatible with all HDMI devices; color: Black/White; Two Years warranty.		Europe/ USA	50		
17.	VFL Cable Continuity Tester	Fiber compatibility: Multimode and Singlemode, Wavelength: 650 nm (visible wavelength), Output power: < 1.3 mW,Output modes: Continuous (steady) and flashing (2-3Hz pulsed),Range: 3 km multimode, 4	No	Europe/ USA/ Asian	1		

Page **26** of **33**

			1	T	1 age	20 01 33
		km singlemode.				
18.	Wi-Fi Card	MIMO technology with stronger signal penetration strength, Speed 300Mbps, Stable Wireless Connectivity, Backward compatible with 802.11 b/g/n	No	Europe/ USA/ Asian	50	
19.	Power Supplies	Standard 260W PSU, Required for Dell Optiplex Tower PCs 3060, 7060 and Dell Vostro 3670, (10x Power Supplies for each category).	No	Europe/ USA/ Asian	30	
20.	Hard Drive	SATA Hard Disk Drive, ITB, 7200 rpm, compatible with Dell optiplex Tower PCs 3060, 7060 and 3670	No	Europe/ USA/ Asian	20	
21.	Dport to HDMI Converter	DP To HDMI Converter 4K 1080p; Input Signal: Display No Port; Output Video: HDMI1.3; Vertical Frequency Range: 50/60Hz; Video Amplifier Bandwidth: 2.25Gbps/225MHz; HDMI: 480i/480p, 576p,720p,1080i / 1080p;		Europe/ USA/ Asian	50	
22.	VGA to HDMI Converter	Good Quality,VGA to HDMI Converter; Support video input: VGA analogue; HDMI output: Support up to 1280x1024 same formats as input; Supports output up to 20metres	No	Europe/ USA/ Asian	50	
23.	USB to RJ45 LAN Converter	USB TO RJ45 LAN Network Ethernet Adaptor Card Converter, Type: USB 3.0; Connect to a 10/100/1000Mbps network from a USB enabled desktop or notebook; Supports Windows 2000/XP/Vista/7/8/8.1, Linux and Mac OS X 10.x	No	Europe/ USA/ Asian	10	
24.	PCI-E LAN Card	Speed: 10/100/1000 Mbps; Support for MDI/MDI-X; Support Flow Control, Jumbo framework, Full/Half Duplex, Auto Negotiation; Status indication is 2x LED diode (1000/100/10M Link/Act) Support OS: DOS, Windows 98se/Me/2000/XP/XP64/, Vista32/64, Win 7/8/8.1/10 32/64, Windows Server 2003/2008/2008 R2 32/64, Linux, Unix, Novell, Mac OS		Europe/ USA/ Asian	50	
25.	Optical Fiber Patch Cords SC- LC SMF	SC-LC single mode 5 meter long fiber patch cords, duplex, 1 to 10G supported	No	European / USA	20	
26.	Optical Fiber Patch Cords LC- LC MMF	LC-LC multimode 5 meter long fiber patch cords, duplex, 1 to 10G supported	No	European / USA	10	

Page **27** of **33**

						r age Er or	
27.	Rechargeable Cell (AA)	Classification: Rechargeable; Chemical System: Nickel-Metal hydride (NiMh); Designation: ANSI-1.2H2; Nominal Voltage: 1.2 Volts; Rated Capacity: 2500 mAh; Size AA	No	Europe/ USA/ Asian	20		
28.	Charger for Rechargeable Cells (AA)	Good Quality Duo USB Charger for rechargeable cells (AA)	No	Europe/ USA/ Asian	2		
29.	Rechargeable Cell (AAA)	Classification: Rechargeable; Durable; High Quality; Power: 1100 mAh; Size AAA	No	Europe/ USA/ Asian	20		
30.	Charger for Rechargeable Cells (AAA)	Good Quality Duo USB Charger for rechargeable cells (AAA)	No	Europe/ USA/ Asian	2		
31.	HDMI to LAN Converter (HDMI Extender)	Complete Set (Transmitter & Receiver), supports 100 meter length of UTP Cable Ports: 1x HDMI, 1x Ethernet RJ45	No	Europe/ USA/ Asian	2		
32.	UPS Battery	9A-12V UPS Battery; Required for APC 2KVA and 10KVA UPS Battery Bank	No	Europe/ USA/ Asian	40		
33.	UPS Battery	7A-12V UPS Battery; Required for APC 1KVA and 650VA UPS	No	Europe/ USA/ Asian	30		
		Total					

Firm Name:	
Signature:	
Name:	
Designation:	

Tender No	
Name of the Firm	
Firm Address	
Date	
Telephone No	
E-Mail	

To,

DD SCM Office NUTECH University I-12, Main IJP Road, Islamabad.

Dear Sir

- 1. I / We hereby offer to supply to the NUTECH University the stores detailed in schedule to the tender inquiry or such portion thereof as you may specify in the acceptance of tender at the price offered against the said schedule and further agree that this offer will remain valid up to 90 days after opening of Financial offer and will not be withdrawn or altered in terms of rates quoted and the conditions already stated therein or on before this date. I / we shall be bound by a communication of acceptance to be dispatched within he prescribed time.
- 2. I / we have understood the instructions to Tenders and General Conditions Governing Contract available at NUTECH website and have thoroughly examined the specifications / drawing and / or patterns quoted in the schedule here to and am/are fully aware of the nature of the stores required and my/ our offer is to supply stores strictly in accordance with the requirements.

Yours Faithfully.

(Signature of Tenderer)

Designation

Date:

Individual signing tender and / or other documents connected with a contract must be signed by principal authorized rep/ OEM rep/ Authorized partner firm rep.

SPECIMEN FOR "ADVANCE PAYMENT BANK GUARANTEE"

Guarantee No:	Date	Amount:	Valid upto:						
In Favour of:									
National University	National University of Technology (NUTECH), IJP Road, I-12, Islamabad								
Subject: Advance	Payment Ban	k Guarantee							
Contract No:	DATE	D							
Dear Sir,									
1. We [Name o	f Guarantor] und	derstand that you hav	ve entered into contract with M/S [Name of						
<u>Firm]</u> (hereinafte	r called Our Cli	ent), for provision of	[Name of Stores]. And as per the above						
mentioned Contr	act, you are liak	ole to pay to Our Clie	ent an amount of [Amount of Guarantee] in						
advance, which s	shall be released	d against a Bank Guai	rantee. 2. Bank & seller firm shall inform						
your office regar	ding termination	of the validity of this	s bank Guarantee one clear month before						
the actual expiry	date of this Ban	k Guarantee.							
3. Now, we he	reby irrevocably	undertake to immed	diately make payment on to your orders,						
merely upon rece	eipt of your first	written notice, an amo	ount not exceeding [Amount of Guarantee]						
that may be clain	ned by you at yo	our own discretion with	thout it being necessary for you to prove or						
even assert to the	e Bank any defa	nult whatsoever of Ou	r Client under the Contract.						
4. Claims agai	nst this Guaran	tee shall be lodged	on us through written request/s on your						
proper Letter He	ad. Unless clair	ms are not presented	d on or before the Validity Date, all rights						
and benefits und	ler this guarante	ee shall be forfeited a	and we shall be released from all claims,						
demands or liabil	ities of any kind	whatsoever.							
5. This Guaran	tee shall remain	n in force up to the a	above mentioned Validity Date which can						
however, be exte	nded upon requ	est of Our Client.							
	Y	ours faithfully,							
			Signature:						
			Name:						
			Designation:						
			Bank Stamp:						

"SPECIMEN FOR BANK GUARANTEE AGAINST PERFORMANCE/WARRANTY GUARANTEE"

Guarantee No:	Date	Amount:	Valid upto:	
In Favour of: Natio	nal University of	Technology (NUTEC	H), IJP Road, I-12, Islar	nabad
Subject: In compli	ance with terms	s of Performance/Wa	rranty Guarantee Ban	k Guarantee
Contract No:		dated		
Dear Sir.				

- 1. Whereas your good-self have entered into Contract No__ dated_with M/s [Firm Name] Located at [Firm Address], Herein after referred to as our customer and that one of the conditions of the Contract is submission of Bank Guarantee by our customer to your good-self for a sum of [Amount].
- 2. Incompliance with this stipulation of subj contract, we hereby agree and undertake as under:
 - a. To pay to you unconditionally on demand and / or without any reference to our Customer an amount not exceeding the sum of [Amount] as would be mentioned in your written Demand Notice.
 - b. To keep this Guarantee in force till [Validity Date].
 - c. That the validity of this Bank guarantee shall be kept two clear year ahead of the original / extended delivery period or the warrantee of the stores which so ever is later in duration on receipt of information from your office. Our liability under this Bank Guarantee shall cease on the closing of banking hours on the last date of validity of this Bank Guarantee. Claim received there after shall not been entertained by us whether you suffer a loss or not. On receipt of payment under this Guarantee, this documents i.e., Bank Guarantee must be clearly cancelled, discharged and returned to us.
 - d. That we shall inform your office regarding termination of the validity of this bank Guarantee on clear month before the actual expiry date of this Bank Guarantee.
 - e. That with the consent of our customer you may amend / alter any term / cause of the contractor add / delete any term / clause to / from this contract without making any reference to us. We do not reserve any right to receive any such amendment / alternation or addition / deletion

- provided such like actions do not increase our monetary liability under this Bank Guarantee which shall be limited only [Amount
- f. That the bank guarantee herein before given shall not be affected by any change in the constitution of the Bank or Customer / Supplier or Vendor.
- g. That this is an unconditional Bank guarantee, which shall been cashed on sight on presentation without any reference to our Customer / Supplier or Vendor.

Signature
Name
Desig
Bank Stamp

Note: No changes in the above given BG format shall be accepted.

].

"SELLER'S WARRANTY CERTIFICATE"

(To be provided on stamp paper) Contract No: Dated:
Validity years from the date of final acceptance of the Stores. We hereby guarantee that we are the genuine and original Source of provisioning the Stores to
our Buyer. We also undertake that nothing in the manufacturing of these Stores has been
obtained through unauthorized means.
1. We hereby warrant and undertake that the Stores and all the associated
spares/ accessories supplied under the terms and conditions of the above Contract, are:
 a. brand new, complete in all respects, possessing good quality and standard workmanship; and
b. liable for replacement/rectification free of charge, if during the Warranty period the same are found defective before or under normal use or these do not remain within the limits and tolerances stated under the specifications or in any way not in accordance with the terms of this Contract. All expenses incurred in removal, re- provisioning and reinstallation of such defective Stores or their parts shall also be borne by us.
2. The Warranty shall remain valid for a period of years from the date of final acceptance of the Stores.
Signature & Stamp
Name & CNIC
Designation:
Date:

^{**}Sellers warranty must be provided by the Seller (firm) on Rs 100 stamp paper along with bank guarantee/CDR/Pay Order without changing a word. BG with additional clauses will be rejected.

Date_____

Signature of Firm Auth Signatory

CHECK LIST

(This checked list must be attached with your technical offer, duly filled and

Signed by authorized signatory)

Note: Fill and/or mark Yes/No where required

Tender No_____

1	Tender Processing	a. Tender processing fee ref no				
	Fee	b. Bank	-			
		c. Amount				
2	EM/ Bid Bond	a. EM/ Bid Bond ref no	_			
		b. Bank		_		
3	Form Annex A, A-1,	B and C signed by Authorized	Yes	No		
	Signatory					
4	Offering specification	n of items as per IT	Yes	No		
5	Quoted Currency as	per IT	Yes	No		
6	Accounting unit/Qty	as per IT	Yes	No		
7	Delivery Schedule as	s per IT	Yes	No		
8	Country of origin of store					
9	Name of OEM:-					
10	Original Performa in	voice (Mandatory)	Yes	No		
11	Certified that there is no Deviation from IT conditions/ Yes No					
	there is deviation from IT condition as per fol details					
12	Blacklisting certificat	e.	Yes	No		
13	Verifiable OEM Certi	ficate	Yes	No		
14	Warranty Period as เ	per IT	Yes	No		
15	5 ATPs provided Yes			No		