

TENDER DOCUMENTS Physics Lab Equipment NUTECH / SCM / Physics Lab Eqpt (RE) 2021 / TD-198

NATIONAL UNIVERSITY OF TECHNOLOGY

TENDER NOTICE

National University of Technology (NUTECH) NUTECH / SCM / Physics Lab Eqpt (RE) 2021 / TD-198, NUTECH / SCM / Cptr Lab Eqpt (RE) 2021 / TD-199, NUTECH / SCM / Electrical Lab Eqpt (RE) 2021 / TD-200 & NUTECH / SCM / Civil Lab Eqpt (RE) 2021 / TD-201

- 1. Sealed bids are invited from Government / FBR Registered Firms for the procurement of Lab Equipment for NUTECH on **FOR Basis**.
- 2 Tender documents containing terms, conditions and detailed specifications of items (including draft contract) can be downloaded from NUTECH website "https://nutech.edu.pk/downloads/procurement/scm-tenders/" w.e.f **27 January 2020**.
- 3. Quotations shall be submitted as per requirement of the tender documents.
- 4. Bidders will be required to submit **Bank Draft / CDR** equal to **5%** of quoted value as Bid Bond in favor of National University of Technology (NUTECH).
- 5. <u>Submit Rs 1500/- as Tender fee in favor of NUTECH HBL Account (**NUTECH Tendering and Contracts, 5037-7000210755).** Please attach bank receipt with technical offer. Offers will not be entertained without payment of processing fee.</u>
- 6. Details for Submission & Opening of bids for each tender are as under:-

Ser	Description	Submission	Tender Opening	Completion Days
a.	Physics Lab Equipment (TD-198)	0930 hrs on 12 Feb 2021	1000 hrs on 12 Feb 2021	90 Days
b.	Cptr Lab Equipment (TD-199)	1030 hrs on 12 Feb 2021	1100 hrs on 12 Feb 2021	90 Days
C.	Electrical Lab Equipment (TD-200)	1130 hrs on 12 Feb 2021	1200 hrs on 12 Feb 2021	90 Days
d.	Civil Lab Equipment (TD-201)	1230 hrs on 12 Feb 2021	1300 hrs on 12 Feb 2021	90 Days

<u>Deputy Director (Supply Chain Management)</u>

NATIONAL UNIVERSITY OFTECHNOLOGY, IJPROAD,I-12,ISLAMABAD

Tel: 0092-51-5476768, Ext: 178

NATIONAL UNIVERSITY OF TECHNOLOGY SUPPLY CHAIN MANAGEMENT INVITATION TO TENDER

Tender submission time: 0930 hrs on 12 Feb 2021

- 1. NUTECH desires to procure the list of item(s) / Store(s) on <u>FOR</u> <u>b a s i s</u> as per <u>Annexure-A</u>. Interested bidders are requested to send their bids through courier or deliver at NUTECH under "<u>Single Stage Two Envelopes"</u> (two <u>envelopes placed together in third envelope</u>), marked clearly as "<u>Technical Offer</u>" respectively to the undersigned, latest by or before above mentioned due date.
- 2 <u>Conditions Governing Contracts.</u> The contract made as result of this IT will be in accordance with the draft contract published on NUTECH University website and other special conditions (Mentioned in this document) that may be added to given contract for the supply of Lab Equipment.
- 3. **Delivery of Tender.** The offer is to be submitted as under:
 - a. <u>Technical Offer.</u> Technical Offer should contain only Annexure-A, Annexure-A-1 & Annexure B duly filled in (supported with relevant technical literature / details / catalogues etc) and receipt of tender processing fee. Copy of bid bond WITHOUT MENTIONING PRICE should be attached with technical offer. Only relevant technical details i.e literature/brochures) without mentioning the financial aspect of the offer in DUPLICATE should be enclosed in an envelope. In technical proposal, all items must have the brand names, model number, manufacturer's name, country of origin, manufacturer's warranty including parts with complete specs and brochures. Re-conditioned and re-furbished equipment shall not be acceptable. Following information will be clearly marked on the envelope:
 - (1) Technical Offer
 - (2) Original Performa Invoice (without price)
 - (3) Tender number
 - (4) Date/ time of opening
 - b. <u>Commercial Offer.</u> Commercial Offer will contain Annexure-C and bid bond (Dully mentioned and placed in separate envelope. The offer indicating the quoted price FE/Local Currency (in Local Currency for FOR cases & in FE for FOB cases) in figures as well as in words

would be enclosed in an envelope. Following information will be clearly marked on the envelope;

- (1) Commercial Offer
- (2) Original Performa invoice with price
- (3) Tender number
- c. Both the envelopes i.e. commercial offer and technical offer would be enclosed in yet another properly sealed envelope that will be marked with address of this office only. There should be clear indication that this envelope contains tender documents.
- d. The tender duly sealed will be addressed to the following:-

Deputy Director (Supply Chain Management Office)

NATIONAL UNIVERSITY OF TECHNOLOGY (NUTECH)

IJ P ROAD, I-12, ISLAMABAD

Tel: 0092-51-5476768, Ext: 227

- 4. **Date and Time for Receipt of Tender.** Sealed bids with detailed specifications should reach SCM office latest by **0930 hrs on 12 Feb 2021**. Delay occurring in post shall not be accepted. Tenders received after the appointed / fixed time will NOT be entertained. The appointed time will, however, fall on next working day in case of closed / forced holiday.
- 5. <u>Tender opening.</u> The offers shall be opened **30 minutes** after submission time. Commercial offers will be opened at later stage if Technical Offer is found acceptable on examination by technical authorities. Date and time for opening of commercial offer shall intimated later. Only legitimate / registered representatives of firm will be allowed to attend tender opening.
- 6. <u>Validity of Offer.</u> The validity period of quotations must be indicated and should be **90 days** from the date of opening of financial offer.
- 7. With drawal of offer If the firm withdraws its offer within validity period, the competent authority may place such firm under embargo for a period which may be extended up to one year. Moreover, the Earnest Money of the firm will be confiscated.
- 8. **Documents.** Following information / copy of documents must be provided / attached with offer:
 - a. A copy of letter showing firm's financial capability.
 - b. NTN/GST number be mentioned on the offer and copy of registration Certificate issued by Sales Tax Department, attached.

- **c.** Foreign supplier to provide its Registration Number issued by respective Department of Commerce authorizing export of subject stores (in FOB cases).
- d. Annexes A, A-1, B and C and special conditions must be signed and stamped. ATTACH ONLY RELEVANT DOCUMENTS.
- e. Complete all Annexes as per given format. Do not use your format or letter head. Offer may be rejected if given format is not followed.
- f. OEM/principal agency agreement must be provided.

9. **Disqualification.** Offers are liable to be rejected if:-

- a. Validity of offer is not quoted as required in IT documents.
- b. Any deviation from the General/ Special / Technical Instructions.
- c. Offers are found conditional or incomplete in any respect.
- d. Copy of EM/Bid Bond & Tender processing fee (with tech offer) and original EM/Bid Bond (with fin offer) are NOT attached.
- e. Manufacturer's relevant brochures and technical details on major equipment assemblies are not attached in support of specifications.
- f. Offer received later than appointed / fixed date and time.
- g. Subject to restriction of export license.
- h. Offers (Commercial / technical) containing non-initialled / unauthenticated amendments / corrections / overwriting. If the validity of the agency agreement has expired. The commercial offer against FOB / CIF / C&F tender quoted in local currency.
- i. If the offer is found to be based on cartel action in connivance with other sources/participants of the tender.
- 10. **Earnest Money / Bid Bond.** Commercial Offer must be accompanied with a Bid Bond (CDR/Pay Order/Bank Draft) in agreement of faithful compliance of the conditions of Contract. This amount will be equivalent to 5% of the total quoted value. The Bid Bond amount submitted by the successful bidder will however be refunded on effective termination of Contract. (The Bid Bond will be forfeited in case of default by the bidder from his commitments made through his offer). Submission of Bid Bond is mandatory; otherwise your offer will be rejected. Bid Bond will be used as performance guarantee till the delivery of stores, otherwise separate performance guarantee valued at 5 % of contract will be submitted by successful firm till stores are delivered and inspected.

11. Return of Earnest Money/Bid Bond.

- a. Bid Bond to the unsuccessful bidders will be returned on finalization of the lowest evaluated bidder.
- b. Bid Bond of the successful bidder/bidders will be returned on submission of Bank Guarantee/Bid bond against warranty period OR Bid bond retained for the warranty period as the case may be.

12 <u>Terms of Payment/ LC Charges</u>

(In FOB cases)

a. All categories payment will be made through letter of credit (LC). LC opening charges in Pakistan are to be borne by NUTECH. Payment will be made through irrevocable LC in favour of Manufacturer.

In FOR cases

- b. 20% advance payment will be made to the Seller on provision of unconditional Bank Guarantee/ CDR/ DD/ Pay order. Advance BG/CDR/DD/Pay order will be submitted at the time of signing the contract.
- c. 80% payment will made to the Seller after receipt and confirming the correctness of ordered specifications, installation, commissioning OR/ and as the case may be i.e through Inland LC, as per procedure in vogue. 100% payment will be made after receiving of CRV.
- 13. <u>Warranty/ Bank Guarantee (BG)</u>. 1 Year (Serial No 1 to Serial No.4) against 5% Bank Guarantee/CDR/Pay Order/Bank Draft of the store value will be required from the successful bidders from the date of commissioning as performance bond. BG submitted shall remain valid for up to 60 days beyond completion of warranty period.
- 14. <u>Taxes/ Duties/ Custom clearance</u> All taxes /duties /import Licenses Fee as applicable under government laws in Pakistan as well as country of supplier shall be on Seller (in FOR Case). NUTECH will provide applicable exemption certificates and documents (In FOB Cases only).
- 15. <u>Insurance:</u> Insurance will be NUTECH's responsibility through NICL (in FOB Cases).
- 16. <u>Freight charges /Misc charges:</u> All charges such as packing, forwarding, local freight, loading and unloading, installation and commissioning, custom clearance, orientations, on job training or any other will be part of quoted price.

Delivery till NUTECH will be seller's responsibility and all associated costs will be part of quotation as well.

- 17. <u>Delivery Schedule.</u> Store will be delivered within **90 days** from contract signing date.
- 18. **Force Majeure.** If non-compliance with the period of delivery or services can be proved to be due to Force Majeure, such as but not limited to mobilization, war, riot, strike, lockout, pandemics/epidemics or the occurrence of unforeseen events, the period shall be reasonably extended.
- 19. **Subletting** Suppliers are not allowed to sublet wholly or part of the contract to any other firm /company without prior permission by NUTECH. Firm found in breach of the clause will be dealt with as per purchaser's right and discretion.

20. <u>Arbitration.</u> Will be as under:-

"All Claims ,disputes ,controversies, differences arising out of or in connection with this contract ,including any question regarding its existence, validity, interpretation performance, breach or termination ,shall be referred to and shall finally be solved by binding arbitration. An Arbitration Committee Shall be constituted comprising Rector NUTECH and two Arbitration to be nominated on mutual agreement by each party. The venue of the Arbitration shall be the place of issuance of this contract or as Rector NUTECH may determine. In case of any difference, the clauses of Arbitration Act 1940, Rules and Regulation made thereof for time being enforce shall prevail. The award shall be final and binding on both parties.

- a. Provided that written record of any such arbitration and its award shall be arranged properly. An award of such arbitration may be confirmed in a court of competent jurisdiction at Islamabad.
- b. Provided further that incase of any other question /dispute not covered under this clause, the decision of Rector NUTECH shall be final."
- 21. **Redress Of Grievance.** In case of dispute, case shall be reviewed by 'NUTECH Redress of grievance committee and decision of NUTECH shall be final and binding on both parties.
- Export License/Permit /End User Cert. It shall be the responsibility of the Supplier to obtain from the Government concerned all permits and export licenses, etc required to enable each consignment to be shipped immediately as per the delivery schedule. In case the supplier fails to arrange export license within 30 days

of signing the contract the purchaser reserves the right to cancel the contract on the risk and expense of the supplier without prior notice. The purchaser will provide End User Certificate for acquisition of export license to the supplier (format to be provided by the supplier for respective country within 10 day of signing of the contract).

- 23. <u>Technical Specification:</u> The supplier will provide OEM certificate, quality certificate /inspection document to the purchaser confirming the quality of the product being supplied under this contract .Store must bear the manufacturer's identification marking /monogram.
- 24. <u>Inspection /Testing of Store</u>: Inspection testing will be carried out at NUTECH by the concerned inspection team as detailed by the respective department in accordance with the laid down Acceptance Criteria. (Acceptance Test Procedure (ATPs)/Drawing /Test standard and specification). The supplier will provide ATPs with technical offer. Mutually agreed/approved ATPs will form part of contract to govern the inspection of store subsequently.
- 25. **Change In Specification / Mfr / Model.** No alternation marked/brand and quality of store will be entertained after the tender have been opened.
- 26. Checking of Store at Consignee/User End. All stores will be checked at Consignee's end in the presence of the supplier's representative. If for some reason, the supplier decides not to nominate his representative for such checking, an advance written notice to this effect will be given by the supplier to the consignee prior to immediately on shipment of store. In such an event the supplier will clearly undertake that decision of consignee with regard to quantities and description of consignment will be taken as final and discrepancy found will be accordingly made up by supplier. In all other cases the consignee will inform the supplier about arrival of consignment immediately on receipt of store through registered email/letter and telephone. If no response from the supplier is received within 15 days from initiation letter the consignee will have the right to proceed with the checking without supplier's representative. User/Consignee's report on checking of the stores will be binding on the seller in such cases.
- 27. Packing /Marking. The supplier shall be responsible for proper packing of the Store in standard export packing worthy of transportation by sea /air /road rail so as to ensure their content being free from lose or damages due to faulty packing on arrival at the ultimate destination. Packing of stores will be done at the expenses of the supplier. All packing cases, containers and other packing material shall become the property of the NUTECH on receipt. Any loss occurred /demurrage paid due to

wrong marking will be made good by the supplier.

- 28. **Original Performa Invoice**: Original Performa invoice must have following components incorporated:
 - a. HS Code
 - b. Incoterm
 - c. Payment Terms
 - d. Origin of good
 - e. Port of shipment
 - f. Address of OEM
 - g. Seller acceptance (on Performa Invoice)
 - h. Invoice Date
 - i. Latest date of shipment
 - Seller complete bank detail

Note: Performa Invoice in the name of NUTECH in case of FOB cases & in the name of local partner in case of FOR cases.

29. **General Instructions:** Following must be noted:-

- a. The firm should provide point to point acceptance of each clause of IT and special instructions attached with IT.
- b. Firm will render a certificate with technical offer that firm is neither defaulter nor blacklisted by any Government / semi Government organization directly or indirectly. (On Judicial Paper)
- c. Rates should be quoted on Free Delivery basis at NUTECH Islamabad.
- d. The stipulated delivery period should be strictly adhered to. Any anticipated delay that is beyond the control of Seller will be informed (in writing) well in advance of the expiry of the due date of the activity along with reasons thereof, requesting for the grant of extension in delivery period. If the Seller fails to do so, or the Buyer is not convinced with the rationale provided by the Seller, Liquidated Damages up to/at 2% per month or part thereof, will be imposed. However, the maximum limit of the Liquidated Damages will not exceed 10% of the delayed store value.
- e. If even after applicability of 10% LD, the Seller fails to deliver the required stores, the Buyer will be at liberty to Cancel the contract,

and /or procure the stores from an alternate source, on the Seller's "Risk & Cost/Expense". In that case, the Seller will be bound to make payment to the new source through NUTECH. The purchaser's decision under this clause shall NOT be subjected to arbitration.

- f. NUTECH reserves the right to cancel the Contract without assigning any reason whatsoever during its currency / execution / after placement, if the firm is found to be involved in any dubious activity, litigation, lacking to meet contractual obligations with the purchaser or is blacklisted with any other Public procurement agency. No claims / loss /damage of whatsoever nature shall be entertained and NUTECH's decision in this regard will be final / binding on the Seller.
- g. An appropriate amount may be paid for mobilization against Bank Guarantee/CDR/Demand Draft/Pay Order.
- h. Firms with previous pending/outstanding projects/business and unsatisfactory performance with NUTECH may not be considered for award of any further business.

Deputy Director
Supply Chain Management Office

Annex-A

Technical Specifications

NUTECH / SCM / Physics Lab Eqpt (RE) 2021 / TD-198

Ser	Part No	Items	Description	A/U	Country of Origin	Qty Req	Bidder Compliance																																								Tech Scrutiny to be done by user
							Yes	No	Accepted Rejected																																						
1		Autoclave	 Autoclave with Stainless steel body Thermometer Integrated Heating Temperature range 80 °C to 125 °C Max.Capacity: Approx. 40L Volume: Approx. 1.2 liters Display: PV & SV Dual Digital Display Pressure Gauge: Ranges from 0 to 3Kg/cm² Safety valve, Excess Pressure Safety Valve, Safety lock 	Nos	"Europe/ North America/J apan"	1			Reason of Rejection																																						
2		Magnetic Stirrer with Hot Plate	 Ceramic Top plate Ceramic Coated Extremely Resistant to Corrosion Temperature Range up to 370 °C Stirring Volume up to 15 Lit Control knob for Stirrer and Digital Temperature Stirring Speed Limit: Approx. Up to 1500rpm 	Nos	"Europe/ North America/J apan"	1																																									
3		Ultrasonic Bath	 Ultrasonic Bath with Stainless Steel Body Ultrasonic Frequency: Up to 37 KHz Ultrasonic Peak Performance up to 520W Temperature Ranges between 30 °C to 80 °C Max. Filling Volume Tank (Lit.): 2.75 	Nos	"Europe/ North America/J apan"	1																																									

Page **12** of **26**

						 ı ayc	; 12 UI 20
		 Stirring Frequency: Above 20KHz Automatic Switch off after 12h operation to prevent Unintended permanent operation 					
4	Universal Oven	 Universal Oven with Stainless Steel Body Stirring Capacity: Approx. 20L to 32L Speed Limit: Approx. Up to 1500rpm Adaptive Multifunctional Digital PID-microprocessor Controller with High-Definition TFT-Color Displays Temperature range 5°C above ambient upto +300°C Digital Timer Adjustable Multiple Over Temperature Protection with Audible and Visual Alarm 	Nos	"Europe/ North America/J apan"	1		
5	Pestle and Mortar Set	 Material: Pestle and Mortar (Agate) Size: 4 to 6 Inch Base Shape: Circular Finishing: Highly polished Grinding Surfaces Wall thickness is Approx. 14mm 	Nos	"Europe/ North America/J apan"	1		
6	Electro spinning Coater	 Air assisted Electrospray Coating System Material: Stainless Steel Stainless steel drums of different Sizes HV Power Supply: 30kV to 60kV Electrostatic Removal Device is Integrated to the Fume Hood Nozzle Size: Single metal Nozzle (21G to 27G) Syringe: Approx. 10ml Syringe Pump: 2ml to 200ml Syringe holder made of Insulating material 	Nos	"Europe/ 1 North America/J apan"			

Page **13** of **26**

			 1 agc 13 01 20
	to work under high		
	voltage conditions		
	 Motor control through microcontroller to 		
	control and indicate flow rate		
	• 2-Axis Robot: X & Y- Robot (2-Axis) with	1	
	Approx. Max		
	Speed 150mm/Sec		
	• Substrate Size: Up to 500mm to 1000mm		
	Max Rotation Speed: 2000rpm to 8000rpm		
	• Program Recipes: Approx. 50 Step, 50		
	Recipes		
	Heating Collector Temperature Range:		
	180°C to 350°C		
	• Spinning Direction Angle Control: 0° to 90°	1 1	
	Safety switch provide to switch off H.V.		
	Power supply when door is opened		
	System hood has features like Exhaust Fan.	,	
	Halogen lighting and Transparent door		
	• 208~240V AC Single-phase		
·			

Firm Name:
Signature:
Name:
Designation:

Special Instructions

Description	Bidder Tech Scrutiny to be		tiny to be d	done by User	
	Yes	No	Accepted	Rejected	Reasons of Rejection
Environment Conditions					
(a) Temperature range: 05°C to +40°C					
(b) Relative humidity: 0-70% non-condensing					
Warranty period One year from the date of commissioning for Items (Serial no. 1 to Serial no.4).					
Training Notes Supplier will provide a set of handouts for training on operation					
and maintenance of the equipment					
Publications Supplier is to provide hard and soft copies (CD) of following					
manuals.					
Operational / Maintenance manual: - Qty 01 with Equipment and additional Qty 02					
for record purposes and should consist of					
following sections:					
(1) Equipment Description /Operation: -					
(a)Specifications					
(b)Description					
(c)Operation					
(2) Servicing: -					
(a) Maintenance Schedule					
(b) Adjustment / test					
(c) Removal / Installation procedure					
(d) Tools Required					
(3) Cleaning requirements: -					
(a) Full parts description along with detailed diagrams (exploded view).					
(b) Experimental manuals which must contain the list and procedure of the					
Experiments that equipment can perform.					
(c) Recorded video lectures of the equipment explaining use / functions /					
Maximum possible experiments.					
Spares / Technical Support: -					
(a) Supplier to have in-country spares / Technical support and ensure spares and					
technical support / assistance for next 10 years.					

	9
(b) Comprehensive list of spares required for scheduled maintenance of	
Equipment is to be provided.	
(c) Any software provided must have its license.	
(d) Software upgrade support must be provided free of cost for 10 x years	
with renewed license at every upgrade	
Additional Spare / Replaceable parts: -	
(a) Replaceable spare / parts during scheduled inspections are to be	
identified and provided as per requirement along with Equipment sufficient to	0
cater five years' consumption.	
(b) All specialized / standard tools required for inspection / repair /	
servicing must be supplied along with equipment.	
Physical Inspection Criteria: -	
100% physical inspection of store will be carried out before commissioning of the	e
equipment for following details: -	
(a) For physical damage, scratches and deformity.	
(b) Accessories /Components as per contractual specifications.	
(c) Technical Manuals (Operation manual, user guide).	
(d) Quality certificate and calibration certificate by the OEM.	
(e) OEM certificate and verifiable documents by the supplier that store has	s
been procured from certified source and is factory new and from latest	it
production.	
(f) Brand name and country of origin.	
Commissioning: -	
(a) Commissioning by OEM rep at his own cost and risk at designated	
place at NUTECH.	
(b) Any special requirement for installation, operation and	
commissioning must be specified in the offer by the supplier.	
Training: -	
02 week operational/maintenance training at NUTECH by rep of OEM	
(local suppliers).	
Improvement and Safety Measures: -	
Any improvement and safety measures suggested by NUTECH during commissioning	g
are to be resolved by the supplier / manufacturer at no extra cost.	
Liability of Supplier: -	
(a) OEM certificate of authorized dealership Supplier is to provide original	
OEM certificate of subject equipment bought directly from the manufacturer and	d

Page **16** of **26**

being an authorized dealer.		
(b) In case the equipment supplied is not compatible with specifications, the		
supplier will be obliged to call his representatives at his own cost for		
consultation and corrective action.		
Special Notes: -		
(a) Additional requirements for the maintenance of equipment (if any) must		
be intimated by the supplier in technical offer.		
(b) Supplier must provide the list of organizations using same equipment in		
Pakistan (if any).		
(c) Equipment must be a standard product of OEM available at web address		
of OEM.		
(d) In case of premature failure of the equipment, OEM has to replace /		
rectify the item free of cost. Required transportation charges would be borne by		
the supplier.		

Firm Name:	
Signature:	
Name:	
Designation:	

TECHNICAL OFFER NUTECH / SCM / Physics Lab Eqpt (RE) 2021 / TD-198

FilLi	<u>in following essential parar</u>	<u>neters</u> :-		
1.	Validity of Offer:	Days (Should not be less than 90 o	days)	
2.	Delivery period:	Days (After placement of order)		
3.	Country of Origin:			
4.	Warranty Period:			
<u>Ger</u>	<u>neral</u>			
1.	GST Number:	(Enclose Copy)		
2.	NTN / CNIC:	(if exempted, provide valid exemp	tion certificate)	
<u>Pay</u>	ment Terms (In continuation	on of IT Document clause 12)		
In	FOR Cases			
20)% advance payment against	BG/CDR/Pay Order/DD		
80	% payment after delivery, ins	stallation / commissioning /user satisfactio	n certificate	
Deta	ails of Foreign Principal Inf	formation with account details)		
1.	Name / Title:	-		
2.	Address:			
OEM	1 Name:	Firm Name:	Signature:	
OEM	1 Focal Person:	Firm Focal Person:	Official Seal:	
OEM	1 Phone Number:	Firm Phone Number:	Name & CNIC:	
OEM	1 Email Id:	Firm Email Id:	Designation:	

Annex C

FINANCIAL OFFER

NUTECH / SCM / Physics Lab Eqpt (RE) 2021 / TD-198

Ser	Part No	Item Name/Size	Specification	A/U	Qty Req	Unit Price PKR (Including Tax)	Total Price PKR (Including Tax)
1		Autoclave	 Autoclave with Stainless steel body Thermometer Integrated Heating Temperature range 80 °C to 125 °C Max.Capacity: Approx. 40L Volume: Approx. 1.2 liters Display: PV & SV Dual Digital Display Pressure Gauge: Ranges from 0 to 3Kg/cm² Safety valve, Excess Pressure Safety Valve, Safety lock 	Nos	1	•	
2		Magnetic Stirrer with Hot Plate	 Ceramic Top plate Ceramic Coated Extremely Resistant to Corrosion Temperature Range up to 370 °C Stirring Volume up to 15 Lit Control knob for Stirrer and Digital Temperature Stirring Speed Limit: Approx. Up to 1500rpm 	Nos	1		
3		Ultrasonic Bath	 Ultrasonic Bath with Stainless Steel Body Ultrasonic Frequency: Up to 37 KHz Ultrasonic Peak Performance up to 520W Temperature Ranges between 30 °C to 80 °C Max. Filling Volume Tank (Lit.): 2.75 Stirring Frequency: Above 20KHz Automatic Switch off after 12h operation to prevent Unintended permanent operation 	Nos	1		

Page **19** of **26**

					Page 19 01 26
Universal Oven	Universal Oven with Stainless Steel Body	Nos	1		
	Digital Timer Adjustable				
	Multiple Over Temperature Protection with Audible and				
	Visual Alarm				
Pestle and Mortar	Material: Pestle and Mortar (Agate)	Nos	1		
Set	• Size: 4 to 6 Inch				
	Base Shape: Circular				
	 Finishing: Highly polished Grinding Surfaces 				
	Wall thickness is Approx. 14mm				
Electro spinning	Air assisted	Nos	1		
Coater	Electrospray Coating System				
	Material: Stainless Steel				
	Stainless steel drums of different Sizes				
	• HV Power Supply: 30kV to 60kV				
	Electrostatic Removal Device is				
	Integrated to the Fume Hood				
	, , ,				
	Speed 150mm/Sec				
	Pestle and Mortar Set Electro spinning	Stirring Capacity: Approx. 20L to 32L Speed Limit: Approx. Up to 1500rpm Adaptive Multifunctional Digital PID-microprocessor Controller with High-Definition TFT-Color Displays Temperature range 5°C above ambient upto +300°C Digital Timer Adjustable Multiple Over Temperature Protection with Audible and Visual Alarm Pestle and Mortar Set Material: Pestle and Mortar (Agate) Size: 4 to 6 Inch Base Shape: Circular Finishing: Highly polished Grinding Surfaces Wall thickness is Approx. 14mm Electrospinning Coater Air assisted Electrospray Coating System Material: Stainless Steel Stainless steel drums of different Sizes HV Power Supply: 30kV to 60kV Electrostatic Removal Device is Integrated to the Fume Hood Nozzle Size: Single metal Nozzle (21G to 27G) Syringe: Approx. 10ml Syringe Pump: 2ml to 200ml Syringe holder made of Insulating material to work under high voltage conditions Motor control through microcontroller to control and indicate flow rate 2-Axis Robot: X & Y-Robot (2-Axis) with Approx. Max	Stirring Capacity: Approx. 20L to 32L Speed Limit: Approx. Up to 1500rpm Adaptive Multifunctional Digital PID-microprocessor Controller with High-Definition TFT-Color Displays Temperature range 5°C above ambient upto +300°C Digital Timer Adjustable Multiple Over Temperature Protection with Audible and Visual Alarm Pestle and Mortar Set Material: Pestle and Mortar (Agate) Size: 4 to 6 Inch Base Shape: Circular Finishing: Highly polished Grinding Surfaces Wall thickness is Approx. 14mm Electro spinning Coater Air assisted Electrospray Coating System Material: Stainless Steel Stainless steel drums of different Sizes HV Power Supply: 30kV to 60kV Electrostatic Removal Device is Integrated to the Fume Hood Nozzle Size: Single metal Nozzle (21G to 27G) Syringe: Approx. 10ml Syringe Pump: 2ml to 200ml Syringe holder made of Insulating material to work under high voltage conditions Motor control through microcontroller to control and indicate flow rate 2-Axis Robot: X & Y- Robot (2-Axis) with Approx. Max	Stirring Capacity: Approx. 20L to 32L Speed Limit: Approx. Up to 1500rpm Adaptive Multifunctional Digital PID-microprocessor Controller with High-Definition TFT-Color Displays Temperature range 5°C above ambient upto +300°C Digital Timer Adjustable Multiple Over Temperature Protection with Audible and Visual Alarm Pestle and Mortar Set Size: 4 to 6 Inch Base Shape: Circular Finishing: Highly polished Grinding Surfaces Wall thickness is Approx. 14mm Electro spinning Coater Air assisted Electrospray Coating System Material: Stainless Steel Stainless steel drums of different Sizes HV Power Supply: 30kV to 60kV Electrostatic Removal Device is Integrated to the Fume Hood Nozzle Size: Single metal Nozzle (21G to 27G) Syringe: Approx. 10ml Syringe Pump: 2ml to 200ml Syringe pump: 2ml to 200ml Syringe holder made of Insulating material to work under high voltage conditions Motor control through microcontroller to control and indicate flow rate 2-Axis Robot: X & Y-Robot (2-Axis) with Approx. Max	Stirring Capacity: Approx. 20L to 32L Speed Limit: Approx. Up to 1500rpm Adaptive Multifunctional Digital PID-microprocessor Controller with High-Definition TFT-Color Displays Temperature range 5°C above ambient upto +300°C Digital Timer Adjustable Multiple Over Temperature Protection with Audible and Visual Alarm Multiple Over Temperature Protection with Audible and Visual Alarm Pestle and Mortar Set Size: 4 to 6 Inch Base Shape: Circular Finishing: Highly polished Grinding Surfaces Wall thickness is Approx. 14mm Material: Stainless Steel Stainless Steel Stainless Steel Stainless steel drums of different Sizes HV Power Supply: 30kV to 60kV Electrostatic Removal Device is Integrated to the Fume Hood Nozzle Size: Single metal Nozzle (21G to 27G) Syringe: Approx. 10ml Syringe Pump: 2ml to 200ml Syringe holder made of Insulating material to work under high voltage conditions Motor control through microcontroller to control and indicate flow rate 2-Axis Robot: X & Y-Robot (2-Axis) with Approx. Max

Page **20** of **26**

Substrate Size: Up to 500mm to 1000mm	
Max Rotation Speed: 2000rpm to 8000rpm	
Program Recipes: Approx. 50 Step, 50 Recipes	
Heating Collector Temperature Range: 180°C to 350°C	
• Spinning Direction Angle Control: 0° to 90°	
Safety switch provide to switch off H.V. Power supply when door is opened	
• System hood has features like Exhaust Fan, Halogen lighting and	
Transparent door	
• 208~240V AC Single-phase	
Total	

Firm Name:	 -	
Signature:	 •	
Name:	 •	
Designation:	 -	

Tender No	
Name of the Firm _	
Firm Address	
Date	
Telephone No	
E-Mail	

To,

DD SCM Office NUTECH University I-12, Main IJP Road, Islamabad.

Dear Sir

- 1. I / We hereby offer to supply to the NUTECH University the stores detailed in schedule to the tender inquiry or such portion thereof as you may specify in the acceptance of tender at the price offered against the said schedule and further agree that this offer will remain valid up to 90 days after opening of Financial offer and will not be withdrawn or altered in terms of rates quoted and the conditions already stated therein or on before this date. I / we shall be bound by a communication of acceptance to be dispatched within he prescribed time.
- 2. I / we have understood the instructions to Tenders and General Conditions Governing Contract available at NUTECH website and have thoroughly examined the specifications / drawing and / or patterns quoted in the schedule here to and am/are fully aware of the nature of the stores required and my/ our offer is to supply stores strictly in accordance with the requirements.

Yours Faithfully.

(Signature of Tenderer)

Designation

Date:

Individual signing tender and / or other documents connected with a contract must be signed by principal authorized rep/ OEM rep/ Authorized partner firm rep.

SPECIMEN FOR "ADVANCE PAYMENT BANK GUARANTEE"

Guarantee No:Date Amount: Valid upto:	
In Favour of:	
National University of Technology (NUTECH), IJP Road, I-12, Islamabao	d
Subject: Advance Payment Bank Guarantee	
Contract No:DATED	
Dear Sir,	
1. We [Name of Guarantor] understand that you have entered into o	ontract with M/S [Name of Firm]
(hereinafter called Our Client), for provision of [Name of Stores]. Ar	nd as per the above mentioned
Contract, you are liable to pay to Our Client an amount of [Amount of	of Guarantee] in advance, which
shall be released against a Bank Guarantee. 2. Bank & seller firm	shall inform your office regarding
termination of the validity of this bank Guarantee one clear month bef	ore the actual expiry date of this
Bank Guarantee.	
3. Now, we hereby irrevocably undertake to immediately make pay	ment on to your orders, merely
upon receipt of your first written notice, an amount not exceeding [An	nount of Guarantee] that may be
claimed by you at your own discretion without it being necessary for you	ou to prove or even assert to the
Bank any default whatsoever of Our Client under the Contract.	
4. Claims against this Guarantee shall be lodged on us through v	vritten request/s on your proper
Letter Head. Unless claims are not presented on or before the Valid	dity Date, all rights and benefits
under this guarantee shall be forfeited and we shall be released from	all claims, demands or liabilities
of any kind whatsoever.	
5. This Guarantee shall remain in force up to the above mentioned \	/alidity Date which can however,
be extended upon request of Our Client.	
Yours faithfully,	
Signatur	re:
Name:_	
Designat	ion:

Bank Stamp:

<u>SPECIMEN FOR BANK GUARANTEE AGAINST PERFORMANCE/WARRANTY GUARANTEE"</u>				
Guarantee No:D	ate	Amount:	Valid upto:	
In Favour of: National University of Technology (NUTECH), IJP Road, I-12, Islamabad				
Subject: In compliance with terms of Performance/Warranty Guarantee Bank Guarantee				
Contract No:	dat	ed		
Dear Sir,				

- 1. Whereas your good-self have entered into Contract No__ dated_with M/s [Firm Name] Located at [Firm Address], Herein after referred to as our customer and that one of the conditions of the Contract is submission of Bank Guarantee by our customer to your good-self for a sum of [Amount].
- 2. Incompliance with this stipulation of subj contract, we hereby agree and undertake as under:
 - a. To pay to you unconditionally on demand and / or without any reference to our Customer an amount not exceeding the sum of [Amount] as would be mentioned in your written Demand Notice.
 - b. To keep this Guarantee in force till [Validity Date].
 - c. That the validity of this Bank guarantee shall be kept two clear year ahead of the original / extended delivery period or the warrantee of the stores which so ever is later in duration on receipt of information from your office. Our liability under this Bank Guarantee shall cease on the closing of banking hours on the last date of validity of this Bank Guarantee. Claim received there after shall not been entertained by us whether you suffer a loss or not. On receipt of payment under this Guarantee, this documents i.e., Bank Guarantee must be clearly cancelled, discharged and returned to us.
 - d. That we shall inform your office regarding termination of the validity of this bank Guarantee on clear month before the actual expiry date of this Bank Guarantee.

 - f. That the bank guarantee herein before given shall not be affected by any change in the constitution of the Bank or Customer / Supplier or Vendor.

g.	That this is an unconditional Bank guarantee, which shall been cashed on sight
	on presentation without any reference to our Customer / Supplier or Vendor.

Signature	
Name	
Desig	
Bank Stamp	

Note: No changes in the above given BG format shall be accepted.

"SELLER'S WARRANTY CERTIFICATE"

(To be provided on stamp paper) Contract No: Dated: years from the date of final acceptance of the Stores. We hereby guarantee that we are the genuine and original Source of provisioning the Stores to our Buyer. We also undertake that nothing in the manufacturing of these Stores has been obtained through unauthorized means. We hereby warrant and undertake that the Stores and all the associated spares/ accessories supplied under the terms and conditions of the above Contract, are: brand new, complete in all respects, possessing good quality and standard a. workmanship; and liable for replacement/rectification free of charge, if during the Warranty period the same are found defective before or under normal use or these do not remain within the limits and tolerances stated under the specifications or in any way not in accordance with the terms of this Contract. All expenses incurred in removal, re-provisioning and reinstallation of such defective Stores or their parts shall also be borne by us. The Warranty shall remain valid for a period of _____ years from the date of final 2. acceptance of the Stores. Signature & Stamp _____

**Sellers warranty must be provided by the Seller (firm) on Rs 100 stamp paper along with bank guarantee/CDR/Pay Order without changing a word. BG with additional clauses will be rejected.

Name & CNIC

Designation:

Date:

CHECK LIST

(This checked list must be attached with your technical offer, duly filled and

Signed by authorized signatory)

Tender No			Date	
1	Tender Processing	a. Tender processing fee ref no		_
	Fee	b. Bank		
		c. Amount		_
2	EM/ Bid Bond	a. EM/ Bid Bond ref no		_
		b. Bank		
3	Form Annex A, A-1,	B and C signed by Authorized	Yes	No
	Signatory			
4	Offering specification of items as per IT		Yes	No
5	Quoted Currency as per IT		Yes	No
6	Accounting unit/Qty as per IT		Yes	No
7	Delivery Schedule as per IT		Yes	No
8	Country of origin of store			
9	Name of OEM:			
10	Original Performa in	voice (Mandatory)	Yes	No
11	Certified that there is no Deviation from IT conditions/		Yes	No
	there is deviation from IT condition as per fol details			
12	Blacklisting certificate.		Yes	No
13	Verifiable OEM Cert	ificate	Yes	No
14	Warranty Period as	per IT	Yes	No
15	ATPs provided		Yes	No

Note: Fill and/or mark Yes/No where required Signature of Firm Auth Signatory