

## TENDER DOCUMENTS Computer Lab Equipment

NUTECH / SCM / Cptr Lab Eqpt (RE) 2021 / TD-199

#### **NATIONAL UNIVERSITY OF TECHNOLOGY**

#### TENDER NOTICE

# National University of Technology (NUTECH) NUTECH / SCM / Physics Lab Eqpt (RE) 2021 / TD-198, NUTECH / SCM / Cptr Lab Eqpt (RE) 2021 / TD-199, NUTECH / SCM / Electrical Lab Eqpt (RE) 2021 / TD-200 & NUTECH / SCM / Civil Lab Eqpt (RE) 2021 / TD-201

- 1. Sealed bids are invited from Government / FBR Registered Firms for the procurement of Lab Equipment for NUTECH on **FOR Basis**.
- 2 Tender documents containing terms, conditions and detailed specifications of items (including draft contract) can be downloaded from NUTECH website "https://nutech.edu.pk/downloads/procurement/scm-tenders/" w.e.f **27 January 2020**.
- 3. Quotations shall be submitted as per requirement of the tender documents.
- 4. Bidders will be required to submit **Bank Draft / CDR** equal to **5%** of quoted value as Bid Bond in favor of National University of Technology (NUTECH).
- 5. Submit Rs 1500/- as Tender fee in favor of NUTECH HBL Account (**NUTECH Tendering and Contracts**, **5037-7000210755**). Please attach bank receipt with technical offer. Offers will not be entertained without payment of processing fee.
- 6. Details for Submission & Opening of bids for each tender are as under:-

Ser	Description	Submission	Tender Opening	Completion Days
a.	Physics Lab Equipment (TD-198)	0930 hrs on 12 Feb 2021	1000 hrs on 12 Feb 2021	90 Days
b.	Cptr Lab Equipment (TD-199)	1030 hrs on 12 Feb 2021	1100 hrs on 12 Feb 2021	90 Days
C.	Electrical Lab Equipment (TD-200)	1130 hrs on 12 Feb 2021	1200 hrs on 12 Feb 2021	90 Days
d.	Civil Lab Equipment (TD-201)	1230 hrs on 12 Feb 2021	1300 hrs on 12 Feb 2021	90 Days

<u>Deputy Director (Supply Chain Management)</u>

NATIONAL UNIVERSITY OFTECHNOLOGY, IJPROAD,I-12,ISLAMABAD

Tel: 0092-51-5476768, Ext: 178

## NATIONAL UNIVERSITY OF TECHNOLOGY SUPPLY CHAIN MANAGEMENT INVITATION TO TENDER

Tender submission time: 1030 hrs on 12 Feb 2021

- 1. NUTECH desires to procure the list of item(s) / Store(s) on <u>FOR</u> <u>b a s i s</u> as per <u>Annexure-A</u>. Interested bidders are requested to send their bids through courier or deliver at NUTECH under "<u>Single Stage Two Envelopes</u>" (two <u>envelopes placed together in third envelope</u>), marked clearly as "<u>Technical Offer</u>" respectively to the undersigned, latest by or before above mentioned due date.
- 2 <u>Conditions Governing Contracts.</u> The contract made as result of this IT will be in accordance with the draft contract published on NUTECH University website and other special conditions (Mentioned in this document) that may be added to given contract for the supply of Lab Equipment.
- 3. **Delivery of Tender.** The offer is to be submitted as under:
  - a. <u>Technical Offer.</u> Technical Offer should contain only Annexure-A, Annexure-A-1 & Annexure B duly filled in (supported with relevant technical literature / details / catalogues etc) and receipt of tender processing fee. Copy of bid bond WITHOUT MENTIONING PRICE should be attached with technical offer. Only relevant technical details i.e literature/brochures) without mentioning the financial aspect of the offer in DUPLICATE should be enclosed in an envelope. In technical proposal, all items must have the brand names, model number, manufacturer's name, country of origin, manufacturer's warranty including parts with complete specs and brochures. Re-conditioned and re-furbished equipment shall not be acceptable. Following information will be clearly marked on the envelope:
    - (1) Technical Offer
    - (2) Original Performa Invoice (without price)
    - (3) Tender number
    - (4) Date/ time of opening
  - b. <u>Commercial Offer.</u> Commercial Offer will contain Annexure-C and bid bond (Dully mentioned and placed in separate envelope. The offer indicating the quoted price FE/Local Currency (in Local Currency for FOR cases & in FE for FOB cases) in figures as well as in words

would be enclosed in an envelope. Following information will be clearly marked on the envelope;

- (1) Commercial Offer
- (2) Original Performa invoice with price
- (3) Tender number
- c. Both the envelopes i.e. commercial offer and technical offer would be enclosed in yet another properly sealed envelope that will be marked with address of this office only. There should be clear indication that this envelope contains tender documents.
- d. The tender duly sealed will be addressed to the following:-

Deputy Director (Supply Chain Management Office)

NATIONAL UNIVERSITY OF TECHNOLOGY (NUTECH)

IJ P ROAD, I-12, ISLAMABAD

Tel: 0092-51-5476768, Ext: 227

- 4. **Date and Time for Receipt of Tender.** Sealed bids with detailed specifications should reach SCM office latest by **1030 hrs on 12 Feb 2021**. Delay occurring in post shall not be accepted. Tenders received after the appointed / fixed time will NOT be entertained. The appointed time will, however, fall on next working day in case of closed / forced holiday.
- 5. <u>Tender opening.</u> The offers shall be opened **30 minutes** after submission time. Commercial offers will be opened at later stage if Technical Offer is found acceptable on examination by technical authorities. Date and time for opening of commercial offer shall intimated later. Only legitimate / registered representatives of firm will be allowed to attend tender opening.
- 6. <u>Validity of Offer.</u> The validity period of quotations must be indicated and should be **90 days** from the date of opening of financial offer.
- 7. With drawal of offer If the firm withdraws its offer within validity period, the competent authority may place such firm under embargo for a period which may be extended up to one year. Moreover, the Earnest Money of the firm will be confiscated.
- 8. **Documents.** Following information / copy of documents must be provided / attached with offer:
  - a. A copy of letter showing firm's financial capability.
  - b. NTN/GST number be mentioned on the offer and copy of registration Certificate issued by Sales Tax Department, attached.

- **c.** Foreign supplier to provide its Registration Number issued by respective Department of Commerce authorizing export of subject stores (in FOB cases).
- d. Annexes A, A-1, B and C and special conditions must be signed and stamped. ATTACH ONLY RELEVANT DOCUMENTS.
- e. Complete all Annexes as per given format. Do not use your format or letter head. Offer may be rejected if given format is not followed.
- f. OEM/principal agency agreement must be provided.

#### 9. **Disqualification.** Offers are liable to be rejected if:-

- a. Validity of offer is not quoted as required in IT documents.
- b. Any deviation from the General/ Special / Technical Instructions.
- c. Offers are found conditional or incomplete in any respect.
- d. Copy of EM/Bid Bond & Tender processing fee (with tech offer) and original EM/Bid Bond (with fin offer) are NOT attached.
- e. Manufacturer's relevant brochures and technical details on major equipment assemblies are not attached in support of specifications.
- f. Offer received later than appointed / fixed date and time.
- g. Subject to restriction of export license.
- h. Offers (Commercial / technical) containing non-initialled / unauthenticated amendments / corrections / overwriting. If the validity of the agency agreement has expired. The commercial offer against FOB / CIF / C&F tender quoted in local currency.
- i. If the offer is found to be based on cartel action in connivance with other sources/participants of the tender.
- 10. **Earnest Money / Bid Bond.** Commercial Offer must be accompanied with a Bid Bond (CDR/Pay Order/Bank Draft) in agreement of faithful compliance of the conditions of Contract. This amount will be equivalent to 5% of the total quoted value. The Bid Bond amount submitted by the successful bidder will however be refunded on effective termination of Contract. (The Bid Bond will be forfeited in case of default by the bidder from his commitments made through his offer). Submission of Bid Bond is mandatory; otherwise your offer will be rejected. Bid Bond will be used as performance guarantee till the delivery of stores, otherwise separate performance guarantee valued at 5 % of contract will be submitted by successful firm till stores are delivered and inspected.

#### 11. Return of Earnest Money/Bid Bond.

- a. Bid Bond to the unsuccessful bidders will be returned on finalization of the lowest evaluated bidder.
- b. Bid Bond of the successful bidder/bidders will be returned on submission of Bank Guarantee/Bid bond against warranty period OR Bid bond retained for the warranty period as the case may be.

#### 12 <u>Terms of Payment/ LC Charges</u>

#### (In FOB cases)

a. All categories payment will be made through letter of credit (LC). LC opening charges in Pakistan are to be borne by NUTECH. Payment will be made through irrevocable LC in favour of Manufacturer.

#### In FOR cases

- b. 20% advance payment will be made to the Seller on provision of unconditional Bank Guarantee/ CDR/ DD/ Pay order. Advance BG/CDR/DD/Pay order will be submitted at the time of signing the contract.
- c. 80% payment will made to the Seller after receipt and confirming the correctness of ordered specifications, installation, commissioning OR/ and as the case may be i.e through Inland LC, as per procedure in vogue. 100% payment will be made after receiving of CRV.
- 13. <u>Warranty/ Bank Guarantee (BG)</u>. 1 Year against 5% Bank Guarantee/CDR/Pay Order/Bank Draft of the store value will be required from the successful bidders from the date of commissioning as performance bond. BG submitted shall remain valid for up to 60 days beyond completion of warranty period.
- 14. <u>Taxes/ Duties/ Custom clearance</u> All taxes /duties /import Licenses Fee as applicable under government laws in Pakistan as well as country of supplier shall be on Seller (in FOR Case). NUTECH will provide applicable exemption certificates and documents (In FOB Cases only).
- 15. <u>Insurance:</u> Insurance will be NUTECH's responsibility through NICL (in FOB Cases).
- 16. <u>Freight charges /Misc charges:</u> All charges such as packing, forwarding, local freight, loading and unloading, installation and commissioning, custom clearance, orientations, on job training or any other will be part of quoted price. Delivery till NUTECH will be seller's responsibility and all associated costs will be part of quotation as well.

- 17. <u>Delivery Schedule.</u> Store will be delivered within **90 days** from contract signing date.
- 18. <u>Force Majeure.</u> If non-compliance with the period of delivery or services can be proved to be due to Force Majeure, such as but not limited to mobilization, war, riot, strike, lockout, pandemics/epidemics or the occurrence of unforeseen events, the period shall be reasonably extended.
- 19. **Subletting** Suppliers are not allowed to sublet wholly or part of the contract to any other firm /company without prior permission by NUTECH. Firm found in breach of the clause will be dealt with as per purchaser's right and discretion.

#### 20. <u>Arbitration.</u> Will be as under:-

"All Claims ,disputes ,controversies, differences arising out of or in connection with this contract ,including any question regarding its existence, validity, interpretation performance, breach or termination ,shall be referred to and shall finally be solved by binding arbitration. An Arbitration Committee Shall be constituted comprising Rector NUTECH and two Arbitration to be nominated on mutual agreement by each party. The venue of the Arbitration shall be the place of issuance of this contract or as Rector NUTECH may determine. In case of any difference, the clauses of Arbitration Act 1940, Rules and Regulation made thereof for time being enforce shall prevail. The award shall be final and binding on both parties.

- a. Provided that written record of any such arbitration and its award shall be arranged properly. An award of such arbitration may be confirmed in a court of competent jurisdiction at Islamabad.
- b. Provided further that incase of any other question /dispute not covered under this clause, the decision of Rector NUTECH shall be final."
- 21. **Redress Of Grievance.** In case of dispute, case shall be reviewed by 'NUTECH Redress of grievance committee and decision of NUTECH shall be final and binding on both parties.
- Export License/Permit /End User Cert. It shall be the responsibility of the Supplier to obtain from the Government concerned all permits and export licenses, etc required to enable each consignment to be shipped immediately as per the delivery schedule. In case the supplier fails to arrange export license within 30 days of signing the contract the purchaser reserves the right to cancel the contract on the risk and expense of the supplier without prior notice. The purchaser will provide End User Certificate for acquisition of export license to the supplier (format to be provided)

by the supplier for respective country within 10 day of signing of the contract).

- 23. <u>Technical Specification:</u> The supplier will provide OEM certificate, quality certificate /inspection document to the purchaser confirming the quality of the product being supplied under this contract .Store must bear the manufacturer's identification marking /monogram.
- 24. <u>Inspection /Testing of Store</u>: Inspection testing will be carried out at NUTECH by the concerned inspection team as detailed by the respective department in accordance with the laid down Acceptance Criteria. (Acceptance Test Procedure (ATPs)/Drawing /Test standard and specification). The supplier will provide ATPs with technical offer. Mutually agreed/approved ATPs will form part of contract to govern the inspection of store subsequently.
- 25. <u>Change In Specification / Mfr / Model.</u> No alternation marked/brand and quality of store will be entertained after the tender have been opened.
- 26. Checking of Store at Consignee/User End. All stores will be checked at Consignee's end in the presence of the supplier's representative. If for some reason, the supplier decides not to nominate his representative for such checking, an advance written notice to this effect will be given by the supplier to the consignee prior to immediately on shipment of store. In such an event the supplier will clearly undertake that decision of consignee with regard to quantities and description of consignment will be taken as final and discrepancy found will be accordingly made up by supplier. In all other cases the consignee will inform the supplier about arrival of consignment immediately on receipt of store through registered email/letter and telephone. If no response from the supplier is received within 15 days from initiation letter the consignee will have the right to proceed with the checking without supplier's representative. User/Consignee's report on checking of the stores will be binding on the seller in such cases.
- 27. Packing /Marking. The supplier shall be responsible for proper packing of the Store in standard export packing worthy of transportation by sea /air /road rail so as to ensure their content being free from lose or damages due to faulty packing on arrival at the ultimate destination. Packing of stores will be done at the expenses of the supplier. All packing cases, containers and other packing material shall become the property of the NUTECH on receipt. Any loss occurred /demurrage paid due to wrong marking will be made good by the supplier.

- 28. <u>Original Performa Invoice</u>: Original Performa invoice must have following components incorporated:
  - a. HS Code
  - b. Incoterm
  - c. Payment Terms
  - d. Origin of good
  - e. Port of shipment
  - f. Address of OEM
  - g. Seller acceptance (on Performa Invoice)
  - h. Invoice Date
  - i. Latest date of shipment
  - Seller complete bank detail

**Note:** Performa Invoice in the name of NUTECH in case of FOB cases & in the name of local partner in case of FOR cases.

#### 29. **General Instructions:** Following must be noted:-

- a. The firm should provide point to point acceptance of each clause of IT and special instructions attached with IT.
- b. Firm will render a certificate with technical offer that firm is neither defaulter nor blacklisted by any Government / semi Government organization directly or indirectly. (On Judicial Paper)
- c. Rates should be quoted on Free Delivery basis at NUTECH Islamabad.
- d. The stipulated delivery period should be strictly adhered to. Any anticipated delay that is beyond the control of Seller will be informed (in writing) well in advance of the expiry of the due date of the activity along with reasons thereof, requesting for the grant of extension in delivery period. If the Seller fails to do so, or the Buyer is not convinced with the rationale provided by the Seller, Liquidated Damages up to/at 2% per month or part thereof, will be imposed. However, the maximum limit of the Liquidated Damages will not exceed 10% of the delayed store value.
- e. If even after applicability of 10% LD, the Seller fails to deliver the required stores, the Buyer will be at liberty to Cancel the contract, and /or procure the stores from an alternate source, on the Seller's "Risk & Cost/Expense". In that case, the Seller will be bound to make payment to the new source through NUTECH. The purchaser's

- decision under this clause shall NOT be subjected to arbitration.
- f. NUTECH reserves the right to cancel the Contract without assigning any reason whatsoever during its currency / execution / after placement, if the firm is found to be involved in any dubious activity, litigation, lacking to meet contractual obligations with the purchaser or is blacklisted with any other Public procurement agency. No claims / loss /damage of whatsoever nature shall be entertained and NUTECH's decision in this regard will be final / binding on the Seller.
- g. An appropriate amount may be paid for mobilization against Bank Guarantee/CDR/Demand Draft/Pay Order.
- h. Firms with previous pending/outstanding projects/business and unsatisfactory performance with NUTECH may not be considered for award of any further business.

Deputy Director
Supply Chain Management Office

#### Annex-A

#### **Technical Specifications**

#### NUTECH / SCM / Cptr Lab Eqpt (RE) 2021 / TD-199

Ser	Part No	Items	Description	A/U		Qty Req	Bidder Comp	Tech Scrutiny to be done by user
							Yes	Accepted Rejected Reason of Rejection
1		Analog & Digital Circuit Design Trainers	<ul> <li>Interconnected with 2712 tie points, nickel plated contact.</li> <li>Power Supply: <ul> <li>Fixed DC output: +5V, 1A.</li> <li>Fixed DC output: -5V, 300mA.</li> <li>Variable DC output: 0V~+15V, 500mA.</li> <li>Variable DC output: 0V~-15V, 500mA</li> </ul> </li> <li>Variable resistor VR1=1KΩ (B)</li> <li>Variable resistor VR2=100KΩ (B)</li> <li>Function generator:</li> <li>Frequency ranges: 0.1 Hz~2Hz</li> <li>(6 ranges) 1 Hz~20Hz</li> <li>10Hz~200Hz</li> <li>10Hz~20KHz</li> <li>1KHz~20KHz</li> <li>1KHz~20KHz</li> <li>Triangle wave output: 0 Vpp variable</li> <li>Square wave output: 0 ~5Vpp variable</li> <li>Square wave output: 0 ~15Vpp variable</li> <li>Universal counter:</li> <li>Frequency range: 1Hz~99.999999MHz; 10Hz~100.00000MHz</li> <li>Period range TH&amp;TL: 0.01 s s 1 s ~</li> </ul>	No	Any	10		

Page **12** of **61** 

							Page 12 01 61
		99999999 s • Input sig al :TTL or CMOS level or any level(Vmin≥+2.3Vp 10%) • Display : 8-digit 7-segment LED display • Counter switch : External/ internal Eight bits data switches Two Digit Segment LED Display Two pulse switch Universal connector fixed holder Must be same as existing equipment in the lab Or equivalent					
2	Embedded System	Microprocessor Trainer (8086) with	No	Any	10		
	trainers board	Applications: Motherboard:  33Mhz Intel 8086/80186 Compatible Processor  XDOS (PC DOS 3.3 Compatible)  415K Flash  64 Digital I/O lines  2xRS-232 Ports with USB-UART interface  Software for program uploading / execution  Watchdog Timer  3×16 Bit Timer Channels  Selected PC BIOS Functions  Full Address/Data Expansion Bus  PC Console  Software:  Borland C/C++ 4.5 or later Compiler  Sample Code  .net based control program  External I/O Interface Board:  8-Bit A/D Converter  8-Bit D/A Converter  128×64 Graphical LCD  16×4 Character LCD  Four 7-Segment Displays	NO	Any	10		

Page **13** of **61** 

					rage 13 01 61
	<ul> <li>8-Bit Monitor LEDs</li> <li>DC Motor with optical encoder, direction</li> </ul>				
	control & PWM control				
	Stepper motor with drive circuit				
	<ul> <li>R/C Servo motor with drive circuit</li> </ul>				
	<ul> <li>Programmable Peripheral Interface 82C55</li> </ul>				
	4×4 Matrix Keypad with 5-way joystick				
	16×8 Dot Matrix LED Display				
	Or Equivalent				
3	Programmable Trainer CoDrone Pro Programmable and	No	Any	10	
	(Drone) Educational Drone:				
	• 1 codrone				
	<ul> <li>Controller Set (Joystick, Various</li> </ul>				
	<ul> <li>Frames, Wires, Battery Pack)</li> </ul>				
	Smart Inventor board				
	1 Lipo Battery				
	USB Cable & Battery Charger				
	Bluetooth Module				
	Main Features:				
	Arduino-compatible circuit board				
	Easily removable/replaceable motorssingle				
	<ul> <li>Dimensions 9 × 9 × 2.5 in</li> </ul>				
	Free tutorials				
	Provision of following Add-ons				
	Accessories included:				
	1. Power Pack for CoDrone:				
	Multi-Charger				
	<ul> <li>AC/DC Adaptor</li> </ul>				
	• Plug				
	USB Cable				
	2 Lipo Batteries				
	Must have coding provision using Python,				
	Blockly, Arduino programming				
	2. Camera (FPV) Add-on for CoDrone:				
	Drone body w/ HD Camera, live stream				
	compatible.				
	oonipatioio.		1		1

Page **14** of **61** 

						 Page 14 of 61
		<ul> <li>User manual</li> <li>CoDrone Drive Kit:</li> <li>Transform CoDrone into a remote-controlled car</li> <li>Comes with a set of sleek wheels, motors, and headlights</li> <li>Compatible with the Android Petrone App or iPhone Petrone App</li> </ul> Or Equivalent				
4	ProgrammableTrainer	Zumi Al Car and accessories:	No	Any	10	
	s (AĬ)	A sleek Zumi shell				
		The Zumi main board				
		<ul> <li>Color activity cards</li> </ul>				
		Rasperry Pi Zero				
		Pi CAm				
		Arduino Compatible PCB				
		On Board buzzer				
		Gyrometer				
		• 128*64 OLED				
		Accelerometer				
		6 IR Sensors				
		2 DC Motors     Value				
		Velcro     Dicease Bibliographia				
		PiCam Ribbon cable     Mounting Procket				
		<ul><li>Mounting Bracket</li><li>Chassis</li></ul>				
		Chassis     Atleast 60 min Battery life				
		<ul><li>Atleast 60 min Battery life</li><li>Must have coding provision using Python</li></ul>				
		(Jupyter note book)				
		Applications: Computer Vision and Object Detection Capability Or Equivalent				

Page **15** of **61** 

5	Control Training	VR _ Headset:	No	Any	4	1
	EquipmentType -1	<ul> <li>Virtual reality Rift s headset</li> </ul>				
	(VR)	<ul> <li>Screen: Dual fast-switch LCD</li> </ul>				
		<ul> <li>Resolution: 1280 x 1440 pixels per eye</li> </ul>				
		(2560 x 1440 toal)				
		<ul> <li>Subpixel Rendering: RGB sub-pixel</li> </ul>				
		Refresh rate: 80 Hz				
		<ul> <li>Field of view: undisclosed - "slightly higher than Rift"</li> </ul>				
		<ul> <li>Tracking: 5 built-in cameras, two front</li> </ul>				
		facing, two on the sides, one on top				
		<ul> <li>Sensors: Oculus Insight 6DoF inside-out</li> </ul>				
		tracking, gyroscope, accelerometer, and magnetometer				
		• Eye adjustments: Fixed lens IPD 63.5mm,				
		software adjustable 61.5mm to 65.5mm				
		Connections: DisplayPort 1.2, USB 3.0,     Started bandshape inch				
		<ul><li>3.5mm Stereo headphone jack</li><li>Cables: 5 meter 2-in-1 tether cable</li></ul>				
		(DisplayPort 1.2, USB 3.0)				
		<ul> <li>Face Cushion: Soft foam permantly affixed</li> </ul>				
		to rubber facial interface				
		Accessories Included:				
		1) 5-meter headset cable with USB 3.0 and				
		DisplayPort connectors on one end and				
		an Oculink connector on the other that				
		connects Oculus Rift S to PC.				
		Or Equivalent				
6	Control Training	VR Headset Starter Kit	No	Any	2	
		R 1) VIVE Pro headset:				
	kit)	VIVE Pro headset:				
		Headset cable (attached)				
		Face cushion (attached)				
		Cleaning cloth				
		Earphone hole cap (x 2)				
		Documentation				
		2) Link Box for VIVE Pro:				

Page **16** of **61** 

						 raye 16 01	<u> </u>
		<ul> <li>Power adapter</li> <li>DisplayPort™ cable</li> <li>USB 3.0 cable</li> <li>Mounting pad</li> <li>Base Station 1.0 (x 2):</li> <li>Base station power adapter (x 2)</li> <li>Controller 1.0 (x 2):</li> <li>Power adapter x 2</li> <li>Micro-USB cable x 2</li> <li>Lanyard x 2</li> </ul>					
7	Control Training EquipmentType-2 (Arduino type)	Or Equivalent  MDUINO PLC (Arduino type) Package contains:  1) MDUINO PLC+ Power supply+ HMI (x2) 2) MDUINO PLC+ Power supply (x 3)  1) MDUINO PLC ARDUINO ETHERNET &WiFi& BLUETOOTH LE 19R I/Os RELAY/ANALOG/DIGITAL PLUS:  • 6 inputs  • 11 outputs  • Communications  • RTC, µSD, Ethernet, USB, Full/Half duplex, RS485, RS232, I2C, Modbus  • Wi-Fi & Bluetooth LE (ESP32).	No	Any	2+3		
		Accessories included:  IoT mote B with antennas  Patch coed  User manuals  Software CD  Experiments  Cable  Power cords					

Page **17** of **61** 

 	 	Page 17 of 61
<ul> <li>Power supply:</li> <li>Din RAIL Power Supply</li> <li>ac-dc</li> <li>30W</li> <li>1 Output 2.5A at 12Vdc</li> <li>Wires and connectors included</li> </ul>		
<ul> <li>HMI:</li> <li>Panel PC based on Raspberry PI 4 B board</li> <li>10.1" Resistive Touch Screenfor industrial environment using Raspian or Ubunto from Linux</li> <li>EMC and ESD protection</li> <li>Anodized aluminum</li> </ul>		
<ul> <li>Accessories included:</li> <li>Power cords</li> <li>Patch cords</li> <li>Connector</li> <li>Software CD</li> </ul>		
2) MDUINO PLC+ Power supply (x 3)		
<ul> <li>MDUINO PLC ARDUINO ETHERNET &amp;WiFi&amp;BLUETOOTH LE 19R I/Os RELAY/ANALOG/DIGITAL PLUS:</li> <li>6 inputs</li> <li>11 outputs</li> <li>Communications</li> <li>RTC, μSD, Ethernet, USB, Full/Half duplex, RS485, RS232, I2C, Modbus</li> <li>Wi-Fi &amp; Bluetooth LE (ESP32).</li> <li>Accessories included:</li> <li>IoT mote B with antennas</li> </ul>		
<ul><li>Patch cords</li></ul>		

Page **18** of **61** 

							Page 18 01 61
		<ul> <li>User manuals</li> <li>Software CD</li> <li>Experiment</li> <li>Cable</li> <li>Power cords</li> </ul> Power supply: <ul> <li>Din RAIL Power Supply</li> <li>ac-dc</li> <li>30W</li> <li>1 Output 2.5A at 12Vdc</li> </ul>					
		DNI Rail and board for fixing included: Or Equivalent					
8	Control Training EquipmentType-2 (PLC Trainer)	<ul> <li>PLC Trainer</li> <li>Features:</li> <li>Sensors installed on-board</li> <li>Control Circuits Installed</li> <li>Drivers Installed</li> <li>Protection Circuits Installed</li> </ul>	No	Any	5		
		<ul> <li>Technical Features:</li> <li>PLC: Fatek</li> <li>Digital Inputs: 14</li> <li>Digital Outputs: 10</li> <li>Programming Language: Ladder</li> <li>Fixed Supply DC: 24V, 12V, 5V, -5V &amp; -12V</li> <li>Digital Input Simulator: 8X Momentary, 8X Toggle Switches</li> <li>Switches: 2XThumbwheel, 8-bit DIP</li> <li>Signal Conditioning: F/V Converter, A/D Converter. D/A Converter</li> <li>Displays: 4X 7-Segment, 8X8 Dual Colour Dot Matrix, 10 point LED Bar</li> <li>Analog Source: 2X +10V DC</li> <li>Motors: DC with IR Encoder, Stepper with</li> </ul>					

Page **19** of **61** 

	Page <b>19</b> of <b>61</b>
four IR Encoder, R/C Servo	
Driver: Dual H-Bridge Monolithic Type,  DAMA	
PWM	:41_
Sensor: Light Intensity, Temperature wi	
Heater	
On-Board PLC Applications:	
Traffic Light Control	
Liquid Mixer	
Temperature Control	
Light Intensity Control	
Elevator Control	
DC Motor Control	
Stepper Motor Control	
R/C Servo Motor Control	
LED Flasher	
Dot Matrix	
• 7-Segment	
LED Bar Display	
Assembly Line Control	
Experiments Included:	
Implementation of Counters(Parking States	and)
Implementation of Timer Application (FI	lash
Light)	
Monolithic A/D Converter Control by PL	
Monolithic D/A Converter Control by PL	_C
7-Segment Display Application	
Thumbwheel Switch Application	
Traffic Light Control Application	
Liquid Mixer Application	
Temperature Control Application	
Light Intensity Control Application	
Elevator Control Application	
DC Motor Control Application	

Page **20** of **61** 

							Page 20 or 61
		<ul> <li>Stepper Motor Control Application</li> <li>R/C Servo Motor Control Application</li> <li>Stage Light Control Application</li> <li>Dot Matrix Application</li> </ul>					
		<ul> <li>Accessories Included:</li> <li>2mm Patch Cords</li> <li>Power Cord</li> <li>User Manual</li> <li>Experiment Manual</li> <li>IDC Cables</li> <li>PC Programming Cable</li> <li>Software CD</li> </ul>					
		Or Equivalent					
9	Control Training Equipment Type-2 (PLC platform)	PLC set for platform Package contains:  1) Fatek PLC 2) Communication Board,FBs-CB55 3) Temperature Measurement Modules (RTD 6) 4) Segment LED Display Modules 5) Bluetooth to RS232(FBs-B2C) 6) AIO Modules FBs-6AD 7) Din Rail 8) P5 series HMI  Fatek PLC:  20 points 24VDC digital input (6 points 200KHz + 2 points 20KHz + 8 5KHz + 4 Low) 12 Points relay or transistor digital output	No	Any	5		
		<ul> <li>(Model "T" 6 points 100KHz + 2 points 20KHz + 4 Low)</li> <li>1 built-in RS-232 or USB port (expandable up to 5)</li> <li>built-in RTC</li> </ul>					

Page **21** of **61** 

<del>, , , , , , , , , , , , , , , , , , , </del>	<del>,</del>		Page 21 or 61
	<ul><li>detachable terminal block</li><li>Sink (NPN) or Source (PNP) type transistor</li></ul>		
	I/O (Model´"T" only)		
	• 100~240VAC, 24 VDC or 12 VDC power		
	supply		
	<ul> <li>Expandable Ports – RS485 or RS232 or Ethernet or GSM or ZigBee</li> </ul>		
	Built-in 1 port (Port0, USB or RS232)		
	• Expandable 4 ports (Port 1-4, RS485 or		
	RS232 or Ethernet or GSM or ZigBee)		
	Communication Board:		
	<ul> <li>2 ports RS485 (Port 3+ Port 4)</li> </ul>		
	communication board		
	Temperature Measurement Modules:		
	6 channel RTD temperature input module		
	with 0.1 resolution		
	Segment LED Display Modules:		
	<ul> <li>Support up to 8 digits of seven-segment</li> </ul>		
	LED display (include decimal point) or 4		
	digits of 16-segment alphanumerical LED		
	display or 64 independent LED displays		
	Bluetooth to RS232:		
	<ul> <li>Bluetooth to RS232 wireless data</li> </ul>		
	communication converter which is		
	dedicated designed for FATEK PLC port0		
	usage		
	AIO Modules FBs-6AD:		
	<ul> <li>Analog input modules of FATEK FBs series</li> </ul>		
	PLC		
	<ul> <li>Provides 6 channels A/D input with 12- or</li> </ul>		
	14-bit effective resolution		
	Din rail:		

Page **22** of **61** 

						raye <b>22</b> 01 <b>01</b>
		<ul> <li>P5 Series HMI:</li> <li>CPU:</li> <li>32-bit 300MHz RISC</li> <li>Storage:</li> <li>Date Storage, CF Card, USB</li> <li>Display size:</li> <li>4.3 inch TFT colors</li> <li>Serial port:</li> <li>1 serial ports, RS232/RS485/RS422 could be use at the same</li> </ul>				
		Accessories included:      Patch cords     User manuals     Software CD     Experiment     Cable     Power cords  Or Equivalent				
10	Portable Trainers (Type 1)	Package contains: a) pi-top [4] Foundation Kit b) Pitop3  a) pi-top [4] Foundation Kit: • Single board computer: Raspberry Pi 4 Mode B • CPU: Quad Core 64 bit SoC @ 1.5 GHz • Memory: 4 GB DDR4 • Storage: 16 GB micro SD card • Networking: Gigabit Ethernet up to 1Gbps, WiFi 2.5GHz + 5.0GHz IEEE 802.11ac, Bluetooth low energy v5.0 • Multimedia: OpenGL ES, 3.0 Graphics • Metal 'bento box' containing 14 components including programmable	No	Any	10 Each	

Page 23 of 61

		Page <b>23</b> of <b>61</b>
sensors, buttons, and LEDs.		
b) Pitop3:		
1) Screen:		
<ul> <li>13.3" HD LCD screen with eDP</li> </ul>		
interface		
<ul> <li>1366x768 resolution</li> </ul>		
<ul> <li>Colour active matrix TFT LCD module</li> </ul>		
with anti-glare finish		
<ul> <li>3W power consumption</li> </ul>		
<ul> <li>PWM screen dim control (available on</li> </ul>		
PCB rail)		
60Hz refresh rate		
262K colours		
<ul> <li>eDP 1.2 interface</li> </ul>		
2) Base Top:		
Keyboard		
<ul> <li>Fully reprogrammable via USB</li> </ul>		
<ul> <li>Any character can be put on any key</li> </ul>		
position, to suit user's exact		
preferences		
UK and US vinyl layouts available		
<ul> <li>2.2mm operating distance</li> </ul>		
28 pin FPC cable		
<ul> <li>Trackpad</li> </ul>		
<ul> <li>PalmCheck feature helps prevents</li> </ul>		
unwanted mouse clicks		
PS/2 interface		
<ul> <li>1N mouse click operating force</li> </ul>		
8 pin FPC cable		
3) Base Bottom:		
Smart Battery Pack		
<ul> <li>Two-wire SMBus v2.0 interface</li> </ul>		
<ul> <li>JEITA recommended charge profile</li> </ul>		
<ul> <li>Over-current, over-voltage, over-</li> </ul>		

Page **24** of **61** 

	 	Page 24 of 61
temperature and short-circuit protection		
Charge balancing for extenxed lifetime		
51.8 Watt-hour capacity		
10-12 hours run time		
4) Hub board:		
Power management		
Screen driver (HDMI to eDP conversion)		
Batery LED indicators		
18V. 3A input		
• 5V. 3.5A output		
3.3V 500mA output		
Persistent 3.3V output (available even		
when powered off)		
PCB rail specification pinout connects		
UART, I2C and SPI to Raspberry Pi for		
use with add-on boards.		
5) Raspberry Pi 3		
Chipset: Broadcom BCM2837		
CPU: 1.2GHz quad-core 64-bit ARM		
cortex A53		
Ethernet : 10/100 (Max throughput)		
100Mbps)		
USB: Four USB 2.0 with 480Mbps data		
transfer		
Storage: MicroSD card or via USB-		
attached storage		
Wireless: 802.11n Wireless LAN (Peak		
transmit/receive throughput of		
150Mbps), Bluetooth 4.1		
Graphics: 400MHz VideoCore IV		
multimedia		
Memory: 1GB LPDDR2-900 SDRAM		
Expandability: 40 general purpose input-		
output pins		

Page **25** of **61** 

						 	rage <b>23</b> 01 <b>61</b>
		<ul> <li>Video: Full HDMI port</li> <li>Audio: Combined 3.5mm audio out jack and composite video</li> <li>Camera interface (CSI)</li> <li>Display interface (DSI)</li> </ul>					
		Also included:  1) SD Card (32GB) with pi-topOS 2) Cables connecting pi-top pieces 3) Wifi Dongle 4) PI-TOPSPEAKER 5) Charger 6) Instruction Booklet					
11	Robotic Arm	<ul> <li>6-Axis Robotic Arm:</li> <li>6-Axis Mirobot Arm for Education</li> <li>PenHolding+Pen Set +Micro Servo Gripper Module</li> <li>Suction Cup &amp; Pneumatic kit</li> <li>Mirobotmecha Sticker: Handbook</li> <li>Power Supply</li> <li>High Speed USB Cable</li> <li>Mirobotmecha Sticker: Handbook</li> <li>At least .2mm repeatability</li> <li>Up to 110°/s joint speed</li> <li>Atleast have 150g payload</li> <li>USB connectivity</li> <li>Open Source Firmware</li> <li>Compatible with Programming Languages (Blockly, Python, GCode, C, C++, Java)</li> <li>Controller type Arduino</li> <li>Weight 1.5 kg</li> <li>Control methods: MirobotStudio/ MirobotController/App</li> <li>Must be compatible with existing Robotic Arm Or Equivalent</li> </ul>	No	Any	2		

Page **26** of **61** 

Page **27** of **61** 

						 	i age Zi	<u> </u>
		3. Robot Controller						
		<ul> <li>Support Bluetooth, WiFi and Custom</li> </ul>						
		API						
		Or Equivalent: Must compatible with serial 12						
13	Robotic	Robotic Arm Fixtures Set:	No	Any	2			
	Arm(Accessories 2)	Robot Arm Vehicle						
		<ul> <li>4-mecanum-wheels car</li> </ul>						
		Compatible with Mirobot Studio and						
		Blockly.						
		Can easily carry serial 12 robotic arm						
		Universal Ball Gripper & Pneumatic Kit						
		Compatible with serial 12 robotic arm						
		Or Equivalent: Must compatible with 13						
14	Core Set(Type 1)	The EV3 Core Lego Set includes 541	No	Any	2			
		elements that can be used for teaching						
		science, technology, engineering, math,						
		and computer science.						
		The LEGO system comes in:						
		Sturdy storage bin						
		Sorting tray						
		<ul> <li>Includes three servomotors</li> </ul>						
		<ul> <li>Five sensors (gyro, ultrasonic, color and</li> </ul>						
		two touch)						
		<ul> <li>A rechargeable battery</li> </ul>						
		<ul> <li>Connecting cables</li> </ul>						
		<ul> <li>Printed and digital building instructions</li> </ul>						
		<ul> <li>LEGO® Technic building bricks for creating</li> </ul>						
		models.						
		EV3 Intelligent Brick.						
		Must be compatible with existing EV3 kits						
		Or Equivalent						
15	Core Set (Type 2)	FormulaAllCode standard class set	No	Any	5			
		Inputs:						
		<ul> <li>2 Push to make switch</li> </ul>						
		<ul> <li>8 IR distance sensors</li> </ul>						

Page 28 of 61

		Page <b>28</b> of <b>61</b>
<ul><li>Light sensor</li></ul>		
<ul> <li>Microphone</li> </ul>		
<ul> <li>I2C accelerometer/compass</li> </ul>		
<ul> <li>2 Line following sensors</li> </ul>		
Microphone volume control		
Outputs:		
8 LEDs (one port)		
<ul> <li>Speaker</li> </ul>		
4 Servo outputs		
Motors:		
<ul> <li>Left and Right</li> </ul>		
<ul> <li>Integrated gear-box</li> </ul>		
<ul> <li>Integrated encoders</li> </ul>		
System:		
<ul> <li>Reset switch</li> </ul>		
<ul> <li>16 bit dsPIC microcontroller</li> </ul>		
<ul> <li>USB rechargeable lithium battery</li> </ul>		
<ul> <li>128x32 pixel backlit LCD</li> </ul>		
Micro SD card		
<ul> <li>Integrated Bluetooth</li> </ul>		
<ul> <li>Micro USB Socket</li> </ul>		
<ul> <li>E-blocks expansion port</li> </ul>		
<ul><li>Expansion port (8bit)</li></ul>		
<ul> <li>Programmable from MATLAB, LabVIEW,</li> </ul>		
Flow code, Python, App inventor, Visual		
basics/C/C++		
• Five host independent robots, maze walls,		
maze mat		
Compatible with Raspberry Pi, Android,		
MATLAB & more		
Rechargeable batteries and 2 micro USB		
leads included		
Bluetooth enabled     Transport later and the later (Matrix)		
Free complete course included (Matrix)		
Accessories included:		

Page **29** of **61** 

		1) Bluetooth 4.00 USB module					
		Or Equivalent					
16	Single Axis Kit	MinSeg V3 Board: Arduino Compatible Mega 2560 (compatible with Arduino IDE):	No	Any	20		
		<ul> <li>Supports 2 motors and 2 encoders</li> <li>DRV8833 motor driver</li> <li>MPU6050 3-axis accelerometer 3-axis gyro</li> <li>HMC5883L 3-axis Magnetometer/Compass</li> <li>Potentiometer for user input</li> <li>Bluetooth Header for plug in bluetooth module</li> <li>Header for NXT Sensors (like optical Sensor) and I2C Sensor (like sonar)</li> <li>Lego NXT DC Motor with Encoder and wheels</li> <li>6AA (9v) battery holder</li> <li>Retractable USB Cable</li> <li>Project Box</li> <li>Dual MicroGear Motor Kit (assembly required): Includes 2 microgear motors and cables, mounted on adapter board with 2 screws (screwdriver assembly required). Also includes 9v battery holder and screw for mini configuration</li> <li>Plug In Bluetooth Module</li> <li>Ultrasonic Sensor</li> <li>Time of Flight sensor</li> <li>Must be same as existing equipment for compatibility, Synchronization.</li> </ul>					
		Or Equivalent					
17	Magnetic Levitation Kit &+ Nano Stick+ Demo	Magnetic Levitation kits come with MinSegNanoStick - Arduino compatible board, pre-loaded with balance code • Fully functional Arduino board with motor driver!	No	Any	20		

Page **30** of **61** 

		<ul> <li>mosfet, Attiny85 processor, with box</li> <li>Hook Up 9v battery (ONLY Liithium ion or Energizer Industrial or Duracell Procell have enough current)</li> <li>Kit is fully assembled with box.</li> <li>RASPLib) Compatible USB cable - plug in and balance!</li> <li>Electromagnetic Coil &amp; stand</li> <li>Magnet</li> <li>Cable for M1V4.3 MinSegShield</li> <li>Kit is fully assembled with box.</li> <li>MinSeg Nano Stick - a fully functional Arduino compatible board with motor driver (compatible with MinSegNano library)</li> <li>Direct plug-in compatible with M1V4.3 and M2V5 Shields, the MinSegMega V3 and the MinSeg Nano Stick micro usb. Compatible with M2V3.2 and other systems with single jumper wire.</li> <li>Instructions for use</li> <li>Should be same as existing equipment</li> <li>Or Equivalent(Upgraded Version)</li> </ul>					
18	Soldering Station	5 in 1 Comprehensive Desoldering Station SMD Maintenance Station Soldering Iron Heat Gun with Variable power supply. Item specifics:	No	Any	5		

Page **31** of **61** 

						 1 agc <b>31</b> 01 <b>01</b>
19	3D Scanner	Professional desktop 3D scanner for generating digital 3D models from physical objects:  Features:  Cameras: 2 x 5 megapixel monochrome  USB 3.0 cameras, 12mm lenses  Scanning Software FlexScan3D  Scan Speed 1.2 seconds per scan  Field of View (FOV): 508mm diagonal Resolution:  Average Points: 4.9 million per scan Average Polygons: 10.1 million per scan Point to Point Distance: 0.18mm  Accuracy: FOV: 25µm (0.001")  Standoff: 890mm  Geometry Formats: PLY, OBJ, STL, ASC, FBX, 3D3  Or Equivalent: 3D Scanner should be Compatible with contracted	No	Any	1	
		MakerBotReplicator +				
20	Power Pack	Power Pack for mini Drone:  Multi-Chargerto recharge up to 4 batteries  AC/DC Adaptor  USB Cable  2 Lipo Batteries (3.7v 300mAh  1 User Manual  Power pack should be compatible with contracted programmable drone CoDrone Pro  Or Equivalent: Must be compatible with Codrone Pro		Any	2	
21	Camera (FPV) Add-on for	Camera (FPV) Add-on for to turn your drone: into a flying HD camera (1280 x 720 resolution)  • Drone body HD FPV Camera (live stream compatible)  • 1 User Manual Camera (FPV) Add-on should be compatible		Any	2	

Page **32** of **61** 

						 	<u> </u>
		with contracted programmable drone CoDrone Pro Or Equivalent: Must be compatible with Codrone Pro					
22	Drive Kit	<ul> <li>Drive Kittransform your Drone into a remote-controlled car:</li> <li>2 Wheels, 2 Geared Motor Brackets, 2 H-Wings, 2 V-Wings, 1 Wing Bracket, 1 Wing Bracket, 1 User Manual</li> <li>Drive Kit should be compatible with contracted programmable drone CoDrone Pro</li> <li>Or Equivalent: Must be compatible with Codrone Pro</li> </ul>	No	Any	2		
23	ESD Sheets	<ul><li>Length:- 486'</li><li>Width:- 2'</li><li>Color:- Clear (transparent)</li></ul>	sq feet	Any	972 sq feet		

Firm Name:		
Signature:		
Name:		
Designation:		

#### **Special Instructions**

Description	Bidder		er Tech Scrutiny to be done by U		
	Yes	No	Accepted	Rejected	Reasons of Rejection
Environment Conditions					-
(a) Temperature range: 05°C to +45°C					
(b) Relative humidity: 0-70% non-condensing					
Warranty period One year from the date of commissioning.					
Training Notes Supplier will provide a set of handouts for training on					
operation and maintenance of the equipment					
<b>Publications</b> Supplier is to provide hard and soft copies (CD) of following					
manuals.					
(a) Operational / Maintenance manual: - Qty 01 with Equipment and					
additional Qty 02 for record purposes and should consist of following sections:-					
(1)Equipment Description /Operation:-					
(a)Specifications					
(b)Description					
(c)Operation					
(2)Servicing:-					
(a)Maintenance Schedule					
(b) Adjustment / test					
(c)Removal / Installation procedure (d)Tools Used					
(3) Trouble shooting guide					
(3) Trouble shouling guide					
(b) <b>IPB</b> should have full parts description along with detailed diagrams					
(exploded view).					
(c) <b>Experimental manuals</b> which must contain the list and procedure of the					
experiments that equipment can perform.					
Spares / Technical Support					
(a) Supplier to have in-country spares / technical support and ensure spares					
and technical support / assistance for next 10 years					
(b) Comprehensive list of spares required for scheduled maintenance of					
Equipment is to be provided					
Equipment to to be provided					

(c) Any soft	ware provided must have its license					
` '	e upgrade support must be provided free of cost for 10 x years with					
	ense at every upgrade					
1	r must also provide calibration service for at least 5 x years after					
commission	ning					
Additional	Spare / Replaceable parts.					
(a)	Replaceable spare / parts during scheduled inspections are to be					
identi	fied and provided as per requirement along with equipment sufficient					
	er five years consumption.					
(b)	All specialized / standard tools required for inspection / repair / sing must be supplied along with equipment.					
Servic	and must be supplied along with equipment.					
_	nspection Criteria: 100% physical inspection of store will be carried					
	commissioning of the equipment for following details:-					
(a)	For physical damage, scratches and deformity.					
(b)	Accessories /components as per contractual specifications.					
(c)	Technical Manuals (Operation manual, user guide, IPBs).					
(d)	Quality certificate and calibration certificate by the OEM					
(e)	OEM certificate and verifiable documents by the supplier that store					
	has been procured from certified source and is factory new and					
	from latest production.					
(f)	Brand name and country of origin.					
Commission	•					
(a)	Commissioning of the equipment will be carried out by OEM rep at vn cost and risk at designated place at NUTECH.					
	Any special requirement for installation, operation and					
commissioning must be specified the offer by the supplier.						
Training: 0	1 week OEM operational/ maintenance training at NUTECH					
	ent and Safety Measures: Any improvement and safety measures					
	by NUTECH during commissioning are to be resolved by the supplier urer at no extra cost.					
ı <i>ı</i> manulacıl	וובו מנווט בגנומ נטטנ.	I				

Page **35** of **61** 

Liability of Supplier			
(a) OEM certificate of authorized dealership Supplier is to provide			
original OEM certificate of subject equipment bought directly from the			
manufacturer and being an authorized dealer.			
(b) In case the equipment supplied is not compatible with			
specifications, the supplier will be obliged to call his representatives at his			
own cost for consultation and corrective action			

Firm Name:	
Signature:	
Name:	
Designation:	

### TECHNICAL OFFER NUTECH / SCM / Cptr Lab Eqpt (RE) 2021 / TD-199

FilLi	<u>in following essential parar</u>	<u>neters</u> :-					
1.	Validity of Offer:	ty of Offer:Days (Should not be less than <b>90 days</b> )					
2.	Delivery period:	Days (After placement of order)					
3.	Country of Origin:						
4.	Warranty Period:						
<u>Ger</u>	<u>neral</u>						
1.	GST Number:	GST Number:(Enclose Copy)					
2.	NTN / CNIC:	(if exempted, provide valid exemption certificate)					
<u>Pay</u>	ment Terms (In continuation	on of IT Document clause 12)					
In	FOR Cases						
20	)% advance payment against	BG/CDR/Pay Order/DD					
80	% payment after delivery, ins	stallation / commissioning /user satisfactio	n certificate				
Deta	ails of Foreign Principal Inf	formation with account details)					
1.	Name / Title:	<del>-</del>					
2.	Address:						
OEM	1 Name:	Firm Name:	Signature:				
OEM	1 Focal Person:	Firm Focal Person:	Official Seal:				
OEM Phone Number:		Firm Phone Number:	Name & CNIC:				
OEM Email Id:		Firm Email Id:	Designation:				

# Annex C

# **FINANCIAL OFFER**

# NUTECH / SCM / Cptr Lab Eqpt (RE) 2021 / TD-199

Ser	Part No	Item Name/Size	Specification	A/U	Qty Req	Unit Price PKR (Including Tax)	Total Price PKR (Including Tax)
1		Analog & Digital Circuit Design Trainers	Solderless breadboard:  Interconnected with 2712 tie points, nickel plated contact.  Power Supply:  Fixed DC output: +5V, 1A.  Fixed DC output: 0V~+15V, 500mA.  Variable DC output: 0V~-15V, 500mA.  Variable DC output: 0V~-15V, 500mA  Potentiometers:  Variable resistor VR1=1KΩ (B)  Variable resistor VR2=100KΩ (B)  Function generator:  Frequency ranges: 0.1 Hz~2Hz  (6 ranges) 1 Hz~20Hz  10Hz~200Hz  10Hz~20KHz  10KHz~20KHz  10KHz~20KHz  Amplitude Sine wave output: 0 Vpp variable  Triangle wave output: 0 ~5Vpp variable  Triangle wave output: 0 ~15Vpp variable  Universal counter:  Frequency range: 1Hz~99.999999MHz; 10Hz~100.00000MHz  Period range TH&TL: 0.01 s s 1 s ~ 99999999 s  Input sig al: TTL or CMOS level or any level(Vmin≥+2.3Vp 10%)  Display: 8-digit 7-segment LED display  Counter switch: External/ internal  Eight bits data switches	No	10		

Page **38** of **61** 

					rage 30 01	
		Two Digit Segment LED Display				
		Two pulse switch				
		Universal connector fixed holder				
		Must be same as existing equipment in the lab				
		Or equivalent				
2	Embedded	Microprocessor Trainer (8086) with Applications:	No	10		
	System trainers	Motherboard:				
	board	33Mhz Intel 8086/80186 Compatible Processor				
		XDOS (PC DOS 3.3 Compatible)				
		• 415K Flash				
		64 Digital I/O lines				
		<ul> <li>2xRS-232 Ports with USB-UART interface</li> </ul>				
		<ul> <li>Software for program uploading / execution</li> </ul>				
		Watchdog Timer				
		3×16 Bit Timer Channels				
		<ul> <li>Selected PC BIOS Functions</li> </ul>				
		Full Address/Data Expansion Bus				
		PC Console				
		Software:				
		<ul> <li>Borland C/C++ 4.5 or later Compiler</li> </ul>				
		Sample Code				
		net based control program				
		External I/O Interface Board:				
		8-Bit A/D Converter				
		8-Bit D/A Converter				
		128×64 Graphical LCD				
		16×4 Character LCD				
		Four 7-Segment Displays				
		8-Bit Monitor LEDs				
		<ul> <li>DC Motor with optical encoder, direction control &amp; PWM control</li> </ul>				
		Stepper motor with drive circuit				
		R/C Servo motor with drive circuit				
		<ul> <li>Programmable Peripheral Interface 82C55</li> </ul>				
		4×4 Matrix Keypad with 5-way joystick				
		16×8 Dot Matrix LED Display  Or Equivalent				
		Or Equivalent				

Page **39** of **61** 

						1 age 33 01 01
3	Programmable	CoDrone Pro Programmable and Educational Drone:	No	10		
	Trainer (Drone)	• 1 codrone				
		Controller Set (Joystick, Various				
		• Frames, Wires, Battery Pack)				
		Smart Inventor board				
		1 Lipo Battery				
		USB Cable & Battery Charger				
		Bluetooth Module				
		Main Features:				
		Arduino-compatible circuit board				
		<ul> <li>Easily removable/replaceable motorssingle</li> </ul>				
		<ul> <li>Dimensions 9 × 9 × 2.5 in</li> </ul>				
		Free tutorials				
		Provision of following Add-ons				
		Accessories included:				
		4. Power Pack for CoDrone:				
		Multi-Charger				
		AC/DC Adaptor				
		• Plug				
		USB Cable				
		2 Lipo Batteries				
		<ul> <li>Must have coding provision using Python, Blockly, Arduino</li> </ul>				
		programming				
		5. Camera (FPV) Add-on for CoDrone:				
		<ul> <li>Drone body w/ HD Camera, live stream compatible.</li> </ul>				
		User manual				
		6. CoDrone Drive Kit:				
		Transform CoDrone into a remote-controlled car				
		Comes with a set of sleek wheels, motors, and headlights				
		<ul> <li>Compatible with the Android Petrone App or iPhone Petrone App</li> </ul>				
		Compatible with the Android Fettorie App of it holle Fettorie App				
		Or Equivalent				
4		r Zumi Al Car and accessories:	No	10		
	ainers (AI)	A sleek Zumi shell				
		The Zumi main board				
		Color activity cards				
		,		L	I	

Page **40** of **61** 

					1	Page <b>40</b> of <b>61</b>
		Rasperry Pi Zero				
		Pi CAm				
		Arduino Compatible PCB				
		On Board buzzer				
		Gyrometer				
		• 128*64 OLED				
		Accelerometer				
		6 IR Sensors				
		2 DC Motors				
		• Velcro				
		PiCam Ribbon cable				
		Mounting Bracket				
		Chassis				
		Atleast 60 min Battery life				
		<ul> <li>Must have coding provision using Python (Jupyter note book)</li> </ul>				
		Applications, Computer Vision and Object Detection Conshility				
		Applications: Computer Vision and Object Detection Capability  Or Equivalent				
5	Control Training		No	4		
	EquipmentType -			_		
	1 (VR)	Screen: Dual fast-switch LCD				
		• Resolution: 1280 x 1440 pixels per eye (2560 x 1440 toal)				
		Subpixel Rendering: RGB sub-pixel				
		Refresh rate: 80 Hz				
		Field of view: undisclosed - "slightly higher than Rift"				
		<ul> <li>Tracking: 5 built-in cameras, two front facing, two on the sides, one</li> </ul>	)			
		on top				
		Sensors: Oculus Insight 6DoF inside-out tracking, gyroscope,				
		accelerometer, and magnetometer				
		<ul> <li>Eye adjustments: Fixed lens IPD 63.5mm, software adjustable 61.5mm to 65.5mm</li> </ul>				
		<ul> <li>Connections: DisplayPort 1.2, USB 3.0, 3.5mm Stereo headphone</li> </ul>				
		jack				
		<ul> <li>Cables: 5 meter 2-in-1 tether cable (DisplayPort 1.2, USB 3.0)</li> </ul>				
		Face Cushion: Soft foam permantly affixed to rubber facial				
		interface				

Page **41** of **61** 

					rage 41 01 01
		Accessories Included: 2) 5-meter headset cable with USB 3.0 and DisplayPort connectors on one end and an Oculink connector on the other that connects Oculus Rift S to PC.  Or Equivalent			
6		VR Headset Starter Kit  5) VIVE Pro headset:  • VIVE Pro headset:  • Headset cable (attached)  • Face cushion (attached)  • Cleaning cloth  • Earphone hole cap (x 2)  • Documentation  6) Link Box for VIVE Pro:  • Power adapter  • DisplayPort™ cable  • USB 3.0 cable  • Mounting pad  7) Base Station 1.0 (x 2):  • Base station power adapter (x 2)  8) Controller 1.0 (x 2):  • Power adapter x 2  • Micro-USB cable x 2  • Lanyard x 2  Or Equivalent	No	2	
7	EquipmentType-	MDUINO PLC (Arduino type) Package contains:  1) MDUINO PLC+ Power supply+ HMI (x2)  2) MDUINO PLC+ Power supply (x 3)  3) MDUINO PLC ARDUINO ETHERNET &WiFi& BLUETOOTH LE 19R I/Os RELAY/ANALOG/DIGITAL PLUS:  6 inputs  11 outputs  Communications	No	2+3	

	Page <b>42</b> of <b>61</b>
<ul> <li>RTC, µSD, Ethernet, USB, Full/Half duplex, RS485, RS232, I2C, Modbus</li> <li>Wi-Fi &amp; Bluetooth LE (ESP32).</li> </ul>	
Accessories included:  IoT mote B with antennas  Patch coed  User manuals  Software CD  Experiments  Cable  Power cords	
Power supply:  • Din RAIL Power Supply  • ac-dc  • 30W  • 1 Output 2.5A at 12Vdc  • Wires and connectors included  HMI:  • Panel PC based on Raspberry PI 4 B board	
<ul> <li>10.1" Resistive Touch Screenfor industrial environment using         Raspian or Ubunto from Linux</li> <li>EMC and ESD protection</li> <li>Anodized aluminum</li> </ul>	
Accessories included:      Power cords     Patch cords     Connector     Software CD	
4) MDUINO PLC+ Power supply (x 3)	
MDUINO PLC ARDUINO ETHERNET &WiFi& BLUETOOTH LE 19R	

Page **43** of **61** 

					Page <b>43</b> of <b>61</b>
		I/Os RELAY/ANALOG/DIGITAL PLUS:			
		6 inputs			
		• 11 outputs			
		Communications			
		• RTC, μSD, Ethernet, USB, Full/Half duplex, RS485, RS232, I2C,			
		Modbus			
		Wi-Fi & Bluetooth LE (ESP32).			
		Accessories included:			
		IoT mote B with antennas			
		<ul> <li>Patch cords</li> </ul>			
		User manuals			
		Software CD			
		Experiment			
		Cable			
		Power cords			
		Power supply:			
		Din RAIL Power Supply			
		ac-dc			
		• 30W			
		1 Output 2.5A at 12Vdc			
		DNI Rail and board for fixing included:			
		Or Equivalent			
8	Control Training		No	5	
	EquipmentType-				
	2 (PLC Trainer)	Sensors installed on-board			
		Control Circuits Installed			
		Drivers Installed			
		Protection Circuits Installed			
		Technical Features:			
		PLC: Fatek			
		Digital Inputs: 14			
		Digital Outputs: 10			

age	44	of	61

- Programming Language: Ladder
  Fixed Supply DC: 24V, 12V, 5V, -5V & -12V
- Digital Input Simulator: 8X Momentary, 8X Toggle Switches
- Switches: 2XThumbwheel, 8-bit DIP
- Signal Conditioning: F/V Converter, A/D Converter. D/A Converter
- Displays: 4X 7-Segment, 8X8 Dual Colour Dot Matrix, 10 point LED Bar
- Analog Source: 2X +10V DC
- Motors: DC with IR Encoder, Stepper with four IR Encoder, R/C Servo
- Driver: Dual H-Bridge Monolithic Type, PWM
- Sensor: Light Intensity, Temperature with Heater

## On-Board PLC Applications:

- Traffic Light Control
- Liquid Mixer
- Temperature Control
- Light Intensity Control
- Elevator Control
- DC Motor Control
- Stepper Motor Control
- R/C Servo Motor Control
- LED Flasher
- Dot Matrix
- 7-Segment
- LED Bar Display
- Assembly Line Control

## **Experiments Included:**

- Implementation of Counters(Parking Stand)
- Implementation of Timer Application (Flash Light)
- Monolithic A/D Converter Control by PLC
- Monolithic D/A Converter Control by PLC
- 7-Segment Display Application
- Thumbwheel Switch Application

Page **45** of **61** 

					rage <b>43</b> 01 <b>61</b>
		<ul> <li>Traffic Light Control Application</li> <li>Liquid Mixer Application</li> <li>Temperature Control Application</li> <li>Light Intensity Control Application</li> <li>Elevator Control Application</li> <li>DC Motor Control Application</li> <li>Stepper Motor Control Application</li> <li>R/C Servo Motor Control Application</li> <li>Stage Light Control Application</li> <li>Dot Matrix Application</li> <li>Accessories Included:</li> <li>2mm Patch Cords</li> <li>Power Cord</li> <li>User Manual</li> <li>Experiment Manual</li> <li>IDC Cables</li> <li>PC Programming Cable</li> <li>Software CD</li> </ul> Or Equivalent			
E	ontrol Training quipment Type- (PLC platform)	PLC set for platform Package contains:	No	5	

- 100KHz + 2 points 20KHz + 4 Low)
- 1 built-in RS-232 or USB port (expandable up to 5)
- built-in RTC
- detachable terminal block
- Sink (NPN) or Source (PNP) type transistor I/O (Model "T" only)
- 100~240VAC, 24 VDC or 12 VDC power supply
- Expandable Ports RS485 or RS232 or Ethernet or GSM or ZigBee
- Built-in 1 port (Port0, USB or RS232)
- Expandable 4 ports (Port 1-4, RS485 or RS232 or Ethernet or GSM or ZigBee)

#### Communication Board:

2 ports RS485 (Port 3+ Port 4) communication board

#### **Temperature Measurement Modules:**

6 channel RTD temperature input module with 0.1 resolution

## **Segment LED Display Modules:**

 Support up to 8 digits of seven-segment LED display (include decimal point) or 4 digits of 16-segment alphanumerical LED display or 64 independent LED displays

### Bluetooth to RS232:

 Bluetooth to RS232 wireless data communication converter which is dedicated designed for FATEK PLC port0 usage

#### **AIO Modules FBs-6AD:**

- Analog input modules of FATEK FBs series PLC
- Provides 6 channels A/D input with 12- or 14-bit effective resolution

#### Din rail:

#### P5 Series HMI:

- CPU:
- 32-bit 300MHz RISC
- Storage:
- Date Storage, CF Card, USB

Page **47** of **61** 

					1 ago 11 oi <b>0</b> 1
		<ul> <li>Display size:</li> <li>4.3 inch TFT colors</li> <li>Serial port:</li> <li>1 serial ports, RS232/RS485/RS422 could be use at the same</li> </ul> Accessories included:			
		<ul> <li>Patch cords</li> <li>User manuals</li> <li>Software CD</li> <li>Experiment</li> <li>Cable</li> </ul>			
10	Portable	<ul><li>Power cords</li><li>Or Equivalent</li></ul>	No	10Ea	
10	Trainers (Type 1)	<ul> <li>a) pi-top [4] Foundation Kit:</li> <li>Single board computer: Raspberry Pi 4 Mode B</li> <li>CPU: Quad Core 64 bit SoC @ 1.5 GHz</li> <li>Memory: 4 GB DDR4</li> <li>Storage: 16 GB micro SD card</li> <li>Networking: Gigabit Ethernet up to 1Gbps, WiFi 2.5GHz + 5.0GHz</li> </ul>	NO	IUEa	
		<ul> <li>IEEE 802.11ac, Bluetooth low energy v5.0</li> <li>Multimedia: OpenGL ES, 3.0 Graphics</li> <li>Metal 'bento box' containing 14 components including programmable sensors, buttons, and LEDs.</li> <li>b) Pitop3:</li> <li>1) Screen: <ul> <li>13.3" HD LCD screen with eDP interface</li> <li>1366x768 resolution</li> <li>Colour active matrix TFT LCD module with anti-glare finish</li> <li>3W power consumption</li> <li>PWM screen dim control (available on PCB rail)</li> </ul> </li> </ul>			

Page 48 of 61 60Hz refresh rate 262K colours eDP 1.2 interface 2) Base Top: Keyboard Fully reprogrammable via USB • Any character can be put on any key position, to suit user's exact preferences • UK and US vinyl layouts available • 2.2mm operating distance • 28 pin FPC cable Trackpad PalmCheck feature helps prevents unwanted mouse clicks PS/2 interface 1N mouse click operating force • 8 pin FPC cable 3) Base Bottom: Smart Battery Pack • Two-wire SMBus v2.0 interface • JEITA recommended charge profile • Over-current, over-voltage, over-temperature and short-circuit protection • Charge balancing for extenxed lifetime 51.8 Watt-hour capacity 10-12 hours run time 4) Hub board: • Power management • Screen driver (HDMI to eDP conversion) **Batery LED indicators** 18V. 3A input 5V. 3.5A output 3.3V 500mA output

Persistent 3.3V output (available even when powered off)

Page **49** of **61** 

					1 age <b>49</b> 01 <b>01</b>	
		PCB rail specification pinout connects UART, I2C and SPI to				
		Raspberry Pi for use with add-on boards.				
		5) Raspberry Pi 3				
		Chipset: Broadcom BCM2837				
		<ul> <li>CPU: 1.2GHz quad-core 64-bit ARM cortex A53</li> </ul>				
		<ul> <li>Ethernet : 10/100 (Max throughput 100Mbps)</li> </ul>				
		<ul> <li>USB: Four USB 2.0 with 480Mbps data transfer</li> </ul>				
		Storage: MicroSD card or via USB-attached storage				
		Wireless: 802.11n Wireless LAN (Peak transmit/receive				
		throughput of 150Mbps), Bluetooth 4.1				
		Graphics: 400MHz VideoCore IV multimedia				
		Memory: 1GB LPDDR2-900 SDRAM				
		Expandability: 40 general purpose input-output pins				
		Video: Full HDMI port				
		Audio: Combined 3.5mm audio out jack and composite video				
		Camera interface (CSI)				
		Display interface (DSI)				
		Also included:				
		<ol> <li>SD Card (32GB) with pi-topOS</li> <li>Cables connecting pi-top pieces</li> </ol>				
		3) Wifi Dongle				
		4) PI-TOPSPEAKER				
		5) Charger				
		6) Instruction Booklet				
11	Robotic Arm	6-Axis Robotic Arm:	No	2		
		6-Axis Mirobot Arm for Education				
		<ul> <li>PenHolding+Pen Set +Micro Servo Gripper Module</li> </ul>				
		Suction Cup & Pneumatic kit				
		Mirobotmecha Sticker: Handbook				
		Power Supply				
		High Speed USB Cable				
		Mirobotmecha Sticker: Handbook				
		At least .2mm repeatability				
		Up to 110º/s joint speed				
		<ul> <li>Atleast have 150g payload</li> </ul>				

Page **50** of **61** 

				Page <b>50</b> of <b>61</b>
	<ul> <li>USB connectivity</li> <li>Open Source Firmware</li> <li>Compatible with Programming Languages (Blockly, Python, GCode, C, C++, Java)</li> <li>Controller type Arduino</li> <li>Weight 1.5 kg</li> <li>Control methods: MirobotStudio/ MirobotController/App</li> <li>Must be compatible with existing Robotic Arm Or Equivalent</li> </ul>			
Robotic Arm(Accessorie s 1)	Robotic Arm Fixtures Set:  1. Sliding Rail  Material: Aluminum alloy, ABS engineering plastics  Effective movement distance: At least 500 mm  Power input: 12V / 4A DC  Power: Maximum 18W  Product specification (L × w × h): 730mm X 45mm  The sliding rail can be controlled directly by WLKATA Studio, and can be programmed by Blockly, Python and G-code in the software.  Includes:  I. Sliding rail  II. Data cable  III. Handbook  IV. Hex tool kit  V. A mounting plate for robot arm  2. Conveyor Belt  The conveyor belt can be controlled directly by WLKATA Studio, and can be programmed by Blockly, Python and G-code in the software.  Power input: 12V / 4A DC  Power: Maximum 18W  Product specification (L × w × h): 650mm X 210mm X 42mm  Effective travel: At least 500 mm  Include:  V) Conveyor belt X 1  vi) Color sensor module X 1  vii) Data cable X 1	No	2	

Page **51** of **61** 

					rage 31 or 01
		viii)User manual X 1			
		3. Robot Controller			
		Support Bluetooth, WiFi and Custom API			
		Or Equivalent: Must compatible with serial 12			
13	Robotic	Robotic Arm Fixtures Set:	No	2	
	,	Robot Arm Vehicle			
	s 2)	4-mecanum-wheels car			
		Compatible with Mirobot Studio and Blockly.			
		Can easily carry serial 12 robotic arm			
		2. Universal Ball Gripper & Pneumatic Kit			
		Compatible with serial 12 robotic arm			
		Or Equivalent: Must compatible with 13			
14	Core Set(Type 1)	The EV3 Core Lego Set includes 541 elements that can be used	No	2	
		for teaching science, technology, engineering, math, and			
		computer science.			
		The LECO evertage agrees in:			
		The LEGO system comes in:			
		Sturdy storage bin			
		Sorting tray			
		Includes three servomotors			
		Five sensors (gyro, ultrasonic, color and two touch)			
		A rechargeable battery			
		Connecting cables			
		Printed and digital building instructions			
		<ul> <li>LEGO® Technic building bricks for creating models.</li> </ul>			
		EV3 Intelligent Brick.			
		Must be compatible with existing EV3 kits Or Equivalent			
15	Core Set (Type 2)	FormulaAllCode standard class set	No	5	
		Inputs:			
		2 Push to make switch			
		8 IR distance sensors			
		Light sensor			
		Microphone			
		<ul> <li>I2C accelerometer/compass</li> </ul>			
		2 Line following sensors			

Page <b>52</b> of <b>61</b>	Page	52	of	61
-----------------------------	------	----	----	----

					 Page <b>52</b> of <b>61</b>
		Microphone volume control			
		Outputs:			
		8 LEDs (one port)			
		<ul> <li>Speaker</li> </ul>			
		4 Servo outputs			
		Motors:			
		Left and Right			
		Integrated gear-box			
		Integrated encoders			
		System:			
		Reset switch			
		16 bit dsPIC microcontroller			
		USB rechargeable lithium battery			
		128x32 pixel backlit LCD			
		Micro SD card			
		Integrated Bluetooth			
		Micro USB Socket			
		E-blocks expansion port			
		Expansion port (8bit)			
		<ul> <li>Programmable from MATLAB, LabVIEW, Flow code, Python, App</li> </ul>			
		inventor, Visual basics/C/C++			
		<ul> <li>Five host independent robots, maze walls, maze mat</li> </ul>			
		<ul> <li>Compatible with Raspberry Pi, Android, MATLAB &amp; more</li> </ul>			
		<ul> <li>Rechargeable batteries and 2 micro USB leads included</li> </ul>			
		Bluetooth enabled			
		Free complete course included (Matrix)			
		Accessories included:			
		1) Bluetooth 4.00 USB module			
		Or Equivalent			
16	Single Axis Kit		No	20	
		with Arduino IDE):			
		<ul> <li>Supports 2 motors and 2 encoders</li> </ul>			
		DRV8833 motor driver			
		<ul> <li>MPU6050 3-axis accelerometer 3-axis gyro</li> </ul>			

Page **53** of **61** 

					Page <b>53</b> of <b>61</b>
		HMC5883L 3-axis Magnetometer/Compass			
		Potentiometer for user input			
		Bluetooth Header for plug in bluetooth module			
		<ul> <li>Header for NXT Sensors (like optical Sensor) and I2C Sensor (like</li> </ul>			
		sonar)			
		<ul> <li>Lego NXT DC Motor with Encoder and wheels</li> </ul>			
		6AA (9v) battery holder			
		Retractable USB Cable			
		<ul> <li>Project Box</li> </ul>			
		<ul> <li>Dual MicroGear Motor Kit (assembly required): Includes 2</li> </ul>			
		microgear motors and cables, mounted on adapter board with 2			
		screws (screwdriver assembly required). Also includes 9v battery			
		holder and screw for mini configuration			
		Plug In Bluetooth Module			
		Ultrasonic Sensor			
		Time of Flight sensor			
		Must be same as existing equipment for compatibility,			
		Synchronization.			
		Or Equivalent			
17	Magnetic	Magnetic Levitation kits come with MinSegNanoStick - Arduino	No	20	
	Levitation Kit &-	+ compatible board, pre-loaded with balance code			
	Nano Stick+	<ul> <li>Fully functional Arduino board with motor driver!</li> </ul>			
	Demo	<ul> <li>Fully assembled coil, hall effect sensor, mosfet, Attiny85</li> </ul>			
		processor, with box			
		<ul> <li>Hook Up 9v battery (ONLY Liithium ion or Energizer Industrial or</li> </ul>			
		Duracell Procell have enough current)			
		<ul> <li>Kit is fully assembled with box.</li> </ul>			
		<ul> <li>RASPLib) Compatible USB cable - plug in and balance!</li> </ul>			
		Electromagnetic Coil & stand			
		Magnet			
		Cable for M1V4.3 MinSegShield			
		Kit is fully assembled with box.			
		<ul> <li>MinSeg Nano Stick - a fully functional Arduino compatible board</li> </ul>			
		with motor driver (compatible with MinSegNano library)			
		<ul> <li>Direct plug-in compatible with M1V4.3 and M2V5 Shields, the</li> </ul>			
		MinSegMega V3 and the MinSeg Nano Stick micro usb.			
		Compatible with M2V3.2 and other systems with single jumper			

Page **54** of **61** 

wire. Instructions for use  Should be same as existing equipment Or Equivalent(Upgraded Version)  5 in 1 Comprehensive Desoldering Station SMD Maintenance Station	ı No	5	
Should be same as existing equipment Or Equivalent(Upgraded Version)  Soldering 5 in 1 Comprehensive Desoldering Station SMD Maintenance Station	ı No	5	
Or Equivalent(Upgraded Version)  Soldering  5 in 1 Comprehensive Desoldering Station SMD Maintenance Station	No No	5	
Or Equivalent(Upgraded Version)  Soldering  5 in 1 Comprehensive Desoldering Station SMD Maintenance Station	No	5	
	No	5	
Station  Soldering Iron Heat Gun with Variable power supply.  Item specifics:  Rated Voltage:220V  At Least Air Volume:250L  Feature: Temperature Adjustable  Feature: Temperature Digital Display  Feature: Cool / Hot Air  At least Rated Output Power:1600W  USB ports interface  Includes: Power supply plug cables with alligator clips.			
or equivalent	I- NI-	1	
Professional desktop 3D scanner for generating digital 3D mode from physical objects: Features: Cameras: 2 x 5 megapixel monochrome USB 3.0 cameras, 12mm lenses Scanning Software FlexScan3D Scan Speed 1.2 seconds per scan Field of View (FOV): 508mm diagonal Resolution: Average Points: 4.9 million per scan Average Polygons: 10.1 million per scan Point to Point Distance: 0.18mm Accuracy: FOV: 25µm (0.001") Standoff: 890mm Geometry Formats: PLY, OBJ, STL, ASC, FBX, 3D3  Or Equivalent: 3D Scanner should be Compatible with contracte MakerBotReplicator +		1	
20 Power Pack Power Pack for mini Drone:	No	2	
Multi-Chargerto recharge up to 4 batteries			

Page **55** of **61** 

					Page <b>55</b> of <b>61</b>
		AC/DC Adaptor			
		USB Cable			
		<ul> <li>2 Lipo Batteries (3.7v 300mAh</li> </ul>			
		1 User Manual			
		Power pack should be compatible with contracted programmable			
		drone CoDrone Pro			
		Or Equivalent: Must be compatible with Codrone Pro			
21	Camera (FPV)	Camera (FPV) Add-on for to turn your drone: into a flying HD camera	No	2	
	Add-on for	(1280 x 720 resolution)			
		<ul> <li>Drone body HD FPV Camera (live stream compatible)</li> </ul>			
		1 User Manual			
		Camera (FPV) Add-on should be compatible with contracted			
		programmable drone CoDrone Pro			
		Or Equivalent: Must be compatible with Codrone Pro			
22	Drive Kit	Drive Kittransform your Drone into a remote-controlled car:	No	2	
		<ul> <li>2 Wheels, 2 Geared Motor Brackets, 2 H-Wings, 2 V-Wings, 1</li> </ul>			
		Wing Bracket, 1 Wing Bracket, 1 User Manual			
		Drive Kit should be compatible with contracted programmable drone			
		CoDrone Pro			
		Or Equivalent: Must be compatible with Codrone Pro			
23	ESD Sheets	• Length:- 486'	sq	972 sq	
		• Width:- 2'	feet	feet	
		Color:- Clear (transparent)			
		<u>Total</u>	<u> </u>		

Firm Name:	 ·	
Signature:		
Name:		
Designation:		

Tender No	
Name of the Firm	
Firm Address	
Date	
Telephone No	
E-Mail	

To,

DD SCM Office NUTECH University I-12, Main IJP Road, Islamabad.

#### Dear Sir

- 1. I / We hereby offer to supply to the NUTECH University the stores detailed in schedule to the tender inquiry or such portion thereof as you may specify in the acceptance of tender at the price offered against the said schedule and further agree that this offer will remain valid up to 90 days after opening of Financial offer and will not be withdrawn or altered in terms of rates quoted and the conditions already stated therein or on before this date. I / we shall be bound by a communication of acceptance to be dispatched within he prescribed time.
- 2. I / we have understood the instructions to Tenders and General Conditions Governing Contract available at NUTECH website and have thoroughly examined the specifications / drawing and / or patterns quoted in the schedule here to and am/are fully aware of the nature of the stores required and my/ our offer is to supply stores strictly in accordance with the requirements.

Yours Faithfully.

(Signature of Tenderer)

Designation

Date:

Individual signing tender and / or other documents connected with a contract must be signed by principal authorized rep/ OEM rep/ Authorized partner firm rep.

# SPECIMEN FOR "ADVANCE PAYMENT BANK GUARANTEE"

Guarantee No:Date Amount: \	/alid upto:
In Favour of:	
National University of Technology (NUTECH), IJP Road, I-12,	Islamabad
Subject: Advance Payment Bank Guarantee	
Contract No:DATED	
Dear Sir,	
1. We [Name of Guarantor] understand that you have ente	ered into contract with M/S [Name of Firm]
(hereinafter called Our Client), for provision of [Name of S	Stores]. And as per the above mentioned
Contract, you are liable to pay to Our Client an amount of J	[Amount of Guarantee] in advance, which
shall be released against a Bank Guarantee. 2. Bank & s	eller firm shall inform your office regarding
termination of the validity of this bank Guarantee one clear r	month before the actual expiry date of this
Bank Guarantee.	
3. Now, we hereby irrevocably undertake to immediately	make payment on to your orders, merely
upon receipt of your first written notice, an amount not exce	eding [Amount of Guarantee] that may be
claimed by you at your own discretion without it being neces	sary for you to prove or even assert to the
Bank any default whatsoever of Our Client under the Contrac	et.
4. Claims against this Guarantee shall be lodged on us	through written request/s on your proper
Letter Head. Unless claims are not presented on or before	e the Validity Date, all rights and benefits
under this guarantee shall be forfeited and we shall be relea	ased from all claims, demands or liabilities
of any kind whatsoever.	
5. This Guarantee shall remain in force up to the above me	entioned Validity Date which can however,
be extended upon request of Our Client.	
Yours faithfully,	
	Signature:
	Name:
	Designation:

Bank Stamp:

SPECIMEN FOR BAN	<u>IN GUARANTEE A</u>	GAINST PERFURIN	IANCE/WARRANTY GUARANTEE"
Guarantee No:	Date	Amount:	Valid upto:
In Favour of: National U	Jniversity of Techno	ology (NUTECH), IJF	P Road, I-12, Islamabad
Subject: In compliance	with terms of Per	formance/Warrant	y Guarantee Bank Guarantee
Contract No:	dat	ed	
Dear Sir.			

- 1. Whereas your good-self have entered into Contract No\_\_ dated\_with M/s [Firm Name] Located at [Firm Address], Herein after referred to as our customer and that one of the conditions of the Contract is submission of Bank Guarantee by our customer to your good-self for a sum of [Amount].
- 2. Incompliance with this stipulation of subj contract, we hereby agree and undertake as under:
  - a. To pay to you unconditionally on demand and / or without any reference to our Customer an amount not exceeding the sum of [Amount] as would be mentioned in your written Demand Notice.
  - b. To keep this Guarantee in force till [Validity Date].
  - c. That the validity of this Bank guarantee shall be kept two clear year ahead of the original / extended delivery period or the warrantee of the stores which so ever is later in duration on receipt of information from your office. Our liability under this Bank Guarantee shall cease on the closing of banking hours on the last date of validity of this Bank Guarantee. Claim received there after shall not been entertained by us whether you suffer a loss or not. On receipt of payment under this Guarantee, this documents i.e., Bank Guarantee must be clearly cancelled, discharged and returned to us.
  - d. That we shall inform your office regarding termination of the validity of this bank Guarantee on clear month before the actual expiry date of this Bank Guarantee.

  - f. That the bank guarantee herein before given shall not be affected by any change in the constitution of the Bank or Customer / Supplier or Vendor.

g.	That this is an unconditional Bank guarantee, which shall been cashed on sight
	on presentation without any reference to our Customer / Supplier or Vendor.

Signature
Name
Desig
Bank Stamp

Note: No changes in the above given BG format shall be accepted.

#### "SELLER'S WARRANTY CERTIFICATE"

(To be provided on stamp paper) Contract No: Dated: years from the date of final acceptance of the Stores. We hereby guarantee that we are the genuine and original Source of provisioning the Stores to our Buyer. We also undertake that nothing in the manufacturing of these Stores has been obtained through unauthorized means. We hereby warrant and undertake that the Stores and all the associated spares/ accessories supplied under the terms and conditions of the above Contract, are: brand new, complete in all respects, possessing good quality and standard a. workmanship; and liable for replacement/rectification free of charge, if during the Warranty period the same are found defective before or under normal use or these do not remain within the limits and tolerances stated under the specifications or in any way not in accordance with the terms of this Contract. All expenses incurred in removal, re-provisioning and reinstallation of such defective Stores or their parts shall also be borne by us. The Warranty shall remain valid for a period of \_\_\_\_\_ years from the date of final 2. acceptance of the Stores. Signature & Stamp \_\_\_\_\_ Name & CNIC

Designation:

Date:

<sup>\*\*</sup>Sellers warranty must be provided by the Seller (firm) on Rs 100 stamp paper along with bank guarantee/CDR/Pay Order without changing a word. BG with additional clauses will be rejected.

Date\_\_\_\_\_

Signature of Firm Auth Signatory

## **CHECK LIST**

# (This checked list must be attached with your technical offer, duly filled and

## Signed by authorized signatory)

Note: Fill and/or mark Yes/No where required

Tender No\_\_\_\_\_

1	Tender Processing	ng a. Tender processing fee ref no		
	Fee	b. Bank		-
		c. Amount		
2	EM/ Bid Bond	a. EM/ Bid Bond ref no		_
		b. Bank		_
3	Form Annex A, A-1, B and C signed by Authorized		Yes	No
	Signatory			
4	Offering specification of items as per IT		Yes	No
5	Quoted Currency as per IT		Yes	No
6	Accounting unit/Qty as per IT		Yes	No
7	Delivery Schedule as per IT		Yes	No
8	Country of origin of store			
9	Name of OEM:			
10	Original Performa invoice (Mandatory)		Yes	No
11	Certified that there is no Deviation from IT conditions/ Yes			No
	there is deviation from IT condition as per fol details			
12	Blacklisting certificate.		Yes	No
13	Verifiable OEM Certificate		Yes	No
14	Warranty Period as per IT		Yes	No
15	ATPs provided		Yes	No