

TENDER DOCUMENTS

Procurement of Equipment for Artificial Intelligence from NRPU Project 17332

NUTECH / SCM / Equipment for Artificial Intelligence 23-24 / TD-321

NATIONAL UNIVERSITY OF TECHNOLOGY

TENDER NOTICE

National University of Technology (NUTECH) NUTECH / SCM / Equipment for Artificial Intelligence 23-24 / TD-321

- Sealed bids are invited from Government / FBR Registered Firms for the procurement of Lab Equipment from NRPU Project on FOR Basis. Tender documents (& draft contract) can be downloaded from NUTECH Website "https://nutech.edu.pk/downloads/procurement/scm tenders/ w.e.f 07 May 2024 and quotations shall be submitted as per requirement.
- 2. Bidders will be required to submit **Bank Draft/CDR/BC/PO/SDR** equal to **5%** of quoted value as Bid Bond in favor of National University of Technology (NUTECH).
- 3. Detail of bids and submission of tender is provided below: -

Ser	Description	Bank Account Details	Processing Fee	Submission	Tender Opening	Completion Days
a.	NUTECH / SCM / Equipment for Artificial Intelligence 23-24 / TD-321	HBL, Tendering and Contracts, A/C # 5037-7000210755	Rs 3,000/-	1030 hrs on 22 May 24	1100 hrs on 22 May 24	15 Days

(Tender fee in shape of CDR/BC/PO/SDR etc. will not be acceptable. Only deposit receipt shall be considered)

Note: - Please attach bank receipt with technical offer. Offers will not be entertained without payment of processing fee.

<u>Director (Supply Chain Management)</u> <u>NATIONAL</u> <u>UNIVERSITY OF TECHNOLOGY, IJP ROAD,I-12,ISLAMABAD</u>

Tel: 0092-51-5476768, Ext: 278

scm.office@nutech.edu.pk

Compliance - Check List

Offer must be quoted and arranged in accordance with below mentioned sequence.

Non- compliance & non-provision of following documents may lead to disqualification.

	Required Particulars	Documents Attached		
Sr.	required Fairtediars	Yes / No	Page #	
1.	Tender Fee Original Receipt (Rs 3,000/-)			
2.	Technical & Financial Offer separately			
3.	NTN/GST Registration	No		
4.	All Annexures & Special Conditions Compliance Note: All annexures must be as per given format.	OL		
5.	OEM Registration / Authorization Certificate (if applicable)			
6.	OEM Details (if applicable)			
7.	Copy of Earnest Money (prices hidden)			
8.	Proforma Invoice (if applicable) (prices hidden)			
9.	OEM / Equipment brochures & details			
10.	Non-Blacklisting Certificate			
11.	Firm"s Complete details (address, contacts & email)			

NATIONAL UNIVERSITY OF TECHNOLOGY SUPPLY CHAIN MANAGEMENT

INVITATION TO TENDER

Tender submission time: 1030 hrs on 22 May 2024

- 1. NUTECH desires to procure the list of item(s) / Store(s) on FORBasis as per Annexure-A. Interested bidders are requested to send their bids through courier or deliver at NUTECH under "Single Stage Two Envelopes" (two envelopes placed together in third envelope), marked clearly as "Technical Offer" and "Commercial Offer" respectively to the undersigned, latest by or before above mentioned due date.
- 2. <u>Conditions Governing Contracts.</u> The contract made as result of this IT will be in accordance with the draft contract published on NUTECH University website and other special conditions (Mentioned in this document) that may be added to given contract for the supply of equipment.
- **3. Delivery of Tender.** The offer is to be submitted as under:-
 - a. <u>Technical Offer.</u> Technical Offer should contain only Annexure-A,
 & Annexure B duly filled in (supported with relevant technical literature / details / catalogues etc) and receipt of tender processing fee. Copy of bid bond
 WITHOUT MENTIONING PRICE should be attached with technical offer.

Only relevant technical details

i.e literature/brochures) without mentioning the financial aspect of the offer should be enclosed in an envelope. In technical proposal, all items must have the brand names, model number, manufacturer's name, country of origin, manufacturer's warranty including parts with complete specs and brochures. Re-conditioned and re-furbished equipment shall not be acceptable. Following information will be clearly marked on the envelope:

- (1) Technical Offer
- (2) Original Performa Invoice (without price)
- (3) Tender number
- (4) Date/ time of opening
- b. <u>Commercial Offer.</u> Commercial Offer will contain Annexure-C and bid bond (Dully mentioned and placed in separate envelope. The offer indicating the quoted price FE/Local Currency (in Local Currency for FOR cases & in FE for FOB cases) in figures as well as in words would be enclosed in

an envelope. Following information will be clearly marked on the envelope;

- (1) Commercial Offer
- (2) Original Performa invoice with price
- (3) Tender number
- c. Both the envelopes i.e. commercial offer and technical offer would be enclosed in yet another properly sealed envelope that will be marked with address of this office only. There should be clear indication that this envelope contains tender documents.
- d. The tender duly sealed will be addressed to the following:
 Deputy Director (Supply Chain Management Office) NATIONAL

 UNIVERSITYOF TECHNOLOGY (NUTECH) IJ P ROAD, I-12,

 ISLAMABAD

Tel: 0092-51-5476768, Ext: 278

- 4. <u>Date and Time for Receipt of Tender.</u> Sealed bids with detailed specifications should reach SCM office latest by 1030 hours on 22 May 2024. Delay occurring in post shall not be accepted. Tenders received after the appointed / fixed time will NOT be entertained. The appointed time will, however, fall on next working day in case of closed / forced holiday.
- Tender Opening. The offers shall be opened 30 minutes after submission time. Commercial offers will be opened at later stage if Technical Offer is found acceptable on examination by technical authorities. Date and time for opening of commercial offer shall intimate later. Only legitimate / registered representatives of firm will be allowed to attend tender opening.
- 6. <u>Validity of Offer.</u> The validity period of quotations must be indicated and should be 90 days from the date of opening of financial offer.
- 7. Withdrawal of offer If the firm withdraws its offer within validity period the competent authority may place such firm under embargo for a period, which may be extended up to one year. Moreover, the Earnest Money of the firm will be confiscated.
- 8. <u>Documents.</u> Following information / copy of documents must be provided / attached with offer:
 - a. A copy of letter showing firm's financial capability.
 - b. NTN/GST number be mentioned on the offer and copy of registration Certificate issued by Sales Tax Department, attached.

- Foreign supplier to provide its Registration Number issued by respective
 Department of Commerce authorizing export of subject stores (in FOB cases).
- d. Annexes A, B and C and special conditions must be signed and stamped.

 ATTACH ONLY RELEVANT DOCUMENTS.
- e. Complete all Annexes as per given format. Do not use your format or letter head. Offer may be rejected if given format is not followed.
- f. OEM/principal agency agreement must be provided.
- **9. Disqualification.** Offers are liable to be rejected if:
 - a. Validity of offer is not quoted as required in IT documents.
 - b. Any deviation from the General/ Special / Technical Instructions.
 - c. Offers are found conditional or incomplete in any respect.
 - d. Copy of EM/Bid Bond & Tender processing fee (with tech offer) and original EM/Bid Bond (with fin offer) are NOT attached.
 - e. Multiple rates/items are quoted against one item. Deleted
 - f. Manufacturer's relevant brochures and technical details on major equipment assemblies are not attached in support of specifications.
 - g. Offer received later than appointed / fixed date and time.
 - h. Subject to restriction of export license.
 - Offers (Commercial / technical) containing non-initialed / unauthenticated amendments / corrections / overwriting. If the validity of the agency agreement has expired. The commercial offer against FOB / CIF / C&F tender quoted in local currency.
 - j. If the offer is found to be based on cartel action in connivance with other sources/participants of the tender.
- Bond (CDR/Pay Order/Bank Draft) in agreement of faithful compliance of the conditions of Contract. This amount will be equivalent to 5% of the total quoted value. The Bid Bond amount submitted by the successful bidder will however be refunded on effective termination of Contract. (The Bid Bond will be forfeited in case of default by the bidder from his commitments made through his offer). Submission of Bid Bond is mandatory; otherwise your offer will be rejected. Bid Bond will be used as performance guarantee till the delivery of stores, otherwise separate performance guarantee valued at 5 % of contract will be submitted by successful firm till stores are delivered and inspected.

11. Return of Earnest Money/Bid Bond.

- a. Bid Bond to the unsuccessful bidders will be returned on finalization of the lowest evaluated bidder.
- b. Bid Bond of the successful bidder/bidders will be returned on submission of Bank Guarantee/Bid bond against warranty period OR Bid bond retained for the warranty period as the case may be.

12. Terms of Payment/ LC Charges

(In FOB cases)

a. All categories payment will be made through letter of credit (LC). LC opening charges in Pakistan are to be borne by NUTECH. Payment will be made through irrevocable LC in favour of Manufacturer.

In FOR cases

- b. 20% advance payment will be made to the Seller on provision of unconditional Bank Guarantee/ CDR/ DD/ Pay order. Advance BG/CDR/DD/Pay order will be submitted at the time of signing the contract.
- c. 80% payment will made to the Seller after receipt and confirming the correctness of ordered specifications, installation, commissioning.
- 13. <u>Warranty: -</u> 01 Year Warranty will be required from the successful bidders from the date of commissioning.
- 14. <u>Taxes/ Duties/ Custom clearance</u> All taxes /duties /import Licenses Fee as applicable under government laws in Pakistan as well as country of supplier shall be on Seller (in FOR Case). NUTECH will provide applicable exemption certificates and documents (In FOB Cases only).
- 15. <u>Insurance:</u> Insurance will be Seller's Responsibility (in FOR Cases) and NUTECH's responsibility through NICL (in FOB Cases).
- 16. Freight charges /Misc charges: All charges such as packing, forwarding, local freight, loading and unloading, installation and commissioning, custom clearance, orientations, on job training or any other will be part of quoted price. Delivery till NUTECH will be seller's responsibility and all associated costs will be part of quotation as well.
- **Delivery Schedule.** Store will be delivered within **30 Days** from contract signing date.
- **18. Force Majeure.** If non-compliance with the period of delivery or services can be proved to be due to Force Majeure, such as but not limited to mobilization, war,

- riot, strike, lockout, pandemics/epidemics or the occurrence of unforeseen events, the period shall be reasonably extended.
- **Subletting** Suppliers are not allowed to sublet wholly or part of the contract to any other firm /company without prior permission by NUTECH. Firm found in breach of the clause will be dealt with as per purchaser"s right and discretion.
- 20. Arbitration. Will be as under:-
 - "All Claims ,disputes ,controversies, differences arising out of or in connection with this contract ,including any question regarding its existence, validity, interpretation performance, breach or termination ,shall be referred to and shall finally be solved by binding arbitration. An Arbitration Committee Shall be constituted comprising Rector NUTECH and two Arbitration to be nominated on mutual agreement by each party. The venue of the Arbitration shall be the place of issuance of this contract or as Rector NUTECH may determine. In case of any difference, the clauses of Arbitration Act 1940, Rules and Regulation made thereof for time being enforce shall prevail. The award shall be final and binding on both parties.
 - a. Provided that written record of any such arbitration and its award shall be arranged properly.
 An award of such arbitration may be confirmed in a court of competent jurisdiction at Islamabad.
 - b. Provided further that incase of any other question /dispute not covered under this clause, the decision of Rector NUTECH shall be final."
- 21. Redress Of Grievance. In case of dispute, case shall be reviewed by NUTECH Redress of grievance committee and decision of NUTECH shall be final and binding on both parties.
- 22. Export License/Permit /End User Cert. It shall be the responsibility of the Supplier to obtain from the Government concerned all permits and export licenses, etc required to enable each consignment to be shipped immediately as per the delivery schedule. In case the supplier fails to arrange export license within 30 days of signing the contract the purchaser reserves the right to cancel the contract on the risk and expense of the supplier without prior notice. The purchaser will provide End User Certificate for acquisition of export license to the supplier (format to be provided by the supplier for respective country within 10 day of signing of the contract).

- **23.** <u>Technical Specification:</u> The supplier will provide OEM certificate, quality certificate
 - /inspection document to the purchaser confirming the quality of the product being supplied under this contract. Store must bear the manufacturer's identification marking /monogram.
- 24. <u>Inspection /Testing of Store</u>: Inspection testing will be carried out at NUTECH by the concerned inspection team as detailed by the respective department in accordance with the laid down Acceptance Criteria. (Acceptance Test Procedure (ATPs)/Drawing /Test standard and specification). The supplier will provide ATPs with technical offer. Mutually agreed/approved ATPs will form part of contract to govern the inspection of store subsequently.
- **25.** Change In Specification /Mfr /Model. No alternation marked/brand and quality of store will be entertained after the tender have been opened.
- 26. Checking of Store at Consignee/User End. All stores will be checked at Consignee's end in the presence of the supplier's representative. If for some reason, the supplier decides not to nominate his representative for such checking, an advance written notice to this effect will be given by the supplier to the consignee prior to immediately on shipment of store. In such an event the supplier will clearly undertake that decision of consignee with regard to quantities and description of consignment will be taken as final and discrepancy found will be accordingly made up by supplier. In all other cases the consignee will inform the supplier about arrival of consignment immediately on receipt of store through registered email/letter and telephone. If no response from the supplier is received within 15 days from initiation letter the consignee will have the right to proceed with the checking without supplier's representative. User/Consignee's report on checking of the stores will be binding on the seller in such cases.
- 27. Packing /Marking. The supplier shall be responsible for proper packing of the Store in standard export packing worthy of transportation by sea /air /road rail so as to ensure their content being free from lose or damages due to faulty packing on arrival at the ultimate destination. Packing of stores will be done at the expenses of the supplier. All packing cases, containers and other packing material shall become the property of the NUTECH on receipt. Any loss occurred /demurrage paid due to wrong marking will be made good by the supplier.

28. Original Performa Invoice: Original Performa invoice must have following

components incorporated: -

- a. HS Code
- b. Incoterm
- c. Payment Terms
- d. Origin of good
- e. Port of shipment
- f. Address of OEM
- g. Seller acceptance (on Performa Invoice)
- h. Invoice Date
- i. Latest date of shipment
- j. Seller complete bank detail

Note: Performa Invoice in the name of NUTECH in case of FOB cases & in the name of local partner in case of FOR cases.

29. General Instructions: Following must be noted:-

- a. The firm should provide point to point acceptance of each clause of IT and special instructions attached with IT.
- Firm will render a certificate with technical offer that firm is neither defaulter nor blacklisted by any Government / semi Government organization directly or indirectly. (On Judicial Paper)
- c. Rates should be quoted on Free Delivery basis at NUTECH Islamabad.
- d. **01Year Warranty** will be required from the successful bidders from the date of commissioning as performance bond.
- e. The stipulated delivery period should be strictly adhered to. Any anticipated delay that is beyond the control of Seller will be informed (in writing) well in advance of the expiry of the due date of the activity along with reasons thereof, requesting for the grant of extension in delivery period. If the Seller fails to do so, or the Buyer is not convinced with the rationale provided by the Seller, Liquidated Damages up to/at 2% per month or part thereof, will be imposed. However, the maximum limit of the Liquidated Damages will not exceed 10% of the delayed store value.
- f. If even after applicability of 10% LD, the Seller fails to deliver the required stores, the Buyer will be at liberty to Cancel the contract, and /or procure the

of stores from an alternate source, on the Seller's "Risk & Cost/Expense". In that case, the Seller will be bound to make payment to the new source through NUTECH. The purchaser's decision under this clause shall NOT be subjected to arbitration.

- g. NUTECH reserves the right to cancel the Contract without assigning any reason whatsoever during its currency / execution / after placement, if the firm is found to be involved in any dubious activity, litigation, lacking to meet contractual obligations with the purchaser or is blacklisted with any other Public procurement agency. No claims / loss /damage of whatsoever nature shall be entertained and NUTECH's decision in this regard will be final / binding on the Seller.
- h. An appropriate amount may be paid for mobilization against Bank Guarantee/CDR/Demand Draft/Pay Order.
- Firms with previous pending/outstanding projects/business and unsatisfactory performance with NUTECH may not be considered for award of any further business.
- j. Lowest evaluated bidders must send their authorized representatives (with authorization letter) for signing of the contract within three days of sharing of the draft contract.
- k. For technical opening firm will send a representative who has knowledge about the quoted items otherwise representative will not be allowed to sit in tender opening.
- I. Stamp duty for Contract will be taken as per Section 22-A of Stamp Act 1899 Pakistan.
- m. Business will be awarded on LOT Basis.

Deputy Director Supply Chain Management Office

Annex-A

<u>Technical Specification</u> <u>NUTECH/SCM/Equipment for Artificial Intelligence 23-24/TD-321</u>

Sr. #	Item Name	Specification	A/U	Country of Origin	Qty Re q	OEM Auth Req (Yes/ No)	Bidde Compl Yes	
		LOT A						
1	Drone - DJI Mavic 3M Multispectral drone (OR) Equivalent	 Net Weight (with propellers and RTK module) 951 g Max Takeoff Weight 1,050 g Max Ascent Speed 6 m/s (Normal Mode) 8 m/s (Sport Mode) Max Descent Speed 6 m/s (Normal Mode) 6 m/s (Sport Mode) Max Flight Speed (at sea level, no wind) 15 m/s (Normal Mode) Flying forward: 21 m/s, flying sideways: 20 m/s, flying backwards: 19 m/s (Sport mode) Max Wind Speed Resistance 12 m/s Max Take-off Altitude Above Sea Level 6000 m (without a payload) Max Flight Time (without wind) 43 minutes Max Hover Time (without wind) 37 minutes Max Flight Distance 32 km Max Pitch Angle 30° (Normal Mode) 35° (Sport Mode) Max Angular Velocity 200°/s GNSS GPS + Galileo + BeiDou + GLONASS (GLONASS is supported only when RTK module is enabled) 	No	Asian	1			

 Hovering Accuracy Range Vertical: ±0.1 m (Vision Positioning enabled); ±0.5 m (GNSS Positioning enabled); ±0.1 m (D-RTK enabled) Horizontal: ±0.3 m (Vision Positioning enabled); ±0.5 m (HD Positioning enabled); ±0.1 m (RTK enabled) Operating Temperature -10° to 40° C (14° to 104° F) Motor Model Number 2008 Propeller Model Number 9453F Enterprise Edition Light Sensor Built-in module 			
RGB Camera			
 Image Sensor 4/3 CMOS Effective Pixels: 20 MP Lens FOV: 84° Equivalent focal length: 24 mm Aperture: f/2.8 to f/11 Focus: 1 m to ∞ ISO Range 100-6400 Shutter speed Electronic shutter: 8-1/8000 s Mechanical shutter: 8-1/2000 s Max Image Size 5280×3956 Photo Shooting Mode Single shot: 20 MP Timelapse: 20 MP JPEG: 0.7/1/2/3/5/7/10/15/20/30/60 s JPEG + RAW: 3/5/7/10/15/20/30/60 s Panorama: 20 MP (original material) 			
 Video Resolution H.264: 4K: 3840×2160@30fps FHD: 1920×1080@30fps 			
Max Video Bitrate			

4K: 130Mbps FHD: 70Mbps	
 Supported File System ex FAT Image Format JPEG/DNG (RAW) Video Format MP4 (MPEG-4 AVC/H.264) Multispectral Camera Image Sensor 1/2.8-inch CMOS, effective pixels: 5 MP Lens FOV: 73.91° (61.2° x 48.10°) Equivalent focal length: 25 mm Aperture: f/2.0 Focus: Fixed Focus 	
 Multispectral Camera Band Green (G): 560 ± 16 nm; Red (R): 650 ± 16 nm; Red Edge (RE): 730 ± 16 nm; Near infrared (NIR): 860 ± 26 nm; 	
 Gain Range 1x-32x Shutter Speed Electronic Shutter: 1/30~1/12800 s 	
 Max Image Size 2592×1944 Image Format TIFF Video Format MP4 (MPEG-4 AVC/H.264) Photo Shooting Mode Single shot: 5 MP Timelapse: 5 MP TIFF: 2/3/5/7/10/15/20/30/60 s 	
Video Resolution	

	H.264 FHD: 1920 x 1080@30fps Video content: NDVI/GNDVI/NDRE			
•	Max Video Bitrate Stream: 60 Mbps			
	Video Transmission			
•	Video Transmission System DJI O3 Image Transmission Industry Edition			
•	Live View Quality Remote Controller: 1080p/30fps Operating Band 2.400-2.4835 GHz 5.725-5.850 GHz			
•	Max Effective Signal Distance (Unobstructed, No interference) [8] FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km			
•	Max Transmission Distance (Obstructed) Strong Interference (urban landscapes, residential areas, etc.): 1.5-3 km			
(I	FCC/CE/SRRC/MIC) Medium Interference (suburban landscapes, city parks, etc.): 3-9 km (FCC), 3-6 km (CE/SRRC/MIC) Weak Interference (remote fields, open farmland, etc.): 9-15 km (FCC), 6-8 km (CE/SRRC/MIC)			
•	Max Download Speed 15 MB/s (with DJI RC Pro Industry Edition)			
•	Latency (depending on environment and mobile			

 		T		
device) Approximately 200 milliseconds				
Antennas4 antennas, 2 transmitting and 4 receiving				
 Transmitter Power (EIRP) 2.4 GHz: <33 dBm (FCC), <20 dBm (CE/SRRC/MIC) 5.8 GHz: <33 dBm (FCC), <30 dBm (SRRC), <14 dBm (CE) 				
Other Supports the DJI Cellular module				
<u>Battery</u>				
 Capacity 5000 mAh Standard Voltage 15.4 V Max Charging Voltage 17.6 V Battery Type LiPo 4S Chemical System Lithium Cobalt Energy 77 watt-hours Weight 335.5 g Charging Temperature 5° to 40° C (41° to 104° F) Battery Charger 				
 Input 100V to 240V (AC), 50Hz to 60Hz, 2.5A 				
Output Power100 Watts				
Output Maximum output power of 100 Watts (total) When both the ports are used, the maximum output power of one interface is 82 W, and the charger will				

	ically allocate the output power of the two			
Charging				
• Input USB-C	: 5V to 20V, 5.0A			
Output Battery	Port: 12V to 17.6V, 8.0A			
Rated 100 Wa				
	ng Type ries on charging rotation			
	ng Temperature 0° C (41° to 104° F)			
RTK Mod	<u>ule</u>			
• Dimen: 50.2×4	sions 0.2×66.2 mm (Length ×Width × Height)			
• Weight 24±2 g				
Interface USB-C				
Power Approx	imately 1.2 watts			
Fixed f	ontal: 1 cm + 1 ppm; Vertical: 1.5 cm + 1 ppm			
• DJI Te	rra Full-Featured 3-Month 1-Device			

		DJI SmartFarm Platform (1-year access)Warranty: 1 Year Warranty							
2	Battery - DJI Mavic 3M	 Capacity 5000 mAh Standard Voltage 15.4 V Max Charging Voltage 17.6 V Battery Type LiPo 4S Chemical System Lithium Cobalt Energy 77 watt-hours Weight 335.5 g Charging Temperature 5° to 40° C (41° to 104° F) Warranty: 1 Year Warranty 	Asian	1					
	LOT B								
3	Printing Paper - A4 Printing Paper	Reams (500 Sheets each) - Copymate A4 70gms	Asian	5					
4	Spiral Notebook	Spiral Notebook A6 150 or more pages	Asian	6					
5	Pen Packet	Piano Jet Flo Gel , Blue Box (x12)	American/ European/ Asian	2					
	,	LOT C	,			<u>'</u>			
6	Printer - HP LaserJet M211dw Printer - Black and	 Brands HP Model Laserjet M211DW Printer Body Color Black and white Function Print 	American Europen/A sia	1					

	White, Duplex, Wireless	 Print Technology Laser Print Speed Up to 10 ppm Duplex Printing Yes Print Resolution 600 x 400 dpi, 600 x 600 dpi Wireless Capability Yes Ethernet Compatibility Yes No. Of Cartridge 1 (black) USB Port Yes Dimension 355 x 426.5 x 265 mm Weight 5.6 kg Warranty 1 Year Warranty 				
7	LED-Backlit FHD Borderless Monitor - Hikvision DS- D5022FN-C 22" OR Equivalent	 21.5-inch FHD Borderless Monitor Ultra-thin device body with an ultra-thin border for 3 sides. 2 channels of 8-bit/10-bit LVDS HD (1920 x 1080) display. 178° ultra-wide view screen. 3D noise reduction. Low blue light design for eye care. Dual interface of HDMI and VGA. Support VESA wall mount. Warranty: 1 Year Warranty 	Asian	1		
8	Portable SSD Transcend ESD310S 1TB Portable SSD Dual USB 10GBps Type-A / Type-C Silver	Read Speed (Max.) Up to 1,050 MB/s Write Speed (Max.) Up to 950 MB/s USB 10Gbps 3D NAND flash USB Type-A/USB Type-C Warranty: 1 Year Warranty	American/ European/ Asian	1		

9	TS1TESD31 0S SATA SSD - ADATA SU650 Solid State Drive 1TB 2.5" SATA ASU650SS- 1TT-R	 Sequential Read / Write Performance up to 520 / 450MB/s Lower power consumption and noise level Tougher, quieter, and more reliable Warranty: 1 Year Warranty 		nerican/ Asian 1		
		LO	ΓD			
10	Raspberry Pi 5 - 8GB Ram with Raspberry Pi Keyboard & Mouse, 27W USB-C Power Supply and Cooling Fan Active Cooler.	 Raspberry Pi 5 8GB Ram Broadcom BCM2712 2.4GHz quad-core 64-bit Arm Cortex-A76 CPU, with cryptography extensions, 512KB per-core L2 caches and a 2MB shared L3 cache Video Core VII GPU, supporting OpenGL ES 3.1, Vulkan 1.2 Dual 4Kp60 HDMI display output with HDR support 4Kp60 HEVC decoder LPDDR4X-4267 SDRAM (8GB SKU) Dual-band 802.11ac Wi-Fi Bluetooth 5.0 / Bluetooth Low Energy (BLE) microSD card slot, with support for high-speed SDR104 mode 2 x USB 3.0 ports, supporting simultaneous 5Gbps operation 2 x USB 2.0 ports Gigabit Ethernet, with PoE+ support (requires separate PoE+ HAT) 	Eu	ıropean 1		

 PCle 2.0 x1 interface for fast peripherals (requires 		
separate M.2 HAT or other adapter)		
 5V/5A DC power via USB-C, with Power Delivery 		
support		
Raspberry Pi standard 40-pin header Raspberry Pi standard 40-pin header Raspberry Pi standard 40-pin header		
 Real-time clock (RTC), powered from external battery 		
Warranty: 1 Year Warranty		
Raspberry Pi Keyboard		
<u> </u>		
 79-key keyboard (78-key keyboard for US model) 		
 3 USB 2.0 type-A ports for powering other 		
peripherals		
Automatic keyboard language detection		
 USB type-A to micro USB type-B cable included for 		
connection to compatible computer		
Ergonomic design for comfortable use		
Compatible with all Raspberry Pi products		
 Keyboard incorporates three USB 2.0 type-A ports 		
for powering the mouse and other peripherals		
Warranty: 1 Year Warranty		
Raspberry Pi Mouse		
There butter outled access		
Three-button optical mouse		
 Scroll wheel 		
Solon Wildon		
 USB type A connector 		
Ergonomic design for comfortable use		
Warranty: 1 Year Warranty		

	Raspberry Pi 27W USB-C Power Supply			
	Input: 100–240Vac			
	Output: 5.1V, 5A; 9V, 3A; 12V, 2.25A; 15V, 1.8A (Power Delivery)			
	Connector: USB-C			
	Cable: 1.2m 17AWG, white or black			
	 Warranty: 1 Year Warranty Cooling Fan Active Cooler 			
	The cooling fan is dedicated to compatible for Raspberry Pi 5, perfect for the CPU.			
	Adjustable fan, active fan cooling mode, faster heat dissipation.			
	 Aluminum alloy shell radiator, faster heat dissipation. 			
	Simple Installation: The DC 5V fan runs smoothly and quietly, which is conducive to heat dissipation. It can be easily assembled with screws.			
	 Low Noise: The blower, also chosen for low noise and extended operating life, pushes the air against the finned aluminum heat sink. 			

Page **23** of **46**

Firm Name:		
Signature:		
Name:		
Designation:		

Annex-B

<u>Technical Offer</u> <u>NUTECH/SCM/Equipment for Artificial Intelligence 23-24/TD-321</u>

Fill in following essential Parameters: -

1.	Validity of Offer:	Days (Should not be I	ess than 30 days)	
2.	Delivery period:	Days (After placemen	t of order)	
3.	Country of Origin:			
4. Ger	Warranty Period neral			
1.	GST Number:	(Enclose Copy)		
2.	NTN / CNIC: Payment Terms (In cor	(if exempted, provide ntinuation of IT Document clause 12)	valid exemption certificate)	
	In FOR Cases			
	20% advance paymen	t against BG/CDR/Pay Order/DD		
	Remaining 80% payme	ent after delivery, installation / commissio	ning /user satisfaction certificate	
	Deteller (Femilie Dele			
1. 2.	Name / Title:Address:	cipal Information with account details) 		Annex C
0	EM Name:	Firm Name:	Signature:	
0	EM Focal Person:	Firm Focal Person:	Official Seal:	
	EM Phone Number:	Firm Phone Number:	Name & CNIC:	
0	EM Email Id:	Firm Email Id:	Designation:	

FINANCIAL OFFER NUTECH/SCM/Equipment for Artificial Intelligence 23-24/TD-321

Sr. #	Item Name	Specification	A/U	Country of Origin	Qty Re q	Unit Price PKR (Including Tax)	Total Price PKR (Including Tax)
		LOT A					
1	Drone - DJI Mavic 3M Multispectr al drone (OR) Equivalent	 Net Weight (with propellers and RTK module) 951 g Max Takeoff Weight 1,050 g Max Ascent Speed 6 m/s (Normal Mode) 8 m/s (Sport Mode) Max Descent Speed 6 m/s (Normal Mode) 6 m/s (Sport Mode) Max Flight Speed (at sea level, no wind) 15 m/s (Normal Mode) Flying forward: 21 m/s, flying sideways: 20 m/s, flying backwards: 19 m/s (Sport mode) Max Wind Speed Resistance 12 m/s Max Take-off Altitude Above Sea Level 6000 m (without a payload) Max Flight Time (without wind) 43 minutes Max Hover Time (without wind) 37 minutes Max Flight Distance 32 km Max Pitch Angle 30° (Normal Mode) 35° (Sport Mode) Max Angular Velocity 200°/s GNSS GPS + Galileo + BeiDou + GLONASS (GLONASS is supported only when RTK module is enabled) Hovering Accuracy Range Vertical: ±0.1 m (Vision 	No	Asian	1		

Positioning enabled); ±0.5 m (GNSS Positioning enabled); ±0.1 m (D-RTK enabled) Horizontal: ±0.3 m (Vision Positioning enabled); ±0.5 m (HD Positioning enabled); ±0.1 m (RTK enabled) Operating Temperature -10° to 40° C (14° to 104° F) Motor Model Number 2008 Propeller Model Number 9453F Enterprise Edition Light Sensor Built-in module
RGB Camera
Image Sensor 4/3 CMOS Effective Pixels: 20 MP
Lens FOV: 84° Equivalent focal length: 24 mm Aperture: f/2.8 to f/11 Focus: 1 m to ∞
ISO Range 100-6400 Shutter speed Electronic shutter: 8-1/8000 s Mechanical shutter: 8-1/2000 s
Max Image Size 5280×3956
Photo Shooting Mode
Single shot: 20 MP Timelapse: 20 MP
Timelapse: 20 MP JPEG: 0.7/1/2/3/5/7/10/15/20/30/60 s
JPEG + RAW: 3/5/7/10/15/20/30/60 s Panorama: 20 MP (original material)
Video Resolution H.264: 4K: 3840×2160@30fps FHD: 1920×1080@30fps
Max Video Bitrate

	1 1	 	
4K: 130Mbps FHD: 70Mbps			
 Supported File System exFAT Image Format JPEG/DNG (RAW) Video Format MP4 (MPEG-4 AVC/H.264) Multispectral Camera Image Sensor 1/2.8-inch CMOS, effective pixels: 5 MP Lens FOV: 73.91° (61.2° x 48.10°) Equivalent focal length: 25 mm Aperture: f/2.0 Focus: Fixed Focus 			
 Multispectral Camera Band Green (G): 560 ± 16 nm; Red (R): 650 ± 16 nm; Red Edge (RE): 730 ± 16 nm; Near infrared (NIR): 860 ± 26 nm; 			
 Gain Range 1x-32x Shutter Speed Electronic Shutter: 1/30~1/12800 s 			
 Max Image Size 2592×1944 Image Format TIFF Video Format MP4 (MPEG-4 AVC/H.264) Photo Shooting Mode Single shot: 5 MP Timelapse: 5 MP TIFF: 2/3/5/7/10/15/20/30/60 s 			
 Video Resolution H.264 FHD: 1920 x 1080@30fps Video content: NDVI/GNDVI/NDRE 			

Max Video Bitrate Stream: 60 Mbps
Video Transmission
Video Transmission System DJI O3 Image Transmission Industry Edition
 Live View Quality Remote Controller: 1080p/30fps Operating Band 2.400-2.4835 5.725-5.850 GHz
Max Effective Signal Distance (Unobstructed, No interference) [8] FCC: 15 km CE: 8 km SRRC: 8 km MIC: 8 km
Max Transmission Distance (Obstructed) Strong Interference (urban landscapes, residential areas, etc.): 1.5-3 km (FCC/CE/SRRC/MIC) Medium Interference (suburban landscapes, city parks, etc.): 3-9 km (FCC), 3-6 km (CE/SRRC/MIC) Weak Interference (remote fields, open farmland, etc.): 9-15 km (FCC), 6-8 km (CE/SRRC/MIC)
Max Download Speed 15 MB/s (with DJI RC Pro Industry Edition)
Latency (depending on environment and mobile device) Approximately 200 milliseconds
Antennas 4 antennas, 2 transmitting and 4 receiving

• Transmitter Power (EIRP) 2.4 GHz: <33 dBm (FCC), <20 dBm (CE/SRRC/MIC) 5.8 GHz: <33 dBm (FCC), <30 dBm (SRRC), <14 dBm (CE)
Other Supports the DJI Cellular module
<u>Battery</u>
 Capacity 5000 mAh Standard Voltage 15.4 V Max Charging Voltage 17.6 V Battery Type LiPo 4S Chemical System Lithium Cobalt Energy 77 watt-hours Weight 335.5 g Charging Temperature 5° to 40° C (41° to 104° F) Battery Charger
• Input 100V to 240V (AC), 50Hz to 60Hz, 2.5A
Output Power 100 Watts
Output Maximum output power of 100 Watts (total) When both the ports are used, the maximum output power of one interface is 82 W, and the charger will dynamically allocate the output power of the two interfaces according to load power.
Charging Hub
• Input USB-C: 5V to 20V, 5.0A

		Output			
		Battery Port: 12V to 17.6V, 8.0A			
		Rated Power 100 Watts			
		Charging Type3 batteries on charging rotation			
		 Charging Temperature 5° to 40° C (41° to 104° F) 			
		RTK Module			
		Dimensions50.2×40.2×66.2 mm (Length×Width×Height)			
		Weight 24±2 g			
		Interface USB-C			
		Power Approximately 1.2 watts			
		 RTK Position Accuracy Fixed RTK: Horizontal: 1 cm + 1 ppm; Vertical: 1.5 cm + 1 ppm including: 			
		 DJI Terra Full-Featured 3-Month 1-Device DJI SmartFarm Platform (1-year access) Warranty: 1 Year Warranty 			
	Battery -	<u>Battery</u>			
2	DJI Mavic 3M	Capacity 5000 mAhStandard Voltage 15.4 V	Asian	1	

	al OEM	 Max Charging Voltage 17.6 V Battery Type LiPo 4S Chemical System Lithium Cobalt Energy 77 watt-hours Weight 335.5 g Charging Temperature 5° to 40° C (41° to 104° F) Warranty: 1 Year Warranty 				
		LOT	В			
3	Printing Paper - A4 Printing Paper	Reams (500 Sheets each) - Copymate A4 70gms		Asian	5	
4	Spiral Notebook	Spiral Notebook A6 150 or more pages		Asian	6	
5	Pen Packet	Piano Jet Flo Gel , Blue Box (x12)		America n/Europ ean/Asia n	2	
		LOT C				
6	Printer - HP LaserJet M211dw Printer - Black and White, Duplex, Wireless	 Brands HP Model Laserjet M211DW Printer Body Color Black and white Function Print Print Technology Laser Print Speed Up to 10 ppm Duplex Printing Yes Print Resolution 600 x 400 dpi, 600 x 600 dpi Wireless Capability Yes Ethernet Compatibility Yes No. Of Cartridge 1 (black) USB Port Yes 		America n	1	

		 Dimension 355 x 426.5 x 265 mm Weight 5.6 kg Warranty 1 Year Warranty 			
7	LED- Backlit FHD Borderles s Monitor - Hikvision DS- D5022FN- C 22"	 21.5-inch FHD Borderless Monitor Ultra-thin device body with an ultra-thin border for 3 sides. 2 channels of 8-bit/10-bit LVDS HD (1920 x 1080) display. 178° ultra-wide view screen. 3D noise reduction. Low blue light design for eye care. Dual interface of HDMI and VGA. Support VESA wall mount. Warranty: 1 Year Warranty 	Asian	1	
8	Portable SSD - Transcend ESD310S 1TB Portable SSD Dual USB 10GBps Type-A / Type-C Silver TS1TESD3 10S	Read Speed (Max.) Up to 1,050 MB/s • Write Speed (Max.) Up to 950 MB/s • USB 10Gbps 3D NAND flash • USB Type-A/USB Type-C • Warranty: 1 Year Warranty	America n/Europ ean/Asia n	1	

9	Drive 1TB	 Sequential Read / Write Performance up to 520 / 450MB/s Lower power consumption and noise level Tougher , quieter , and more reliable Warranty: 1 Year Warranty 	America n/Asian	1	
		LOT D			
10	Pi Keyboard & Mouse,	 Raspberry Pi 5 8GB Ram Broadcom BCM2712 2.4GHz quad-core 64-bit Arm Cortex-A76 CPU, with cryptography extensions, 512KB per-core L2 caches and a 2MB shared L3 cache VideoCore VII GPU, supporting OpenGL ES 3.1, Vulkan 1.2 Dual 4Kp60 HDMI display output with HDR support 4Kp60 HEVC decoder LPDDR4X-4267 SDRAM (8GB SKU) Dual-band 802.11ac Wi-Fi Bluetooth 5.0 / Bluetooth Low Energy (BLE) microSD card slot, with support for high-speed SDR104 mode 2 x USB 3.0 ports, supporting simultaneous 5Gbps operation 2 x USB 2.0 ports Gigabit Ethernet, with PoE+ support (requires separate PoE+ HAT) 2 x 4-lane MIPI camera/display transceivers PCIe 2.0 x1 interface for fast peripherals (requires separate M.2 HAT or other adapter) 5V/5A DC power via USB-C, with Power Delivery support 	Europea n	1	

 Raspberry Pi standard 40-pin header Real-time clock (RTC), powered from external battery Warranty: 1 Year Warranty Raspberry Pi Keyboard 79-key keyboard (78-key keyboard for US model) 3 USB 2.0 type-A ports for powering other peripherals Automatic keyboard language detection USB type-A to micro USB type-B cable included for connection to compatible computer Ergonomic design for comfortable use Compatible with all Raspberry Pi products Keyboard incorporates three USB 2.0 type-A ports for powering the mouse and other peripherals Warranty: 1 Year Warranty Raspberry Pi Mouse Three-button optical mouse
Scroll wheel
USB type A connector
 Ergonomic design for comfortable use Warranty: 1 Year Warranty Raspberry Pi 27W USB-C Power Supply
Input: 100-240Vac
Output: 5.1V, 5A; 9V, 3A; 12V, 2.25A; 15V, 1.8A (Power Delivery)

Connector: USB-C			
Cable: 1.2m 17AWG, white or black			
Warranty: 1 Year Warranty			
Cooling Fan Active Cooler			
The cooling fan is dedicated to compatible for Raspberry Pi 5, perfect for the CPU.			
Adjustable fan, active fan cooling mode, faster heat dissipation.			
Aluminum alloy shell radiator, faster heat dissipation.			
Simple Installation: The DC 5V fan runs smoothly and quietly, which is conducive to heat dissipation. It can be easily assembled with screws.			
Low Noise: The blower, also chosen for low noise and extended operating life, pushes the air against the finned aluminum heat sink.			
Total Amount (Including all Taxes)	1		

Page **36** of **46**

Firm Name:	
Signature:	
Name:	
Designation:	

Tender No
Name of the Firm
Firm Address
Date
Telephone No
F-Mail

To, DD SCM Office NUTECH University I- 2, Main IJP Road, Islamabad.

Dear Sir

- 1. I / We hereby offer to supply to the NUTECH University the stores detailed in schedule to the tender inquiry or such portion thereof as you may specify in the acceptance of tender at the price offered against the said schedule and further agree that this offer will remain valid up to 90 days after opening of Financial offer and will not be withdrawn or altered in terms of rates quoted and the conditions already stated therein or on before this date. I / we shall be bound by a communication of acceptance to be dispatched within he prescribed time.
- 2. I / we have understood the instructions to Tenders and General Conditions Governing Contract available at NUTECH website and have thoroughly examined the specifications / drawing and / or patterns quoted in the schedule here to and am/are fully aware of the nature of the stores required and my/ our offer is to supply stores strictly in accordance with the requirements.

Yours Faithfully.

(Signature of Tenderer)

Designation

Date:

Individual signing tender and / or other documents connected with a contract must be signed by principal authorized rep/ OEM rep/ Authorized partner firm rep.

SPECIMEN FOR "ADVANCE PAYMENT BANK GUARANTEE"

Guarantee No:	Date	Amount:	Valid upto:
In Favour of:			
	of Toobsology (NILIT	TCH) LID Bood	I 12 Jalamahad
•	of Technology (NUT Payment Bank Gua	,	1-12, ISIdIIIdDdu
	DATED.		
Dear Sir,	B/(128		
,	Guarantor] understai	nd that you have	entered into contract with M/S [Name of
-	-	•	Name of Stores]. And as per the above
,	,	-	an amount of [Amount of Guarantee] in
	•		antee. 2. Bank & seller firm shall inform
	_		nk Guarantee one clear month before the
actual expiry date	of this Bank Guarar	ntee.	
3. Now, we l	hereby irrevocably u	ndertake to imme	diately make payment on to your orders,
			int not exceeding [Amount of Guarantee]
that may be claim	ned by you at your ov	wn discretion with	out it being necessary for you to prove or
even assert to the	e Bank any default w	hatsoever of Our	Client under the Contract.
4. Claims ag	gainst this Guarantee	e shall be lodged	on us through written request/s on your
proper Letter Hea	d. Unless claims are	not presented on	or before the Validity Date, all rights and
benefits under this	s guarantee shall be	forfeited and we s	hall be released from all claims, demands
or liabilities of any	/ kind whatsoever.		
5. This Guar	antee shall remain i	n force up to the a	bove mentioned Validity Date which can
however, be exter	nded upon request o	f Our Client.	
	Yours f	aithfully,	
			Signature:
		1	Name:
		1	Designation:
			Bank Stamp:

"SPECIMEN FOR BANK GUARANTEE AGAINST PERFORMANCE/WARRANTY GUARANTEE" Guarantee No: _____ Date _____ Amount: ____ Valid upto: _____ In Favour of: National University of Technology (NUTECH), IJP Road, I-12, Islamabad Subject: In compliance with terms of Performance/Warranty Guarantee Bank Guarantee Contract No: _____ dated _____ Dear Sir.

- Whereas your good-self have entered into Contract No <u>dated with</u> M/s [Firm Name] Located at [Firm Address], Herein after referred to as our customer and that one of the conditions of the Contract is submission of Bank Guarantee by our customer to your good-self for a sum of [Amount].
- 2. Incompliance with this stipulation of subj contract, we hereby agree and undertake as under:
 - a. To pay to you unconditionally on demand and / or without any reference to our Customer an amount not exceeding the sum of [Amount] as would be mentioned in your written Demand Notice.
 - b. To keep this Guarantee in force till [Validity Date].
 - c. That the validity of this Bank guarantee shall be kept two clear year ahead of the original / extended delivery period or the warrantee of the stores which so ever is later in duration on receipt of information from your office. Our liability under this Bank Guarantee shall cease on the closing of banking hours on the last date of validity of this Bank Guarantee. Claim received there after shall not been entertained by us whether you suffer a loss or not. On receipt of payment under this Guarantee, this documents i.e., Bank Guarantee must be clearly cancelled, discharged and returned to us.
 - d. That we shall inform your office regarding termination of the validity of this bank Guarantee on clear month before the actual expiry date of this Bank Guarantee.
 - e. That with the consent of our customer you may amend / alter any term / cause of the contractor add / delete any term / clause to / from this contract

without making any reference to us. We do not reserve any right to receive any such amendment / alternation or addition / deletion

provided such like actions do not increase our monetary liability under this Bank Guarantee which shall be limited only [Amount].

- f. That the bank guarantee herein before given shall not be affected by any change in the constitution of the Bank or Customer / Supplier or Vendor.
- g. That this is an unconditional Bank guarantee, which shall been cashed on sight on presentation without any reference to our Customer / Supplier or Vendor.

Signature	
Name	
Desig	
Bank Stamn	

Note: No changes in the above given BG format shall be accepted.

"SELLER'S WARRANTY CERTIFICATE"

(To be provided on stamp paper)

Dated:

Contract No:

Validity 01 year from the date of final acceptance of the Stores.

We hereby guarantee that we are the genuine and original Source of provisioning the Stores to our Buyer. We also undertake that nothing in the manufacturing of these Stores has been obtained through unauthorized means.

- 1. We hereby warrant and undertake that the Stores and all the associated spares/ accessories supplied under the terms and conditions of the above Contract, are:
 - a. brand new, complete in all respects, possessing good quality and standard workmanship; and
 - b. liable for replacement/rectification free of charge, if during the Warranty period the same are found defective before or under normal use or these do not remain within the limits and tolerances stated under the specifications or in any way not in accordance with the terms of this Contract. All expenses incurred in removal, re- provisioning and reinstallation of such defective Stores or their parts shall also be borne by us.
- 2. The Warranty shall remain valid for a period of ____years from the date of final acceptance of the Stores.

Signature & Stamp	
Name & CNIC	
Designation:	
Date:	

^{**}Sellers warranty must be provided by the Seller (firm) on Rs 100 stamp paper along with bank guarantee/CDR/Pay Order without changing a word. BG with additional clauses will be rejected.

CHECK LIST

(This checked list must be attached with your technical offer, duly filled and

Signed by authorized signatory)

	Tender No		Date		
1	Tender Processing	a. Tender processing fee ref no			
	Fee	b. Bank			
		c. Amount			
2	EM/ Bid Bond	a. EM/ Bid Bond ref no			
		b. Bank			
3	Form Annex A, B and 0	C signed by Authorized	Yes	No	
	Signatory				
4	Offering specification of	f items as per IT	Yes	No	
5	Quoted Currency as per IT		Yes	No	
6	Accounting unit/Qty as per IT		Yes	No	
7	Delivery Schedule as p	er IT	Yes	No	
8	Country of origin of store				
9	Name of OEM:-				
10	Original Performa invoi	ce (Mandatory)	Yes	No	
11		o Deviation from IT conditions/	Yes	No	
	there is deviation from	IT condition as per fol details			
12	Blacklisting certificate.		Yes	No	
13	Verifiable OEM Certific	ate	Yes	No	
14	Warranty Period as per	·IT	Yes	No	
15	ATPs provided		Yes	No	

Note: Fill and/or mark Yes/No where required.

Signature of Firm Auth Signatory

Special Instructions

Special Instructions(Applicable to all Items except Item Sr. 3,4,5)						
Description	Bidder Tech			Tech Scr	utiny to be d	lone by User
	Yes	No	Alternate	Accepte	Rejected	Reasons of
			Offer	d		Rejection
Commissioning						
a) Commissioning of the equipment will be carried out by OEM rep at his						
own cost and risk at designated place at NUTECH.						
b) Any special requirement for installation, operation and						
commissioning must be specified in the offer by the supplier.						
Warranty period 1 Year from the date of commissioning.						
Physical Inspection Criteria						
100% Physical inspection of store will be carried out before commissioning						
of the equipment for following details:						
a) For physical damage, scratches and deformity.						
b) Accessories/Components as per contractual Specifications						
c) Technical manuals (Operation manual, user guide).						
d) OEM certificate and verifiable documents by the supplier that store						
has been procured from the certified source and is factory new and						
from latest production.						
e) Brand name and country of origin.						
Spares / Technical Support						
a) Supplier to have in-country spares / technical support and ensure spares						
and technical support / assistance during warranty period (support						
should be provided within 3 to 5 days of reporting of an issue).						
b) Comprehensive list of spares required for scheduled maintenance of						
equipment is to be provided.						
c) Any software provided must have its license.						
d) Supplier must also provide calibration service during warranty period.						
e) Supplier should visit the facility before installation.						

Additional Spare / Replaceable parts. a) Replaceable spare / parts during scheduled inspections are to be identified and provided as per requirement along with equipment sufficient to cater two years consumption after commissioning. b) All specialized / standard tools required for inspection / repair / servicing must be supplied along with equipment.			
Improvement and Safety Measures: Any improvement and safety measures suggested by NUTECH during commissioning are to be resolved by the supplier / manufacturer at no extra cost.			
 Liability of Supplier a) OEM certificate of authorized dealership Supplier is to provide original OEM certificate of subject equipment bought directly from the manufacturer and being an authorized dealer. b) In case the equipment supplied is not compatible with specifications, the supplier will be obliged to call his representatives at his own cost for consultation and corrective action. 			

Spe	ecial Notes				
·	Additional requirements for the maintenance of equipment (if any) must be intimated by the supplier in technical offer. Supplier must provide the list of organizations using the same equipment in Pakistan (if any).				
c)	Equipment must be a standard product of OEM available at web Address of OEM.				
d)	In case of premature failure of the equipment, the OEM has to replace / rectify the item free of cost. Required transportation charges would be borne by the supplier.				
e)	In technical proposal, all items must have the brand names, model number, manufacturer name, country of origin, manufacturer's warranty including parts with complete specs and brochures. Reconditioned and refurbished equipment shall not be acceptable.				
f)	Supplier must arrange NOCs (if required) for the drone (import) during procurement.				
			Firm Nar	ne	
			Signatur	e	
			Name		
			Designa	ion	