



TENDER DOCUMENTS

Establishment of Library

NUTECH/SCM/Computer Lab Eqpt (PSDP) 2020/TD-134

NATIONAL UNIVERSITY OF TECHNOLOGY

TENDER NOTICE

National University of Technology (NUTECH)

NUTECH/SCM/Computer Lab Eqpt (PSDP) 2020/TD-134

Sealed bids are invited from Government / FBR Registered Firms for the procurement of **Computer Lab Equipment** for NUTECH on **FOR Basis**.

1. Tender documents containing terms, conditions and detailed specifications of items (including draft contract) can be downloaded from NUTECH website "<https://nutech.edu.pk/downloads/procurement/scm-tenders/>" w.e.f **13 May 2020**.
2. Quotations shall be submitted as per requirement of the tender documents.
3. Bidders will be required to submit **Bank Draft / CDR** equal to **5%** of quoted value as Bid Bond in favor of National University of Technology (NUTECH).
4. Sealed bids with detailed specifications should reach on the following address latest by **1200 hours on 01 June 2020**. Late submission will not be entertained.
5. Bids will be opened at **1230 hours on 01 June 2020 at SCM Office**.
6. Project is to be completed in **90 days** from the date of award of contract.
7. Submit Rs 1500/- as Tender fee in favor of NUTECH HBL Account (**NUTECH Tendering and Contracts, 5037-7000210755**). Please attach bank receipt with technical offer. Offers will not be entertained without payment of processing fee.

Deputy Director (Supply Chain Management)

NATIONAL UNIVERSITY OF TECHNOLOGY, JPROAD, I-12, ISLAMABAD

Tel: 0092-51-5476768, Ext: 227

NATIONAL UNIVERSITY OF TECHNOLOGY
SUPPLY CHAIN MANAGEMENT
INVITATION TO TENDER

Tender submission time: 1200 hours, 01 June 2020

1. NUTECH desires to procure the list of item(s) / Store(s) on **F O R b a s i s** . as per **Annexure-A**. Interested bidders are requested to send their bids through courier or deliver at NUTECH under "Single Stage – Two Envelopes" (two envelopes placed together in third envelope), marked clearly as **"Technical Offer"** and **"Commercial Offer"** respectively to the undersigned, latest by or before above mentioned due date.

2. **Conditions Governing Contracts.** The contract made as result of this IT will be in accordance with the draft contract published on NUTECH University website and other special conditions (Mentioned in this document) that may be added to given contract for the supply of Lab Equipment.

3. **Delivery of Tender.** The offer is to be submitted as under:-

- a. **Technical Offer.** Technical Offer should contain only Annexure-A, Annexure-A-1 & Annexure B duly filled in (supported with relevant technical literature / details / catalogues etc) and receipt of tender processing fee. Copy of bid bond WITHOUT MENTIONING PRICE should be attached with technical offer. Only relevant technical details i.e literature/brochures) without mentioning the financial aspect of the offer in DUPLICATE should be enclosed in an envelope. In technical proposal, all items must have the brand names, model number, manufacturer's name, country of origin, manufacturer's warranty including parts with complete specs and brochures. Re-conditioned and re-furbished equipment shall not be acceptable. Following information will be clearly marked on the envelope:

- (1) Technical Offer
- (2) Original Performa Invoice (without price)
- (3) Tender number
- (4) Date/ time of opening

- b. **Commercial Offer.** Commercial Offer will contain Annexure-C and bid bond (Dully mentioned and placed in separate envelope. The offer indicating the quoted price FE/Local Currency (in Local Currency for FOR cases & in FE for FOB cases) in figures as well as in words would be enclosed in an envelope. Following information will be clearly marked on the envelope;
- (1) Commercial Offer
 - (2) Original Performa invoice with price
 - (3) Tender number
- c. Both the envelopes i.e. commercial offer and technical offer would be enclosed in yet another properly sealed envelope that will be marked with address of this office only. There should be clear indication that this envelope contains tender documents.
- d. The tender duly sealed will be addressed to the following:-

Deputy Director (Supply Chain Management Office)
NATIONAL UNIVERSITY OF TECHNOLOGY (NUTECH)
I J P ROAD, I-12, ISLAMABAD
Tel: 0092-51-5476768, Ext: 227

4. **Date and Time for Receipt of Tender.** Sealed bids with detailed specifications should reach SCM office latest by **1200 hours on 01 June 2020**. Delay occurring in post shall not be accepted. Tenders received after the appointed / fixed time will NOT be entertained. The appointed time will, however, fall on next working day in case of closed / forced holiday.

5. **Tender opening.** The offers shall be opened **30 minutes** after submission time. Commercial offers will be opened at later stage if Technical Offer is found acceptable on examination by technical authorities. Date and time for opening of commercial offer shall intimated later. Only legitimate / registered representatives of firm will be allowed to attend tender opening.

6. **Validity of Offer.** The validity period of quotations must be indicated and should be **90 days** from the date of opening of financial offer.

7. **Documents.** Following information / copy of documents must be provided / attached with offer:-

- a. A copy of letter showing firm's financial capability.
- b. NTN/GST number be mentioned on the offer and copy of registration Certificate issued by Sales Tax Department, attached.
- c. Foreign supplier to provide its Registration Number issued by respective Department of Commerce authorizing export of subject stores **(in FOB cases)**.
- d. Annexes A, A-1, B and C and special conditions must be signed and stamped. ATTACH ONLY RELEVANT DOCUMENTS.
- e. Complete all Annexes as per given format. Do not use your format or letter head. Offer may be rejected if given format is not followed.
- f. OEM/principal agency agreement must be provided.

8. **Disqualification.** Offers are liable to be rejected if:-

- a. Validity of offer is not quoted as required in IT documents.
- b. Any deviation from the General/ Special / Technical Instructions.
- c. Offers are found conditional or incomplete in any respect.
- d. Copy of EM/Bid Bond & Tender processing fee (with tech offer) and original EM/Bid Bond (with fin offer) are NOT attached.
- e. Multiple rates/items are quoted against one item.
- f. Manufacturer's relevant brochures and technical details on major equipment assemblies are not attached in support of specifications.
- g. Offer received later than appointed / fixed date and time.
- h. Subject to restriction of export license.
- i. Offers (Commercial / technical) containing non-initialled / unauthenticated amendments / corrections / overwriting. If the validity of the agency agreement has expired. The commercial offer against FOB / CIF / C&F tender quoted in local currency.
- j. If the offer is found to be based on cartel action in connivance with other sources/participants of the tender.

9. **Earnest Money / Bid Bond.** Commercial Offer must be accompanied with a Bid Bond (CDR/Pay Order/Bank Draft) in agreement of faithful compliance of the conditions of Contract. This amount will be equivalent to 5% of the total quoted value. The Bid Bond amount submitted by the successful bidder will however be refunded on effective termination of Contract. (The Bid Bond will be forfeited in case of default by the bidder from his commitments made through his offer). Submission of Bid Bond is mandatory; otherwise your offer will be rejected. Bid Bond will be used as performance guarantee till the delivery of stores, otherwise separate performance guarantee valued at 5 % of contract will be submitted by successful firm till stores are delivered and inspected.

10. **Return of Earnest Money/Bid Bond.**

- a. Bid Bond to the unsuccessful bidders will be returned on finalization of the lowest evaluated bidder.
- b. Bid Bond of the successful bidder/bidders will be returned on submission of Bank Guarantee/Bid bond against warranty period OR Bid bond retained for the warranty period as the case may be.

11. **Terms of Payment/ LC Charges**

- a. **In FOB cases** (all categories) payment will be made through letter of credit (LC). LC opening charges in Pakistan are to be borne by NUTECH. Payment will be made through irrevocable LC in favour of Manufacturer.
- b. **In FOR cases** 20% advance payment will be made to the Seller on provision of unconditional Bank Guarantee/ CDR/ DD/ Pay order. 80% payment will made to the Seller after receipt and confirming the correctness of ordered specifications, installation, commissioning OR as the case may be ie through Inland LC.

12. **Bank Guarantee (BG).**In case where equipment is backed by warranty, the BG submitted equal to 05% of FOB/FOR/CPT etc value shall remain valid for up to 60 days beyond completion of warranty period.

13. **Taxes/ Duties/ Custom clearance** All taxes /duties /import Licenses Fee as applicable under government laws in Pakistan as well as country of supplier shall be on Seller (**in FOR Case**). NUTECH will provide applicable exemption certificates and documents **(In FOB Cases only)**.

14. **Insurance:-** Insurance will be NUTECH's responsibility through NICL (in FOB Cases).

15. **Freight charges /Misc charges:** All charges such as packing, forwarding, local freight, loading and unloading, installation and commissioning, custom clearance, orientations, on job training or any other will be part of quoted price. Delivery till NUTECH will be seller's responsibility and all associated costs will be part of quotation as well.

16. **Warranty.** All goods /store offered would be brand new, from current year of production and will be governed as per warranty clause. The warranty period may be covered by BG as depending on the value /criticality of the tender equipment.

17. **Delivery Schedule.** Store will be delivered within **90 days** from contract signing date.

18. **Force Majeure.** If non-compliance with the period of delivery or services can be proved to be due to Force Majeure, such as but not limited to mobilization, war, riot, strike, lockout or the occurrence of unforeseen events, the period shall be reasonably extended.

19. **Subletting** Suppliers are not allowed to sublet wholly or part of the contract to any other firm /company without prior permission by NUTECH. Firm found in breach of the clause will be dealt with as per purchaser's right and discretion.

20. **Arbitration.** Will be as under:-

"All Claims ,disputes ,controversies, differences arising out of or in connection with this contract ,including any question regarding its existence, validity, interpretation performance, breach or termination ,shall be referred to and shall finally be solved by binding arbitration. An Arbitration Committee Shall be constituted comprising Rector NUTECH and two Arbitration to be nominated on mutual agreement by each party. The venue of the Arbitration shall be the place of issuance of this contract or as Rector NUTECH may determine. In case of any difference, the clauses of Arbitration Act 1940, Rules and Regulation made thereof for time being enforce shall prevail. The award shall be final and binding on both parties.

- a. Provided that written record of any such arbitration and its award shall be arranged properly. An award of such arbitration may be confirmed in a court of competent jurisdiction at Islamabad.
- b. Provided further that incase of any other question /dispute not covered under this clause, the decision of Rector NUTECH shall be final."

21. **Redress Of Grievance.** In case of dispute, case shall be reviewed by 'NUTECH Redress of grievance committee and decision of NUTECH shall be final and binding on both parties.
22. **Export License/Permit /End User Cert.** It shall be the responsibility of the Supplier to obtain from the Government concerned all permits and export licenses, etc required to enable each consignment to be shipped immediately as per the delivery schedule. In case the supplier fails to arrange export license within 30 days of signing the contract the purchaser reserves the right to cancel the contract on the risk and expense of the supplier without prior notice. The purchaser will provide End User Certificate for acquisition of export license to the supplier (format to be provided by the supplier for respective country within 10 day of signing of the contract).
23. **Technical Specification:** The supplier will provide OEM certificate, quality certificate /inspection document to the purchaser confirming the quality of the product being supplied under this contract .Store must bear the manufacturer's identification marking /monogram.
24. **Inspection /Testing of Store:** Inspection testing will be carried out at NUTECH by the concerned inspection team as detailed by the respective department in accordance with the laid down Acceptance Criteria. (Acceptance Test Procedure (ATPs)/Drawing /Test standard and specification). The supplier will provide ATPs with technical offer. Mutually agreed/approved ATPs will form part of contract to govern the inspection of store subsequently.
25. **Requirement of Samples.** The requirement of tender sample will be included in the case if required for evaluation by technical authorities'. Beside this advance sample if required will be also made part of the IT as well as the contract.
26. **Change In Specification / Mfr / Model.** No alternation marked/brand and quality of store will be entertained after the tender have been opened.
27. **Checking of Store at Consignee/User End.** All stores will be checked at Consignee's end in the presence of the supplier's representative. If for some reason, the supplier decides not to nominate his representative for such checking, an advance written notice to this effect will be given by the supplier to the consignee

prior to immediately on shipment of store. In such an event the supplier will clearly undertake that decision of consignee with regard to quantities and description of consignment will be taken as final and discrepancy found will be accordingly made up by supplier. In all other cases the consignee will inform the supplier about arrival of consignment immediately on receipt of store through registered email/letter and telephone. If no response from the supplier is received within 15 days from initiation letter the consignee will have the right to proceed with the checking without supplier's representative. User/Consignee's report on checking of the stores will be binding on the seller in such cases.

28. **Packing /Marking.** The supplier shall be responsible for proper packing of the Store in standard export packing worthy of transportation by sea /air /road rail so as to ensure their content being free from lose or damages due to faulty packing on arrival at the ultimate destination. Packing of stores will be done at the expenses of the supplier. All packing cases, containers and other packing material shall become the property of the NUTECH on receipt. Any loss occurred /demurrage paid due to wrong marking will be made good by the supplier

29. **Original Performa Invoice:** Original Performa invoice must have following components incorporated:-

- a HS Code
- b. Incoterm
- c. Payment Terms
- d. Origin of good
- e. Port of shipment
- f. Address of OEM
- g. Seller acceptance (on Performa Invoice)
- h. Invoice Date
- i. Latest date of shipment
- j. Seller complete bank detail

Note: Performa Invoice in the name of NUTECH in case of FOB cases & in the name of local partner in case of FOR cases.

30. **General Instructions:** Following must be noted:-

- a The firm should provide point to point acceptance of each clause of IT and special instructions attached with IT.

- b. Firm will render a certificate with technical offer that firm is neither defaulter nor blacklisted by any Government / semi Government organization directly or indirectly.
- c. Rates should be quoted on Free Delivery basis at NUTECH Islamabad.
- d. **2 Years Comprehensive warranty for all items** against **5% Bank Guarantee** of the store value will be required from the successful bidders from the date of commissioning as performance bond.
- e. The stipulated delivery period should be strictly adhered to. Any anticipated delay that is beyond the control of Seller will be informed (in writing) well in advance of the expiry of the due date of the activity along with reasons thereof, requesting for the grant of extension in delivery period. If the Seller fails to do so, or the Buyer is not convinced with the rationale provided by the Seller, Liquidated Damages up to/at 2% per month or part thereof, will be imposed. However, the maximum limit of the Liquidated Damages will not exceed 10% of the delayed store value.
- f. If even after applicability of 10% LD, the Seller fails to deliver the required stores, the Buyer will be at liberty to Cancel the contract, and /or procure the stores from an alternate source, on the Seller's "Risk & Cost/Expense". In that case, the Seller will be bound to make payment to the new source through NUTECH. The purchaser's decision under this clause shall NOT be subjected to arbitration.
- g. NUTECH reserves the right to cancel the Contract without assigning any reason whatsoever during its currency / execution / after placement, if the firm is found to be involved in any dubious activity, litigation, lacking to meet contractual obligations with the purchaser or is blacklisted with any other Public procurement agency. No claims / loss / damage of whatsoever nature shall be entertained and NUTECH's decision in this regard will be final / binding on the Seller.
- h. An appropriate amount may be paid for mobilization against Bank Guarantee/CDR/Demand Draft/Pay Order.
- i. Firms with previous pending/outstanding projects/business with NUTECH may not be considered for award of this tender.

Deputy Director
Supply Chain Management Office

Annex-A**Technical Specifications****NUTECH / SCM / Computer Lab Eqpt (PSDP) 2020 / TD-134**

Ser	Items	Description	Country of Origin	A/U	Qty Req	Bidder Compliance		Tech Scrutiny to be done by user	
						Yes	No	Accepted	Rejected
						Reason of Rejection			
1	PC (Workstation) with monitor and accessories	<ul style="list-style-type: none"> Processor: Intel® Core™ i7-9700K Processor (3.6GHz, up to 4.9GHz w/Boost, 12MB Cache, 2666MHz, 8 core, 95W) or higher, with cooler module/fan Chipset: Intel C246 or Higher RAM: 16 GB DDR-4 (1 x 16 GB) or Higher support upto 32GB Min. Internal storage: 512 GB M.2 SSD and 1 TB 7200 RPM SATA 3.5" HDD Optical Drive: Super Drive/DVD-RW Video Graphic Adapter: Nvidia 4GB DDR5 (Compatible with quoted LED) with mini DP-to-DP Adapter Network Adapter: Integrated 10/100/1000 Base Wireless: Wireless, Dual Band (2.4Ghz/5Ghz) Intel 9560) + Bluetooth 4.0 or above Keyboard and Mouse: USB Standard Keyboard and USB Standard Laser Mouse (Compatible with workstation preferably same brand) Casing: Tower Chassis with Compatible Power Supply to support quoted Graphics Card LED Screen: LED 24" or Higher (preferably same brand) Compatible with workstation and Graphics Card 	US/EU/Japan	No	50				

		<ul style="list-style-type: none"> Brand: Dell, HP or Equivalent Ports & Connectors: Headphone Connector, VGA, HDMI, DP, RJ45, 3 x USB 3.0 or Higher Connectors 						
2	PC (Desktop) with monitor and accessories	<ul style="list-style-type: none"> Processor: Intel® Core™ i7-9700 (8 Cores/12MB/8T/3.0GHz to 4.8GHz/65W) or higher, with cooler module/fan Chipset: Intel Q370 or Higher RAM: 8 GB DDR-4 (1 x 8 GB) or Higher support up to 32GB Min. Internal storage: 1 TB 7200 RPM SATA 3.5" HDD Optical Drive: Super Drive/DVD-RW Video Graphic Adapter: Integrated Intel® HD Graphics Network Adapter: Integrated 10/100/1000 Base Wireless: Wireless, Dual Band (2.4Ghz/5Ghz) Intel 9560) + Bluetooth 4.0 or above Keyboard and Mouse: USB Standard Keyboard and USB Standard Laser Mouse (Compatible with workstation preferably same brand) Casing: Tower Chassis with Compatible Power Supply LED Screen: LED 24" or Higher (preferably same brand) Compatible with workstation Brand: Dell, HP or Equivalent Ports & Connectors: Headphone Connector, VGA, HDMI, DP, RJ45, 3 x USB 3.0 or Higher Connectors 	US/EU/Japan	No	75			
3	Supply and installation of UPS 10KVA (APC or Equivalent) With built in	<ul style="list-style-type: none"> UPS Specification <ul style="list-style-type: none"> 10kVA/10kW Pure Sine Wave, Double Conversion Online UPS with Zero Transfer Time. ECO Mode, Serial & USB Connectivity, Built-in Emergency-Power-Off switch, Built-in SNMP Card, 	US/EU/Japan	No	4			

	Dry Battery	<p>Surge energy rating of minimum 600 Joules with response time of less than 1 nanosecond, Input Frequency 40-70Hz, Output Frequency 50/60Hz (+3Hz). Backup time 10 to 15 Minutes (option to add external battery packs to extend runtime).</p> <ul style="list-style-type: none"> • Installation <ul style="list-style-type: none"> - Main Input Cable 16mm 4 core for 4 x UPS - 1c x 10mm Earth Cable - Output Cable 10mm 3 Core from UPS to Newly Installed Output distribution DB - 2.5mm Cable Red for UPS Output Distribution - 2.5mm Cable Black for UPS Output Distribution - 2.5mm Cable Yellow/Green - UPS Distribution DB having 63ADP X 2 Input breaker and 20ASP x 16 Output Breakers - Main Input Breakers 63ATP to be installed in the Main DB - 13A Clipsal Flat pin Double Sockets - Installation Services for UPS 	(Installation kit) Any					
4	Network Nodes (Supply and Installation)	<p>Supply and fixing of Cable laying in ceiling or duct and termination of network nodes (Total 120) with required CAT6 UTP cable, patch panels with detachable I/O, cable managers, face plates, RJ45 connectors and ducts. Installation & configuration of managed switches along with cabinet cable management and cable tagging:</p> <ul style="list-style-type: none"> • UTP Cat 6 Cable 24 AWG Roll (305 Meter) 3M, Schneider, D-link or equivalent - 6 rolls • Cat 6 I/O Dual RJ 45 (3M, Schneider, D-link or equivalent) – 120 units • Dual shutter Face Plate (3M, Schneider, D-link or equivalent) – 120 units • Patch panel 24 port loaded (3M, 	Any	No	120			

		Schneider, D-link or equivalent) - 2 unit <ul style="list-style-type: none"> • Patch panel 48 port loaded (3M, Schneider, D-link or equivalent) - 2 unit • Patch cord UTP Cat 6 1 meter (3M, Schneider, D-link or equivalent) – 120 units • Patch cord UTP Cat 6 3 meter (3M, Schneider, D-link or equivalent) – 120 units • Cable Manager – 4 units • RJ45 Connector Box (100 pc) (3M, Schneider, D-link or equivalent) – 3 units • PVC Back Box for Data and voice Network Point – 120 units • Rack Mount PDU 8 Port (Aluminum) – 4 units • 9U data Rack (Branded - Toten/Matrix) – 2 units • Duct (16x38 mm) 10 Feet Length (Adamjee or equivalent) – 50 units • Duct (40x40 mm) 10 feet Length (Adamjee or equivalent) – 50 units PVC Flexible Pipe 1 & 2" Inch – 500 feet 						
5	Supply and Installation of Access Layer switch Gigabit POE network switch 48 ports (Cisco or D-Link)	<ul style="list-style-type: none"> • Catalyst 2960L 48P GigE. • 4 x 1G SFP • LAN Lite • 2x CON-SNT-WSC2960L (smart net total coverage) • 2 x CAB-ACU (AC Power Cord) • 8x GLC-LH-SMD (1G SFP) 	US/EU	No	2			
6	Supply and Installation of Access Layer switch Gigabit POE network switch 24 ports	<ul style="list-style-type: none"> • Catalyst 2960L 24P GigE PoE. • 4x 1G SFP. • LAN Lite. • 2x CON-SNT-WSC2960L (smart net total coverage). 	US/EU	No	2			

	(Cisco or D-Link)	<ul style="list-style-type: none"> 4x CAB-ACU (AC Power Cord). 						
7	Multimedia (supply and installation)	<ul style="list-style-type: none"> Brightness: 3500 Lumens, Contrast Ratio: 22,000:1, Display Technology: 0.55 XGA DC3 DMD chip, Native Resolution: 1024 x 768 (XGA), Display Colors: 1073.4 million colors, Image Size: 25 to 250 inch, Aspect Ratio: 16:10 Native, 4:3, 16:9 Compatible, Lamp Life: Up to 10,000 hours, Throw Ratio: 1.95 - 2.16:1 Weight: 2.25 kg, Inputs: HDMI 1.4, VGAX2, S-Video, Lamp Type: 240W watt user-replaceable lamp, Speaker: 2W, Full 3D Supported Installation <p>Installation of each multimedia projectors: - Mount Kits (With screws and other required hardware), 50 ft VGA cable, 45 ft HDMI cable, 30 ft power cable and ducting.</p>	Any	No	2			
8	Chairs	<ul style="list-style-type: none"> Steel Plastic Armless Peacock Shell Chair with Cushion (Sample pictures are attached with the quotation) <p>(Pictures Attached at Annex-A1) Samples available on site.</p>	Any	No	125			
9	Firewall	<p>SRX300 Services Gateway: This device consolidates security, routing, switching, and WAN connectivity up to 50 users.</p> <ul style="list-style-type: none"> Includes hardware (8GE, 4G RAM, 8G Flash, power adapter and cable) Junos Software Base (Firewall, NAT, IPSec, 	US, EU	No	1			

		<p>Routing, MPLS and Switching.</p> <ul style="list-style-type: none"> • 3 year subscription for Application Security, IPS, AV, URL filtering and Anti-Spam • PSS Next Day Support for SRX300-SYS-JB • SRX300 rack mount kit without adaptor tray • Junos OS 20.1R1 or advanced version • Maximum concurrent sessions: 64,000 • New sessions/second (sustained, TCP, 3-way): 5000 • Maximum security policies: 1000 • Power adapter for SRX300 • 4 x 1G SFP transceiver modules compatible with SRX300 • 4x full duplex LC -LC connector with 3m cable (compatible with SFP module) • 2x full duplex LC -LC connector with 5m cable (compatible with SFP module) • 4 x Ethernet ports of 5m to connect SRX300 with a network switch • Documentation and all accessories included or Equivalent 						
10	Router Switch (24 ports)	<p>Catalyst 2960L-24PS rack mountable switch that provides switching for branch, out-of-the-wiring-closet applications, and critical Internet of Things (IoT) deployments.</p> <ul style="list-style-type: none"> • 2960L-24PS with POE+, 4x1G SFP, LAN Base • CONT-SNT-WSC2964 NTC 8X5XNBD (2 years) • 24 x 10/100/1000 PoE+ ports with line-rate forwarding • 4 fixed 10 Gigabit Ethernet SFP+ uplinks • Perpetual PoE+ support with a power budget • Switching bandwidth: 56 Gbps Forwarding bandwidth: 28 Gbps Forwarding performance (64-byte packet size): 41.67 Mpps • Enhanced version of Cisco IOS LAN Lite software 	US, EU	No	2			

		<ul style="list-style-type: none"> • CLI and/or intuitive Web-UI manageability options • Device management support with: Over-the-air access via Bluetooth, Simple Network Management Protocol (SNMP), RJ-45 or USB console access, Network management with Cisco Prime®, Cisco Network Plug and Play, and Cisco DNA Center • Security with 802.1X support for connected devices, Switched Port Analyzer (SPAN), and Bridge Protocol Data Unit (BPDU) Guard • Basic Layer 3 features with Static routing and Routing Information Protocol (RIP) <p>Accessories including:</p> <ul style="list-style-type: none"> • 3 x 1G SFP transceiver modules for each 2960L-24PS switch • 2x full duplex LC -SC connector with 5m cable (compatible with SFP module) • 2x full duplex LC -ST connector with 5m cable (compatible with SFP module) • 2960L-24PS-LL rack mount kit. • Power adapter • Documentation included <p>or Equivalent</p>						
--	--	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--	--	--	--

Firm Name: _____

Signature: _____

Name: _____

Designation: _____

Annex A-1



Annex A-2**Special Instructions**

<u>Special Instructions (Applicable to Items except Item Ser 8)</u>						
Description	Bidder			Tech Scrutiny to be done by User		
	Yes	No	Alternate Offer	Accepted	Rejected	Reasons of Rejection
Commissioning a) Commissioning of the equipment will be carried out by OEM rep at his own cost and risk at designated place at NUTECH. b) Any special requirement for installation, operation and commissioning must be specified in the offer by the supplier.						
Warranty period Two years from the date of commissioning.						
Training Notes Supplier will provide a set of handouts for training on operation and maintenance of the equipment.						
Physical Inspection Criteria <ul style="list-style-type: none"> • 100% Physical inspection of store will be carried out before commissioning of the equipment for following details: <ul style="list-style-type: none"> a) For physical damage, scratches and deformity. b) Accessories/Components as per contractual Specifications c) Technical manuals (Operation manual, user guide). d) OEM certificate and verifiable documents by the supplier that store has been procured from the certified source and is factory new and from latest production. e) Brand name and country origin. 						
Spares / Technical Support <ul style="list-style-type: none"> a) Supplier to have in-country spares / technical support and ensure spares and technical support / assistance during warranty period. b) Comprehensive list of spares required for scheduled maintenance of Equipment is to be provided. c) Any software provided must have its license. d) Supplier should visit the facility before installation 						

Spares / Technical Support <ul style="list-style-type: none"> a) Supplier to have in-country spares / technical support and ensure spares and technical support / assistance during warranty period (support should be provided within 3 to 5 days of reporting of an issue). b) Comprehensive list of spares required for scheduled maintenance of equipment is to be provided. c) Any software provided must have its license. d) Supplier must also provide calibration service during warranty period. e) Supplier should visit the facility before installation. 						
Additional Spare / Replaceable parts. <ul style="list-style-type: none"> a) Replaceable spare / parts during scheduled inspections are to be identified and provided as per requirement along with equipment sufficient to cater five years consumption after commissioning. b) All specialized / standard tools required for inspection / repair / servicing must be supplied along with equipment. 						
Improvement and Safety Measures: Any improvement and safety measures suggested by NUTECH during commissioning are to be resolved by the supplier / manufacturer at no extra cost.						
Liability of Supplier <ul style="list-style-type: none"> a) OEM certificate of authorized dealership Supplier is to provide original OEM certificate of subject equipment bought directly from the manufacturer and being an authorized dealer. b) In case the equipment supplied is not compatible with specifications, the supplier will be obliged to call his representatives at his own cost for consultation and corrective action. 						

Special Notes a) Additional requirements for the maintenance of equipment (if any) must be intimated by the supplier in technical offer. b) Supplier must provide the list of organizations using same equipment in Pakistan (if any). c) Equipment must be a standard product of OEM available at web Address of OEM. d) In case of premature failure of the equipment, OEM has to replace / rectify the item free of cost. Required transportation charges would be borne by the supplier. e) Manufacturer Authorization Form (MAF) in the name of NUTECH University by the Principal / OEM must be provided (Mandatory). f) In technical proposal, all items must have the brand names, model number, manufacturer name, country of origin, manufacturer's warranty including parts with complete specs and brochures. Re-conditioned and re-furbished equipment shall not be acceptable.						
Package Deal Only for ser 4 to 6 items.						
Certificate of Test Data Results & Calibration Required for all items except item at ser 8.						
<u>Special Instructions (Applicable to item 8)</u>						
Warranty period One years from the date of commissioning.						
Positioning a) Chairs will be placed at designated place at NUTECH.						
Specifications a) Pictures are attached. Measurements and specs must be followed. Please provide items as shown in picture. b) Bidders shall attach pictures of items to be provided. Same are to be accepted by user during technical evaluation.						

Firm Name: _____
Signature: _____
Name: _____
Designation: _____

TECHNICAL OFFER

NUTECH / SCM / Computer Lab Eqpt (PSDP) 2020 / TD-134

Fill in following essential parameters:-

1. Validity of Offer: _____ Days (Should not be less than **90 days**)
2. Delivery period: _____ Days (After placement of order)
3. Country of Origin: _____
4. Warranty Period: _____

General

1. GST Number: _____ (Enclose Copy)
2. NTN / CNIC: _____ (if exempted, provide valid exemption certificate)

Payment Terms

In FOR Cases
20% advance payment against BG/CDR/Pay Order/DD
80% payment after delivery, installation / commissioning /user satisfaction certificate

Details of Foreign Principal Information with account details)

1. Name / Title: _____
2. Address: _____

OEM Name:	Firm Name:	Signature:
OEM Focal Person:	Firm Focal Person:	Official Seal:
OEM Phone Number:	Firm Phone Number:	Name & CNIC:
OEM Email Id:	Firm Email Id:	Designation:

Annex C

FINANCIAL OFFER
NUTECH / SCM / Estb of Library (PSDP) 2020 / TD-134

Ser	Item Name/Size	Specification	A/U	Qty Req	Unit Price PKR (Including Tax)	Total Price PKR (Including Tax)
1	PC (Workstation) with monitor and accessories	<ul style="list-style-type: none"> Processor: Intel® Core™ i7-9700K Processor (3.6GHz, up to 4.9GHz w/Boost, 12MB Cache, 2666MHz, 8 core, 95W) or higher, with cooler module/fan Chipset: Intel C246 or Higher RAM: 16 GB DDR-4 (1 x 16 GB) or Higher support upto 32GB Min. Internal storage: 512 GB M.2 SSD and 1 TB 7200 RPM SATA 3.5" HDD Optical Drive: Super Drive/DVD-RW Video Graphic Adapter: Nvidia 4GB DDR5 (Compatible with quoted LED) with mini DP-to-DP Adapter Network Adapter: Integrated 10/100/1000 Base Wireless: Wireless, Dual Band (2.4Ghz/5Ghz) Intel 9560) + Bluetooth 4.0 or above Keyboard and Mouse: USB Standard Keyboard and USB Standard Laser Mouse (Compatible with workstation preferably same brand) Casing: Tower Chassis with Compatible Power Supply to support quoted Graphics Card LED Screen: LED 24" or Higher (preferably same brand) Compatible with workstation and Graphics Card Brand: Dell, HP or Equivalent Ports & Connectors: Headphone Connector, VGA, HDMI, DP, RJ45, 3 x USB 3.0 or Higher Connectors 	No	50		
2	PC (Desktop) with monitor and accessories	<ul style="list-style-type: none"> Processor: Intel® Core™ i7-9700 (8 Cores/12MB/8T/3.0GHz to 4.8GHz/65W) or higher, with cooler module/fan Chipset: Intel Q370 or Higher RAM: 8 GB DDR-4 (1 x 8 GB) or Higher support up to 32GB Min. Internal storage: 1 TB 7200 RPM SATA 3.5" HDD Optical Drive: Super Drive/DVD-RW Video Graphic Adapter: Integrated Intel® HD Graphics Network Adapter: Integrated 10/100/1000 Base Wireless: Wireless, Dual Band (2.4Ghz/5Ghz) Intel 9560) + Bluetooth 4.0 or 	No	75		

		above <ul style="list-style-type: none"> • Keyboard and Mouse: USB Standard Keyboard and USB Standard Laser Mouse (Compatible with workstation preferably same brand) • Casing: Tower Chassis with Compatible Power Supply • LED Screen: LED 24" or Higher (preferably same brand) Compatible with workstation • Brand: Dell, HP or Equivalent • Ports & Connectors: Headphone Connector, VGA, HDMI, DP, RJ45, 3 x USB 3.0 or Higher Connectors 				
3	Supply and installation of UPS 10KVA (APC or Equivalent) With built in Dry Battery	<ul style="list-style-type: none"> • UPS Specification <ul style="list-style-type: none"> - 10kVA/10kW Pure Sine Wave, Double Conversion Online UPS with Zero Transfer Time. ECO Mode, Serial & USB Connectivity, Built-in Emergency-Power-Off switch, Built-in SNMP Card, Surge energy rating of minimum 600 Joules with response time of less than 1 nanosecond, Input Frequency 40-70Hz, Output Frequency 50/60Hz (+ 3Hz). Backup time 10 to 15 Minutes (option to add external battery packs to extend runtime). • Installation <ul style="list-style-type: none"> - Main Input Cable 16mm 4 core for 4 x UPS - 1c x 10mm Earth Cable - Output Cable 10mm 3 Core from UPS to Newly Installed Output distribution DB - 2.5mm Cable Red for UPS Output Distribution - 2.5mm Cable Black for UPS Output Distribution - 2.5mm Cable Yellow/Green - UPS Distribution DB having 63ADP X 2 Input breaker and 20ASP x 16 Output Breakers - Main Input Breakers 63ATP to be installed in the Main DB - 13A Clipsal Flat pin Double Sockets - Installation Services for UPS 	No	4		
4	Network Nodes (Supply and Installation)	Supply and fixing of Cable laying in ceiling or duct and termination of network nodes (Total 120) with required CAT6 UTP cable, patch panels with detachable I/O, cable managers, face plates, RJ45 connectors and ducts. Installation & configuration of managed switches along with cabinet cable management and cable tagging: <ul style="list-style-type: none"> • UTP Cat 6 Cable 24 AWG Roll (305 Meter) 3M, Schneider, D-link or equivalent - 6 rolls • Cat 6 I/O Dual RJ 45 (3M, Schneider, D-link or equivalent) – 120 units • Dual shutter Face Plate (3M, Schneider, D-link or equivalent) – 120 units • Patch panel 24 port loaded (3M, Schneider, D-link or equivalent) - 2 unit • Patch panel 48 port loaded (3M, Schneider, D-link or equivalent) - 2 unit • Patch cord UTP Cat 6 1 meter (3M, Schneider, D-link or equivalent) – 120 units 	No	120		

		<ul style="list-style-type: none"> • Patch cord UTP Cat 6 3 meter (3M, Schneider, D-link or equivalent) – 120 units • Cable Manager – 4 units • RJ45 Connector Box (100 pc) (3M, Schneider, D-link or equivalent) – 3 units • PVC Back Box for Data and voice Network Point – 120 units • Rack Mount PDU 8 Port (Aluminum) – 4 units • 9U data Rack (Branded - Toten/Matrix) – 2 units • Duct (16x38 mm) 10 Feet Length (Adamjee or equivalent) – 50 units • Duct (40x40 mm) 10 feet Length (Adamjee or equivalent) – 50 units • PVC Flexible Pipe 1 & 2" Inch – 500 feet 				
5	Supply and Installation of Access Layer switch Gigabit POE network switch 48 ports (Cisco or D-Link)	<ul style="list-style-type: none"> • Catalyst 2960L 48P GigE. • 4 x 1G SFP • LAN Lite • 2x CON-SNT-WSC2960L (smart net total coverage) • 2 x CAB-ACU (AC Power Cord) • 8x GLC-LH-SMD (1G SFP) 	No	2		
6	Supply and Installation of Access Layer switch Gigabit POE network switch 24 ports (Cisco or D-Link)	<ul style="list-style-type: none"> • Catalyst 2960L 24P GigE PoE. • 4x 1G SFP. • LAN Lite. • 2x CON-SNT-WSC2960L (smart net total coverage). • 4x CAB-ACU (AC Power Cord). 	No	2		
7	Multimedia (supply and installation)	<ul style="list-style-type: none"> • Brightness: 3500 Lumens, • Contrast Ratio: 22,000:1, • Display Technology: 0.55 XGA DC3 DMD chip, Native • Resolution: 1024 x 768 (XGA), • Display Colors: 1073.4 million colors, • Image Size: 25 to 250 inch, • Aspect Ratio: 16:10 Native, 4:3, 16:9 Compatible, • Lamp Life: Up to 10,000 hours, • Throw Ratio: 1.95 - 2.16:1 • Weight: 2.25 kg, • Inputs: HDMI 1.4, VGAX2, S-Video, 	No	2		

		<ul style="list-style-type: none"> Lamp Type: 240W watt user-replaceable lamp, Speaker: 2W, Full 3D Supported Installation <p>Installation of each multimedia projectors: - Mount Kits (With screws and other required hardware), 50 ft VGA cable, 45 ft HDMI cable, 30 ft power cable and ducting.</p>				
8	Chairs	<ul style="list-style-type: none"> Steel Plastic Armless Peacock Shell Chair with Cushion (Sample pictures are attached with the quotation) <p>(Pictures Attached at Annex-A1) Samples available on site.</p>	No	125		
9	Firewall	<p>SRX300 Services Gateway: This device consolidates security, routing, switching, and WAN connectivity up to 50 users.</p> <ul style="list-style-type: none"> Includes hardware (8GE, 4G RAM, 8G Flash, power adapter and cable) Junos Software Base (Firewall, NAT, IPSec, Routing, MPLS and Switching. 3 year subscription for Application Security, IPS, AV, URL filtering and Anti-Spam PSS Next Day Support for SRX300-SYS-JB SRX300 rack mount kit without adaptor tray Junos OS 20.1R1 or advanced version Maximum concurrent sessions: 64,000 New sessions/second (sustained, TCP, 3-way): 5000 Maximum security policies: 1000 Power adapter for SRX300 4 x 1G SFP transceiver modules compatible with SRX300 4x full duplex LC -LC connector with 3m cable (compatible with SFP module) 2x full duplex LC -LC connector with 5m cable (compatible with SFP module) 4 x Ethernet ports of 5m to connect SRX300 with a network switch Documentation and all accessories included <p>or Equivalent</p>	No	1		
10	Router Switch (24 ports)	<p>Catalyst 2960L-24PS rack mountable switch that provides switching for branch, out-of-the-wiring-closet applications, and critical Internet of Things (IoT) deployments.</p> <ul style="list-style-type: none"> 2960L-24PS with POE+, 4x1G SFP, LAN Base CONT-SNT-WSC2964 NTC 8X5XNBD (2 years) 	No	2		

	<ul style="list-style-type: none">• 24 x 10/100/1000 PoE+ ports with line-rate forwarding• 4 fixed 10 Gigabit Ethernet SFP+ uplinks• Perpetual PoE+ support with a power budget• Switching bandwidth: 56 Gbps Forwarding bandwidth: 28 Gbps Forwarding performance (64-byte packet size): 41.67 Mpps• Enhanced version of Cisco IOS LAN Lite software• CLI and/or intuitive Web-UI manageability options• Device management support with: Over-the-air access via Bluetooth, Simple Network Management Protocol (SNMP), RJ-45 or USB console access, Network management with Cisco Prime®, Cisco Network Plug and Play, and Cisco DNA Center• Security with 802.1X support for connected devices, Switched Port Analyzer (SPAN), and Bridge Protocol Data Unit (BPDU) Guard• Basic Layer 3 features with Static routing and Routing Information Protocol (RIP) <p>Accessories including:</p> <ul style="list-style-type: none">• 3 x 1G SFP transceiver modules for each 2960L-24PS switch• 2x full duplex LC -SC connector with 5m cable (compatible with SFP module)• 2x full duplex LC -ST connector with 5m cable (compatible with SFP module)• 2960L-24PS-LL rack mount kit.• Power adapter• Documentation included <p>or Equivalent</p>				
	<u>Total</u>				

Firm Name: _____
Signature: _____
Name: _____
Designation: _____

Tender No _____

Name of the Firm _____

Firm Address _____

Date _____

Telephone No _____

E-Mail _____

To,

DD SCM Office
NUTECH University
I- 2, Main IJP Road,
Islamabad.

Dear Sir

1. I / We hereby offer to supply to the NUTECH University the stores detailed in schedule to the tender inquiry or such portion thereof as you may specify in the acceptance of tender at the price offered against the said schedule and further agree that this offer will remain valid up to 90 days after opening of Financial offer and will not be withdrawn or altered in terms of rates quoted and the conditions already stated therein or on before this date. I / we shall be bound by a communication of acceptance to be dispatched within the prescribed time.

2. I / we have understood the instructions to Tenders and General Conditions Governing Contract available at NUTECH website and have thoroughly examined the specifications / drawing and / or patterns quoted in the schedule here to and am/are fully aware of the nature of the stores required and my/ our offer is to supply stores strictly in accordance with the requirements.

Yours Faithfully.

(Signature of Tenderer)

Designation

Date:

Individual signing tender and / or other documents connected with a contract must be signed by principal authorized rep/ OEM rep/ Authorized partner firm rep.

SPECIMEN FOR "ADVANCE PAYMENT BANK GUARANTEE"

Guarantee No: _____ Date _____ Amount: _____ Valid upto: _____

In Favour of:

National University of Technology (NUTECH), IJP Road, I-12, Islamabad

Subject: **Advance Payment Bank Guarantee**

Contract No: _____ DATED: _____

Dear Sir,

1. We [Name of Guarantor] understand that you have entered into contract with M/S [Name of Firm] (hereinafter called Our Client), for provision of [Name of Stores]. And as per the above mentioned Contract, you are liable to pay to Our Client an amount of [Amount of Guarantee] in advance, which shall be released against a Bank Guarantee.
2. Bank & seller firm shall inform your office regarding termination of the validity of this bank Guarantee one clear month before the actual expiry date of this Bank Guarantee.
3. Now, we hereby irrevocably undertake to immediately make payment on to your orders, merely upon receipt of your first written notice, an amount not exceeding [Amount of Guarantee] that may be claimed by you at your own discretion without it being necessary for you to prove or even assert to the Bank any default whatsoever of Our Client under the Contract.
4. Claims against this Guarantee shall be lodged on us through written request/s on your proper Letter Head. Unless claims are not presented on or before the Validity Date, all rights and benefits under this guarantee shall be forfeited and we shall be released from all claims, demands or liabilities of any kind whatsoever.
5. This Guarantee shall remain in force up to the above mentioned Validity Date which can however, be extended upon request of Our Client.

Yours faithfully,

Signature: _____

Name: _____

Designation: _____

Bank Stamp:

BANK GUARANTEE AGAINST
"SPECIMEN FOR PERFORMANCE/WARRANTY
GUARANTEE"

Guarantee No: _____ Date _____ Amount: _____ Valid upto: _____

In Favour of:

National University of Technology (NUTECH), IJP Road, I-12, Islamabad

Subject: **In compliance with terms of Performance/Warranty Guarantee**
Bank Guarantee

Contract No: _____
 dated _____

Dear Sir,

1. Whereas your good-self have entered into Contract No: _____ dated _____ with M/s [Firm Name] Located at [Firm Address], Herein after referred to as our customer and that one of the conditions of the Contract is submission of Bank Guarantee by our customer to your good-self for a sum of [Amount].
2. Incompliance with this stipulation of subj contract, we hereby agree and undertake as under:-
 - a. To pay to you unconditionally on demand and / or without any reference to our Customer an amount not exceeding the sum of [Amount] as would be mentioned in your written Demand Notice.
 - b. To keep this Guarantee in force till [Validity Date].
 - c. That the validity of this Bank guarantee shall be kept two clear year ahead of the original / extended delivery period or the warrantee of the stores which so ever is later in duration on receipt of information from your office. Our liability under this Bank Guarantee shall cease on the closing of banking hours on the last date of validity of this Bank Guarantee. Claim received there after shall not been entertained by us whether you suffer a loss or not. On receipt of payment under this Guarantee, this

documents i.e., Bank Guarantee must be clearly cancelled, discharged and returned to us.

- d. That we shall inform your office regarding termination of the validity of this bank Guarantee on clear month before the actual expiry date of this Bank Guarantee.
- e. That with the consent of our customer you may amend / alter any term / cause of the contractor add / delete any term / clause to / from this contract without making any reference to us. We do not reserve any right to receive any such amendment / alternation or addition / deletion provided such like actions do not increase our monetary liability under this Bank Guarantee which shall be limited only [Amount.....].
- f. That the bank guarantee herein before given shall not be affected by any change in the constitution of the Bank or Customer / Supplier or Vendor.
- g. That this is an unconditional Bank guarantee, which shall be cashed on sight on presentation without any reference to our Customer / Supplier or Vendor.

Signature_____

Name_____

Desig_____

Bank Stamp_____

Note: No changes in the above given BG format shall be accepted.

"SELLER'S WARRANTY"

(To be provided on stamp paper)

Contract No: _____

Dated: _____

Validity 1 Year Comprehensive warranty for all items, with 2 years' service support from the date of final acceptance of the Stores.

1. We hereby guarantee that we are the genuine and original Source of provisioning the Stores to our Buyer. We also undertake that nothing in the manufacturing of these Stores has been obtained through unauthorized means.
2. We hereby warrant and undertake that the Stores and all the associated spares/ accessories supplied under the terms and conditions of the above Contract, are:
 - a. brand new, complete in all respects, possessing good quality and standard workmanship; and
 - b. liable for replacement/rectification free of charge, if during the Warranty period the same are found defective before or under normal use or these do not remain within the limits and tolerances stated under the specifications or in any way not in accordance with the terms of this Contract. All expenses incurred in removal, re-provisioning and reinstallation of such defective Stores or their parts shall also be borne by us.
3. The Warranty shall remain valid for a period of 1 Year Comprehensive warranty for all items, with 2 years' service support from the date of final acceptance of the Stores.

Signature_____

Name_____

Desig_____

Stamp_____

Date_____

CHECK LIST**(This checked list must be attached with your technical offer, duly filled and****Signed by authorized signatory)****Tender No**_____**Date**_____

1	Tender Processing Fee	a. Tender processing fee ref no _____ b. Bank _____ c. Amount _____	
2	EM/ Bid Bond	a. EM/ Bid Bond ref no _____ b. Bank _____	
3	Form Annex A, A-1, B and C signed by Authorized Signatory	Yes	No
4	Offering specification of items as per IT	Yes	No
5	Quoted Currency as per IT	Yes	No
6	Accounting unit/Qty as per IT	Yes	No
7	Delivery Schedule as per IT	Yes	No
8	Country of origin of store _____		
9	Name of OEM:- _____		
10	Original Performa invoice (Mandatory)	Yes	No
11	Certified that there is no Deviation from IT conditions/ there is deviation from IT condition as per fol details	Yes	No
12	Blacklisting certificate.	Yes	No
13	Verifiable OEM Certificate	Yes	No
14	Warranty Period as per IT	Yes	No
15	ATPs provided	Yes	No

Note: Fill and/or mark Yes/No where required

Signature of Firm Auth Signatory